



# Accessory catalogue

## 2022





# Easier workflows, every day, every step of the patient pathway

Dear Customer,

Quality medical equipment, innovative digital solutions, cost-effective management, these are cornerstones that make it easier for you to provide dedicated healthcare to your patients. Now, imagine improving the quality of healthcare you deliver by simplifying your hospital's chain of acquiring the technology and services needed. Whether it's help in: planning ergonomic workstations, managing costs of care, or in improving staff satisfaction, we make it possible for you to enable high quality therapy – all from a single source. The same detailed attention that we design into our ventilators, anaesthesia workstations, incubators and monitoring products, goes into the engineering and manufacturing of our accessories and consumables, as they are an integral part of life-saving medical equipment. Improved clinical, operational and economic outcomes through the entire patient pathway is our common goal.

Freeing you of routine tasks by streamlining and facilitating your hospital processes and workflows, reducing staff stress and unnecessary costs by offering you tailor-made solutions, at the end of the day it means giving you more time to care for your patients' wellbeing and recovery. We provide you with the necessary tools to give high quality care through complete therapeutic solutions. For us, ensuring a commitment to outstanding quality means rigorously testing our products so that they fulfill all standard requirements. Together with you, we work to design intelligent, holistic workspaces that satisfy staff, manage costs, and promote patient safety and healing. Medical technology and solutions are what we do – every day, everywhere – this is what we expect of ourselves, this is why we are **Your Specialist in Acute Care.**



# On this way you'll find your accessories:

<b>VENTILATION ACCESSORIES</b>	<b>06</b>	<b>WARD EQUIPMENT</b>	<b>268</b>
1. Breathing circuits		1. Oxygen therapy	
2. Breathing system filters and HMEs		2. Medical aspiration	
3. CO <sub>2</sub> cuvettes		3. Accessory for gas supply	
4. Catheter mounts and airway connectors			
5. Non-invasive patient interfaces and accessories		<b>RAIL ACCESSORIES AND EXAMINATION LIGHT</b>	<b>348</b>
6. Oxymixer		1. Rail accessories	
7. Device related accessories		2. Examination light	
8. Pack2Go®/Set2go		3. Hinged arms	
9. Humidifier and nebulizer		4. Device related accessories	
10. Spare parts for Resuscitators			
		<b>NEONATAL CARE AND THERMOREGULATIONS</b>	<b>358</b>
<b>SODA LIME</b>	<b>100</b>	1. Warming therapy	
		2. Ventilation accessories	
<b>SENSORS</b>	<b>106</b>	3. Sensors	
		4. Monitoring accessories	
<b>MONITORING ACCESSORIES</b>	<b>112</b>	5. Ward equipment	
1. Infinity® Monitoring: Gamma, Delta, Kappa and Vista series		6. Rail accessories and examination light	
2. Infinity® Acute Care System			
3. Infinity® M300		<b>INDEX BY ORDER NUMBER</b>	<b>452</b>
4. Vista 120			
5. Vista 120 SPOTCHECK		<b>INDEX BY PRODUCT NAME</b>	<b>465</b>
6. Multi Vendor Adapter			



# Ventilation Accessories

## Making breathing easier

Comfortable, stable oxygen delivery is of the highest importance when administering ventilation. You need reliable lung-protective strategies that are ready for use at a moment's notice, including easily integrated ventilation accessories that work seamlessly in the background – so you can stay focused on your patients' well-being.

Our wide range of accessories enhance patient comfort whether it is for non-invasive therapies, humidification solutions, or heated breathing circuits. Patient comfort and ease of use were the focal point when designing our ventilation accessories. Moreover, our disposable accessory range of breathing circuits and filters for active protection help to prevent cross contamination and greatly improve infection prevention programmes in your clinical environment.

As a healthcare professional, we understand you value quality when delivering ventilation therapy. This is why we test our products extensively for both quality and compatibility with our devices.

We are Your Specialist in Acute Care every step of the treatment pathway: from the emergency department or surgical area to the intensive care and neonate units.

### CONTENT VENTILATION ACCESSORIES

<b>1. Breathing circuits</b>	<b>09</b>
1.1 Disposable breathing circuits/sets and related accessories	09
1.2 Reusable breathing circuits/sets and related accessories	33
<b>2. Breathing system filters and HMEs</b>	<b>48</b>
<b>3. CO<sub>2</sub> cuvettes</b>	<b>60</b>
3.1 Disposable	60
3.2 Reusable	60
<b>4. Catheter mounts and airway connectors</b>	<b>61</b>
<b>5. Non-invasive patient interfaces and accessories</b>	<b>63</b>
5.1 NIV masks and accessories	63
5.2 Anesthesia masks and accessories	71
5.3 Oxygen (O <sub>2</sub> ) and aerosol therapy masks, venturi mask kits, nasal cannulas and accessories	77
5.4 High-Flow Therapy Nasal Cannula and accessories	82
<b>6. Oxymixer</b>	<b>83</b>
<b>7. Device related accessories</b>	<b>85</b>
<b>8. Pack2Go®/Set2go</b>	<b>89</b>
<b>9. Humidifier and nebulizer</b>	<b>92</b>
<b>10. Spare parts for Resuscitators</b>	<b>99</b>



## DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

### 1. BREATHING CIRCUITS

#### 1.1 DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

With VentStar® Family Dräger offers a wide range of disposable breathing circuits for different applications as well as for different patient groups (neo, ped, adult). Customers can choose between various kinds of materials. All disposable breathing circuits are made of high quality material and all gas leading components are PVC-free (no harm through softeners like e.g. DEHP). Special focus at Dräger is – additionally to CE – the interaction between Dräger device and related breathing circuit what is documented in our declarations of system compatibility.

Declarations of system compatibility underlie intensive testing in various scenarios which are based on our long-time experience concerning interaction of device with accessory. With respect to the newest device generation we enlarged our portfolio with ID breathing circuits which support the Infinity® ID functionality of the relevant Dräger devices.

<b>A Breathing circuit Vent Set, disposable, basic, 1.5 m, 25 pcs., not made with natural rubber latex</b>	<b>MP00300</b>
<b>B Breathing circuit VentStar®, disposable, basic, 1.8 m, 25 pcs., not made with natural rubber latex</b>	<b>MP00349</b>
<b>Breathing circuit VentStar® ICU 180, disposable, basic, y-piece detachable 1.8 m, 25 pcs., not made with natural rubber latex</b>	<b>MP17009</b>
<b>C Breathing circuit VentStar®, disposable, basic, 2.5 m, 10 pcs., not made with natural rubber latex</b>	<b>MP00350</b>
<b>Breathing circuit VentStar® ICU 250, disposable, basic, y-piece detachable, 2.5 m, 10 pcs., not made with natural rubber latex</b>	<b>MP17010</b>


ADULTS  
PEDIATRICS  
NEONATES



**DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES**

ADULTS  
PEDIATRICS  
NEONATES

<p><b>A</b> Breathing circuit VentStar®, disposable, P, basic, w/o Luer Lock, 1.5 m, 25 pcs., not made with natural rubber latex</p>	<p><b>MP00338</b></p>
<p><b>B</b> Breathing circuit VentStar®, disposable, P, basic, 1.8 m, 25 pcs., not made with natural rubber latex</p>	<p><b>MP00351</b></p>
<p>Breathing circuit VentStar® ICU (P) 180, disposable, P, basic, y-piece detachable, 1.8 m, 25 pcs., not made with natural rubber latex</p>	<p><b>MP17011</b></p>
<p><b>C</b> Breathing circuit VentStar®, disposable, P, basic, 2.5 m, 25 pcs., not made with natural rubber latex</p>	<p><b>MP00352</b></p>
<p>Breathing circuit VentStar® ICU (P) 250, disposable, P, basic, y-piece detachable, 2.5 m, 25 pcs., not made with natural rubber latex</p>	<p><b>MP17012</b></p>
<p><b>D</b> Breathing circuit VentStar®, disposable, N, basic, 1.8 m, 25 pcs., not made with natural rubber latex</p>	<p><b>MP00353</b></p>



## DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

ADULTS  
PEDIATRICS  
NEONATES


<p><b>A</b> Breathing circuit VentStar®, disposable, water trap, w/o Luer Lock, 1.8 m, 25 pcs., not made with natural rubber latex</p>	<p>MP00334</p>
<p>Breathing circuit VentStar® WT ICU 180, disposable, water trap, y-piece detachable, w/o Luer Lock, 1.8 m, 25 pcs., not made with natural rubber latex</p>	<p>MP17008</p>
<p><b>B</b> Breathing circuit VentStar®, disposable, water trap, 1.8 m, 25 pcs., not made with natural rubber latex</p>	<p>MP00337</p>
<p><b>C</b> Breathing circuit VentStar®, disposable, P, water trap, 1.8 m, 25 pcs., not made with natural rubber latex</p>	<p>MP00361</p>
<p><b>D</b> Breathing circuit VentStar®, disposable, P, water trap, w/o Luer Lock, 1.8 m, 25 pcs., not made with natural rubber latex</p>	<p>MP00362</p>
<p>Breathing circuit VentStar® WT ICU (P) 180, disposable, P, water trap, y-piece detachable, w/o Luer Lock, 1.8 m, 25 pcs., not made with natural rubber latex</p>	<p>MP17012</p>
<p><b>E</b> Breathing circuit VentStar®, disposable, N, water trap, 1.8 m, 25 pcs., not made with natural rubber latex</p>	<p>MP00363</p>



**DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES**

ADULTS  
PEDIATRICS  
NEONATES



<p><b>A</b> Breathing circuit VentStar®, disposable, coaxial, 1.7 m, 20 pcs., not made with natural rubber latex</p>	<p><b>MP03373</b></p>
<p><b>B</b> Breathing circuit VentStar®, disposable, coaxial, 1.9 m, 20 pcs., not made with natural rubber latex</p>	<p><b>MP03374</b></p>
<p><b>C</b> Breathing circuit VentStar®, disposable, coaxial, 2.3 m, 20 pcs., not made with natural rubber latex</p>	<p><b>MP03376</b></p>
<p><b>D</b> Breathing circuit VentStar®, disposable, coaxial, water trap, 2.1 m, 10 pcs., not made with natural rubber latex</p>	<p><b>MP00373</b></p>
<p><b>E</b> Breathing circuit VentStar®, disposable, P, coaxial, 1.5 m, 20 pcs., not made with natural rubber latex</p>	<p><b>MP00379</b></p>
<p>Breathing circuit VentStar®, disposable, coaxial, GSL, 2.3 m, 20 pcs., not made with natural rubber latex</p>	<p><b>MP03378</b></p>
<p>Breathing circuit VentStar®, disposable, coaxial, water trap, GSL, 2.1 m, 10 pcs., not made with natural rubber latex</p>	<p><b>MP03379</b></p>



**DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES**

ADULTS  
PEDIATRICS  
NEONATES

<p><b>A</b> Breathing circuit Vent Set, disposable, extendable, 1.8 m, 25 pcs., not made with natural rubber latex</p>	<p><b>MP00305</b></p>
<p><b>B</b> Breathing circuit VentStar®, disposable, extendable, 2.2 m, 25 pcs., not made with natural rubber latex</p>	<p><b>MP00355</b></p>
<p><b>C</b> Breathing circuit VentStar®, disposable, smoothbore, for MRI, 3 m, 10 pcs., not made with natural rubber latex</p>	<p><b>MP04800</b></p>
<p><b>D</b> Breathing circuit VentStar®, disposable, N, MRI, 3 m, 10 pcs., not made with natural rubber latex</p>	<p><b>MP04802</b></p>



## DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

ADULTS  
PEDIATRICS  
NEONATES


<b>A</b>	<b>Breathing bag set VentStar®, disposable, 2 L, 0.8 m, 25 pcs., not made with natural rubber latex</b>	<b>MP00222</b>
	<b>Breathing bag set VentStar® (Cone 22OD), disposable, 2 L, 0.8 m, 25 pcs., not made with natural rubber latex</b>	<b>MP16017</b>
<b>B</b>	<b>Breathing bag set VentStar®, disposable, 2 L, 1.2 m, 25 pcs., not made with natural rubber latex</b>	<b>MP00380</b>
	<b>Breathing bag set VentStar® (Cone 22OD), disposable, 2 L, 1.2 m, 25 pcs., not made with natural rubber latex</b>	<b>MP16018</b>
<b>B</b>	<b>Breathing bag set VentStar®, disposable, 2 L, 1.5 m, 25 pcs., not made with natural rubber latex</b>	<b>MP00381</b>
	<b>Breathing bag set VentStar® (Cone 22OD), disposable, 2 L, 1.5 m, 25 pcs., not made with natural rubber latex</b>	<b>MP16019</b>



## DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

ADULTS  
PEDIATRICS  
NEONATES

<b>A</b>	Breathing bag set VentStar®, disposable, P, 1 L, 1.1 m, 25 pcs., not made with natural rubber latex	<b>MP00384</b>
	Breathing bag set VentStar® (Cone 22OD), disposable, P, 1 L, 1.1 m, 25 pcs., not made with natural rubber latex	<b>MP16020</b>
<b>B</b>	Breathing bag set VentStar®, disposable, N, 0.5 L, 1.1 m, 25 pcs., not made with natural rubber latex	<b>MP00383</b>
	Breathing bag set VentStar® (Cone 22OD), disposable, N, 0.5 L, 1.1 m, 25 pcs., not made with natural rubber latex	<b>MP16021</b>
<b>C</b>	<b>①</b> VentStar® Breathing Bag 3 L, 25 pcs.	<b>MP02713</b>
	<b>②</b> VentStar® Breathing Bag 2 L, 25 pcs.	<b>MP02712</b>
	<b>③</b> VentStar® Breathing Bag 1 L, 25 pcs.	<b>MP02711</b>
	<b>④</b> VentStar® Breathing Bag 0.5 L, 25 pcs.	<b>MP02710</b>



**DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES**

ADULTS  
PEDIATRICS  
NEONATES

<b>A</b>	Anesthesia set, disposable, basic, 1.5 m/0.8 m, 25 pcs., not made with natural rubber latex	<b>MP00301</b>
	Anesthesia set, disposable, basic, 1.5 m/0.8 m, Bag Cone 22OD, 25 pcs., not made with natural rubber latex	<b>MP16028</b>
<b>B</b>	Anesthesia set, disposable, extendable, 1.8 m/0.8 m, 25 pcs., not made with natural rubber latex	<b>MP00303</b>
	Anesthesia set, disposable, extendable, 1.8 m/0.8 m, Bag Cone 22OD, 25 pcs., not made with natural rubber latex	<b>MP16029</b>
<b>C</b>	Anesthesia set VentStar®, disposable, w/o Luer Lock, 1.8 m/0.8 m, 25 pcs., not made with natural rubber latex	<b>MP00330</b>
	Anesthesia set VentStar®, disposable, w/o Luer Lock, 1.8 m/0.8 m, Bag Cone 22OD, 25 pcs., not made with natural rubber latex	<b>MP16030</b>





**DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES**

ADULTS  
PEDIATRICS  
NEONATES


<p><b>A</b> Anesthesia set VentStar®, disposable, P, w/o Luer Lock, 1.5 m/1.1 m, 25 pcs., not made with natural rubber latex</p>	<p><b>MP00331</b></p>
<p>Anesthesia set VentStar®, disposable, P, w/o Luer Lock, 1.5 m/1.1 m, Bag Cone 22OD, 25 pcs., not made with natural rubber latex</p>	<p><b>MP16031</b></p>
<p><b>B</b> Anesthesia set VentStar®, disposable, N, 1.8 m/1.1 m, 25 pcs., not made with natural rubber latex</p>	<p><b>MP00333</b></p>
<p>Anesthesia set VentStar®, disposable, N, 1.8 m/1.1 m, Bag cone 22OD, 25 pcs., not made with natural rubber latex</p>	<p><b>MP16032</b></p>



**DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES**

ADULTS  
PEDIATRICS  
NEONATES

<p><b>A</b> Anesthesia set VentStar®, disposable, basic, 2 L, 1.8 m/1.5 m, 25 pcs., not made with natural rubber latex</p>	<p><b>MP00365</b></p>
<p>Anesthesia set VentStar®, disposable, basic, 2 L, 1.8 m/1.5 m, Bag Cone 22OD, 25 pcs., not made with natural rubber latex</p>	<p><b>MP16033</b></p>
<p><b>B</b> Anesthesia set VentStar®, disposable, basic, 2 L, 2.5 m/1.5 m, 10 pcs., not made with natural rubber latex</p>	<p><b>MP00366</b></p>
<p>Anesthesia set VentStar®, disposable, basic, 2 L, 2.5 m/1.5 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex</p>	<p><b>MP16034</b></p>
<p><b>C</b> Anesthesia set VentStar®, disposable, water trap, w/o Luer Lock, 2 L, 1.8 m/1.5 m, 10 pcs., not made with natural rubber latex</p>	<p><b>MP00371</b></p>
<p>Anesthesia set VentStar®, disposable, water trap, w/o Luer Lock, 2 L, 1.8 m/1.5 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex</p>	<p><b>MP16035</b></p>



## DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

ADULTS  
PEDIATRICS  
NEONATES

<p><b>A</b> Anesthesia set VentStar®, disposable, water trap, 2 L, 1.8 m/1.5 m, 10 pcs., not made with natural rubber latex</p>	<p><b>MP00372</b></p>
<p>Anesthesia set VentStar®, disposable, water trap, 2 L, 1.8 m/1.5 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex</p>	<p><b>MP16036</b></p>
<p><b>B</b> Anesthesia set VentStar®, disposable, water trap, w/o Luer Lock, 2 L, 2.8 m/1.5 m, 10 pcs., not made with natural rubber latex</p>	<p><b>MP02720</b></p>
<p>Anesthesia set VentStar®, disposable, water trap, w/o Luer Lock, 2 L, 2.8 m/1.5 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex</p>	<p><b>MP16039</b></p>
<p><b>C</b> Anesthesia set VentStar®, disposable, water trap, 2 L, 2.8 m/1.5 m, 10 pcs., not made with natural rubber latex</p>	<p><b>MP02721</b></p>
<p>Anesthesia set VentStar®, disposable, water trap, 2 L, 2.8 m/1.5 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex</p>	<p><b>MP16040</b></p>



## DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

ADULTS  
PEDIATRICS  
NEONATES

<p><b>A</b> Anesthesia set VentStar®, disposable, P, water trap, 1 L, 1.8 m/1.1 m, 10 pcs., not made with natural rubber latex</p>	<p><b>MP00374</b></p>
<p>Anesthesia set VentStar®, disposable, P, water trap, 1 L, 1.8 m/1.1 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex</p>	<p><b>MP16037</b></p>
<p><b>B</b> Anesthesia set VentStar®, disposable, P, water trap, w/o Luer Lock, 1 L, 1.8 m/1.1 m, 10 pcs., not made with natural rubber latex</p>	<p><b>MP00375</b></p>
<p>Anesthesia set VentStar®, disposable, P, water trap, w/o Luer Lock, 1 L, 1.8 m/1.1 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex</p>	<p><b>MP16038</b></p>



**DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES**

Anesthesia set VentStar®, disposable, coaxial, water trap, 2 L, 2.1 m/1.2 m, 10 pcs., not made with natural rubber latex	<u>MP03381</u>
Anesthesia set VentStar®, disposable, coaxial, water trap, 2 L, 2.1/1.2 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	<u>MP16044</u>
Anesthesia set VentStar®, disposable, coaxial, 2 L, 2.3 m/1.2 m, 10 pcs., not made with natural rubber latex	<u>MP03383</u>
Anesthesia set VentStar, disposable, coaxial, 2 L, 2.3 m/1.2 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	<u>MP16042</u>
Anesthesia set VentStar®, disposable, coaxial, 2 L, 1.9 m/1.2 m, 10 pcs., not made with natural rubber latex	<u>MP03384</u>
Anesthesia set VentStar, disposable, coaxial, 2 L, 1.9 m/1.2 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	<u>MP16041</u>
Anesthesia set VentStar®, disposable, coaxial, GSL, 2 L, 2.3 m /1.2 m, 10 pcs., not made with natural rubber latex	<u>MP00358</u>
Anesthesia set VentStar®, disposable, coaxial, GSL, 2 L, 2.3 m /1.2 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	<u>MP16049</u>
Anesthesia set VentStar®, coaxial, water trap, GSL, 2 L, 2.1 m /1.2 m, 10 pcs., not made with natural rubber latex	<u>MP00359</u>
Anesthesia set VentStar®, coaxial, water trap, GSL, 2 L, 2.1 m /1.2 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	<u>MP16050</u>

ADULTS  
PEDIATRICS  
NEONATES

Not all articles are available worldwide.

**DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES**

ADULTS  
PEDIATRICS  
NEONATES


<b>A</b>	<b>Breathing circuit VentStar®, disposable, N, heated, 1.2 m, 10 pcs., not made with natural rubber latex</b>	<b>MP00308</b>
<b>B</b>	<b>Breathing circuit VentStar®, disposable, N, heated, w/o chamber, 1.2 m, 10 pcs., not made with natural rubber latex</b>	<b>MP00309</b>
<b>C</b>	<b>Humidifier chamber VentStar®, disposable, 10 pcs.</b>	<b>MP00234</b>
<b>D</b>	<b>Breathing circuit VentStar® Helix, disposable, N, dual heated, 1.7 m, 10 pcs., not made with natural rubber latex</b>	<b>MP02650</b>
<b>E</b>	<b>Breathing circuit VentStar® Helix, disposable, N, heated, 1.7 m, 10 pcs., not made with natural rubber latex</b>	<b>MP02608</b>
<b>F</b>	<b>Humidifier chamber VentStar®, disposable, N, 10 pcs.</b>	<b>MP02590</b>
<b>G</b>	<b>Double connector 11ID/15OD, disposable, 10 pcs.</b>	<b>MP02655</b>
<b>H</b>	<b>T-adapter neonatal for NO therapy, 10 pcs.</b>	<b>8422215</b>



## DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES


ADULTS  
PEDIATRICS  
NEONATES

A <u>VentStar® Helix, dual heated, 10 pcs.</u>	<u>MP02606</u>
B <u>VentStar® Helix, heated, 10 pcs.</u>	<u>MP02607</u>
C <u>Humidifier chamber, 10 pcs.</u>	<u>MP02605</u>



# Aquapor H300

## respiratory humidifier for optimally conditioned breathing gas



The Dräger Aquapor H300 respiratory humidifier ensures that patients who require mechanical breathing support are supplied with optimally conditioned breathing gas.




## DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

ADULTS  
PEDIATRICS  
NEONATES

	<u>Aquapor H300 - Configuration</u>	<u>MP01000</u>
A	<u>Aquapor H300 Basic unit 230V</u>	<u>MP07101</u>
	<u>Aquapor H300 Basic unit 115V</u>	<u>MP07102</u>
	<u>VentStar® Aquapor dual heated, Adult and Paediatric, 10 pcs.</u>	<u>MP07130</u>
B	<u>VentStar® Aquapor, heated, Adult and Paediatric, 10 pcs.</u>	<u>MP07131</u>
C	<u>VentStar® Aquapor, dual heated, N plus, 10 pcs.</u>	<u>MP07150</u>
D	<u>VentStar® Aquapor, heated, N plus, 10 pcs.</u>	<u>MP07151</u>
E	<u>H300 Heater wire adapter, insp</u>	<u>MP07106</u>
F	<u>H300 Heater wire adapter, dual</u>	<u>MP07107</u>
	<u>H300 Temp. sensor cable*, 160 cm</u>	<u>MP07108</u>
	<u>H300 Temp. sensor cable</u>	<u>MP07109</u>
G	<u>Breathing circuit Infinity® ID, disposable, N, heated, 1.2 m, 10 pcs., not made with natural rubber latex</u>	<u>MP00343</u>

\*Tradeware



Not all articles are available worldwide.

**DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES**

ADULTS  
PEDIATRICS  
NEONATES

**FOR OXYLOG® 2000+, 3000, 3000+ AND VE300 ADVANCED (WITH FLOW OPTION)**

- A Breathing circuit VentStar®**  
 Oxylog 3000F, 2000p, VE300,  
 disposable, 1.5 m (4.92 ft), 5 pcs.,  
 for Oxylog VE300 only with Option Plus **5703041**
- B Breathing circuit VentStar®**  
 Oxylog 3000F, 2000p, VE300,  
 disposable, 3 m (9.8 ft), 5 pcs.,  
 for Oxylog VE300 only with Option Plus **MP00335**

**FOR OXYLOG® 1000**

- C Breathing circuit VentStar® Oxylog 1000,**  
 disposable, 1.8 m, 25 pcs.,  
 not made with natural rubber latex **2M86837**



**DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES**

ADULTS  
PEDIATRICS  
NEONATES


FOR OXYLOG® 3000: ≥ SW 1.20, 3000+  
AND VE300 ADVANCED (WITH FLOW OPTION)

<p><b>A</b> Breathing circuit VentStar® Oxylog 3000, 3000+, disposable, P, 1.9 m, 5 pcs., Oxylog 3000: ≥ SW 1.20, VE300 (Software ≥ 2.0, Pediatric Option), not made with natural rubber latex</p>	<p><b>5704964</b></p>
--	-----------------------



FOR OXYLOG® VE300

<p><b>B</b> Breathing circuit VentStar® Oxylog VE300, disposable, 1.5 m, 5 pcs., not made with natural rubber latex</p>	<p><b>MP01370</b></p>
---	-----------------------




<p><b>C</b> Breathing circuit VentStar® Oxylog VE300, disposable, 3 m, 5 pcs., not made with natural rubber latex</p>	<p><b>MP01371</b></p>
---	-----------------------



**DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES**

ADULTS  
PEDIATRICS  
NEONATES

<p><b>A</b> Breathing circuit VentStar® Carina® LeakV, disposable, 1.5 m, 25 pcs., not made with natural rubber latex</p>	<p><b>MP00312</b></p>
<p><b>B</b> Breathing circuit VentStar® Carina® ExpV, disposable, 1.5 m, 10 pcs., not made with natural rubber latex</p>	<p><b>MP00313</b></p>
<p><b>C</b> Breathing circuit VentStar® Carina® ExpV, disposable, 2 m, 10 pcs., not made with natural rubber latex</p>	<p><b>5704962</b></p>



## DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

ADULTS  
PEDIATRICS  
NEONATES

<p><b>A</b> Breathing circuit Infinity® ID, disposable, basic, 1.8 m, 25 pcs., not made with natural rubber latex</p>	<p><b>MP01350</b></p>
<p><b>B</b> Breathing circuit Infinity® ID, disposable, basic, 2.5 m, 25 pcs., not made with natural rubber latex</p>	<p><b>MP01348</b></p>
<p><b>C</b> Breathing circuit Infinity® ID, disposable, smoothbore, 1.6 m, 25 pcs., not made with natural rubber latex</p>	<p><b>MP00340</b></p>
<p><b>D</b> Breathing circuit Infinity® ID, disposable, water trap, 1.8 m, 25 pcs., not made with natural rubber latex</p>	<p><b>MP01326</b></p>
<p><b>E</b> Breathing circuit Infinity® ID, disposable, smoothbore, 3 m, 10 pcs., not made with natural rubber latex</p>	<p><b>MP01325</b></p>
<p><b>F</b> Breathing circuit Infinity® ID, disposable, extendable, 2.2 m, 25 pcs., not made with natural rubber latex</p>	<p><b>MP01347</b></p>



## DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

ADULTS  
PEDIATRICS  
NEONATES

<b>A</b>	Breathing circuit Infinity® ID, disposable, coaxial, 1.9 m, 20 pcs., not made with natural rubber latex	<b>MP03375</b>
<b>B</b>	Breathing circuit Infinity® ID, disposable, coaxial, 2.3 m, 20 pcs., not made with natural rubber latex	<b>MP03377</b>
<b>B</b>	Breathing circuit Infinity® ID, disposable, coaxial, GSL, 2.3 m, 20 pcs., not made with natural rubber latex	<b>MP00357</b>
<b>C</b>	Breathing circuit Infinity® ID, disposable, water trap, 2.1 m, 10 pcs., not made with natural rubber latex	<b>MP00378</b>
<b>C</b>	Breathing circuit Infinity® ID, disposable, water trap, GSL, 2.1 m, 10 pcs., not made with natural rubber latex	<b>MP00367</b>
	Anesthesia set Infinity® ID, disposable, coaxial, water trap, 2 L, 2.1/1.2 m, 10 pcs., not made with natural rubber latex	<b>MP03388</b>
	Anesthesia set Infinity® ID, disposable, coaxial, water trap, 2 L, 2.1/1.2 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	<b>MP16045</b>
	Anesthesia set Infinity® ID, disposable, coaxial, GSL, 2.3 m/1.2 m, 10 pcs., not made with natural rubber latex	<b>MP00368</b>
	Anesthesia set Infinity ID®, disposable, coaxial, GSL, 2.3 m/1.2 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	<b>MP16051</b>
	Anesthesia set Infinity® ID, disposable, coaxial, water trap, GSL, 2.1 m/1.2 m, 10 pcs., not made with natural rubber latex	<b>MP00370</b>
	Anesthesia set Infinity ID®, disposable, coaxial, water trap, GSL, 2.1 m/1.2 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	<b>MP16052</b>



**DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES**

ADULTS  
PEDIATRICS  
NEONATES

<p><b>A</b> Breathing circuit Infinity® ID, disposable, P, basic, 1.8 m, 25 pcs., not made with natural rubber latex</p>	<p><b>MP01340</b></p>
<p><b>B</b> Breathing circuit Infinity® ID, disposable, P, water trap, 1.8 m, 25 pcs., not made with natural rubber latex</p>	<p><b>MP01341</b></p>
<p><b>C</b> Breathing circuit Infinity® ID, disposable, N, basic, 1.8 m, 25 pcs., not made with natural rubber latex</p>	<p><b>MP01327</b></p>
<p>Breathing circuit Infinity® ID, disposable, N, water trap, 1.8 m, 25 pcs., not made with natural rubber latex</p>	<p><b>MP01328</b></p>



**DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES**

ADULTS  
PEDIATRICS  
NEONATES

<p><b>A</b> Breathing bag set Infinity® ID, disposable, 2 L, 1.2 m, 25 pcs., not made with natural rubber latex</p>	<p><b>MP00341</b></p>
<p><b>B</b> Breathing bag set Infinity® ID, disposable, 2 L, 1.5 m, 25 pcs., not made with natural rubber latex</p>	<p><b>MP01330</b></p>
<p><b>C</b> Breathing bag set Infinity® ID, disposable, P, 1 L, 1.1 m, 25 pcs., not made with natural rubber latex</p>	<p><b>MP01343</b></p>
<p><b>D</b> Breathing bag set Infinity® ID, disposable, N, 0.5 L, 1.1 m, 25 pcs., not made with natural rubber latex</p>	<p><b>MP01329</b></p>






## REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

### 1.2 REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES


#### REUSABLE BREATHING SYSTEMS: BLUESET VENTILATION

<b>A</b>	<b>BlueSet Ventilation (N)</b>	<b>8412344</b>
Consists of:		
<b>1</b>	<b>Y-piece, reusable, N, 90°, with suction opening</b>	<b>8403075</b>
<b>2</b>	<b>Corrugated hose, reusable, N/P, 14 cm, connector 10 mm/10 mm, Ø 10 mm</b>	<b>8403333</b>
<b>3</b>	<b>Temperature sensor mount, reusable, N</b>	<b>8403056</b>
<b>4</b>	<b>Water trap with outlet, reusable N/P</b>	<b>8404760</b>
<b>5</b>	<b>Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/10 mm, Ø 10 mm</b>	<b>2165848</b>
<b>6</b>	<b>Water trap, reusable, N/P</b>	<b>8409627</b>
<b>7</b>	<b>Red cap, 7 mm</b>	<b>8401645</b>
<b>8</b>	<b>Breathing hose, silicone, reusable, N/P, 40 cm, connector 10 mm/22 mm, Ø 10 mm</b>	<b>2165856</b>
<b>9</b>	<b>Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/22 mm, Ø 10 mm</b>	<b>2165821</b>
	<b>Dummy Plug</b>	<b>8410049</b>




## REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

<b>A</b>	<b>BlueSet Ventilation (P/A)</b>	<b>8413146</b>
	Consists of:	
①	Adapter, reusable, 22 mm/22 mm	M25647
②	Adapter, reusable, 22 mm/15 mm, 90°	8290274
③	Hose clamp, 10 pcs.	8403566
④	Y-piece with sensor mount, reusable, A	8405435
⑤	Breathing hose, silicone, reusable, A, 35 cm, connector 22 mm/22 mm, Ø 22 mm	2165619
⑥	Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm, Ø 22 mm	2165627
⑦	Water trap, reusable, A	8404985
	Dummy Plug	8410049



## REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES


<b>A</b>	<b>BlueSet Ventilation HME (P/A)</b>	<b>8412860</b>
	Consists of:	
<b>1</b>	<b>Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm, Ø 22 mm</b>	<b>2166046</b>
<b>2</b>	<b>Y-piece, polyamide, reusable, straight, A</b>	<b>M25650</b>



## REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES


### REUSABLE ANESTHESIA SYSTEMS: BLUESET ANESTHESIA

<b>A</b>	<b>BlueSet Anesthesia (P/A)</b>	<b>M30146</b>
	Consists of:	
<b>1</b>	<b>Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm, Ø 22 mm</b>	<b>2166046</b>
<b>2</b>	<b>Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm, Ø 22 mm</b>	<b>2166038</b>
<b>3</b>	<b>Breathing bag, silicone, reusable, 2.3 L, not made with natural rubber latex</b>	<b>2166062</b>
<b>4</b>	<b>Y-piece 90° with Luer Lock, reusable, A</b>	<b>M33278</b>
<b>5</b>	<b>Adapter, reusable, 22 mm/22 mm</b>	<b>M25647</b>



## REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES


<b>A</b>	<b>BlueSet Anesthesia water trap (P/A)</b>	<b>MK04248</b>
Consists of:		
<b>1</b>	<b>Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm, Ø 22 mm</b>	<b>2165627</b>
<b>2</b>	<b>Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm, Ø 22 mm</b>	<b>2166038</b>
<b>3</b>	<b>Adapter, reusable, 22 mm/22 mm</b>	<b>M25647</b>
<b>4</b>	<b>Water trap, reusable, A</b>	<b>8404985</b>
<b>5</b>	<b>Y-piece 90° with Luer Lock, reusable, A</b>	<b>M33278</b>
<b>6</b>	<b>Breathing bag, silicone, reusable, 2.3 L, not made with natural rubber latex</b>	<b>2166062</b>



D-50824-2015


## REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

<b>A</b>	<b>BlueSet Anesthesia (N)</b>	<b>M27542</b>
	Consists of:	
①	Breathing hose, silicone, reusable, N/P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm	2165961
②	Breathing hose, silicone, reusable, N/P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm	2165678
③	Breathing bag, silicone, reusable, 0.5 L, not made with natural rubber latex	2166054
④	Adapter, reusable, 22 mm/22 mm	M25647
⑤	Y-piece, reusable, N, 90°, with suction opening	8403075
⑥	Elbow, reusable, N/P, metal, Luer Lock	M34568
⑦	Set of 5 red caps, 7 mm	8402953



## REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm, Ø 22 mm	<b>2166046</b>
B Ventilation valve for Oxylog® 1000, reusable	<b>2M86800</b>
C PEEP valve for Oxylog® 1000, reusable, adjustable from 0 – 10 mbar	<b>8407475</b>
D PEEP valve for Oxylog® 1000, disposable, adjustable from 5 – 20 mbar	<b>2M86832</b>
Breathing hose for Oxylog® 1000, reusable, silicone, 3 m	<b>2112760</b>



## REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

FOR OXYLOG® 2000, 2000+, 3000, 3000+ AND VE300 ADVANCED (WITH FLOW OPTION)

**A Breathing hose set for Oxylog® 2000/3000 family, reusable, w/ flow measurement line, 1.5 m 8412068**

Consists of:

**Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm, Ø 22 mm 2166046**

**Flow measuring line for Oxylog® 2000/3000 family, 1.5 m 8410929**

**A Breathing hose set for Oxylog® 2000/3000 family, reusable, w/ flow measurement line, 3 m 8412913**

Consists of:

**Breathing hose for Oxylog® 1000, reusable, silicone, 3 m 2112760**

**Flow measuring line for Oxylog® 2000/3000 family, 3 m 8413293**

**B Ventilation valve for Oxylog® 2000/3000, reusable 8412001**

**C Pressure difference flow sensor, PPSU, sterilizable 8412034**

**D Elbow, reusable 8412235**


FOR OXYLOG® VE300

**Hose Oxylog® VE300, 150, reusable MP01390**

**Hose Oxylog® VE300, 300, reusable MP01391**

**Connector pressure Oxylog® VE300 MP01372**

**D Elbow, reusable 8412235**





## REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

Silicone breathing hose (adult) with standard sleeves 22 mm/22 mm (0.9 in/0.9 in)

<b>A</b>	<b>Breathing hose, silicone, reusable, A, 35 cm, connector 22 mm/22 mm, Ø 22 mm</b>	<b>2165619</b>
<b>B</b>	<b>Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm, Ø 22 mm</b>	<b>2165627</b>
<b>C</b>	<b>Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm, Ø 22 mm</b>	<b>2166038</b>
<b>D</b>	<b>Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm, Ø 22 mm</b>	<b>2166046</b>




## REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

---

Silicone breathing hose (pediatric) with standard sleeves 10 mm (0.4 in) on both sides and 10 mm (0.4 in) inner diameter

**A Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/10 mm, Ø 10 mm**

**2165848**



Silicone breathing hose (pediatric) with standard sleeves 22 mm (0.9 in) on both sides and 10 mm (0.4 in) inner diameter

**B Breathing hose, silicone, reusable, N/P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm**


**2165678**



## REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

Silicone breathing hose (pediatric) with standard sleeves with one 10 mm (0.4 in) and one 22 mm (0.9 in) sleeve and 10 mm (0.4 in) inner diameter

<b>A Breathing hose, silicone, reusable, N/P, 40 cm, connector 10 mm/22 mm, Ø 10 mm</b>	<b>2165856</b>
<b>B Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/22 mm, Ø 10 mm</b>	<b>2165821</b>
<b>C Breathing hose, silicone, reusable, N/P, 1.1 m, connector 10 mm/22 mm, Ø 10 mm</b>	<b>2165651</b>
<b>D Breathing hose, silicone, reusable, N/P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm</b>	<b>2165961</b>



## REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

<b>A</b>	<b>Y-piece, polyamide, reusable, straight, A</b>	<b>M25650</b>
<b>B</b>	<b>Y-piece 90° with Luer Lock, reusable, A</b>	<b>M33278</b>
<b>C</b>	<b>Y-piece for F&amp;P, reusable, A*</b>	<b>8412888</b>
<b>D</b>	<b>Y-piece with sensor mount, reusable, A</b>	<b>8405435</b>
<b>E</b>	<b>Y-piece straight, reusable, N/P</b>	<b>M27077</b>
<b>F</b>	<b>Y-piece, reusable, N, 90°, with suction opening</b>	<b>8403075</b>
<b>G</b>	<b>Temperature probe adapter 900 MR 532, for F&amp;P humidifiers*</b>	<b>MP01007</b>

\*Tradeware



## REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

<b>A</b>	<b>Elbow, reusable</b>	<b>8412235</b>
<b>B</b>	<b>Elbow for F&amp;P, reusable*</b>	<b>8418289</b>
<b>C</b>	<b>Adapter, reusable, 22 mm/22 mm</b>	<b>M25647</b>
	<b>Adapter straight, reusable, A, 18 mm/11 mm</b>	<b>8403076</b>
	<b>Adapter, reusable, 22 mm/22 mm, 90°</b>	<b>M25649</b>
<b>D</b>	<b>Adapter, reusable, 22 mm/11 mm, metal, N/P</b>	<b>8409897</b>
<b>E</b>	<b>Elbow, reusable, N/P, metal, Luer Lock</b>	<b>M34568</b>
	<b>Temperature sensor mount, reusable, N</b>	<b>8403056</b>
	<b>T-piece connector, reusable</b>	<b>8411044</b>
<b>F</b>	<b>Water trap, reusable, A</b>	<b>8404985</b>
<b>G</b>	<b>Water trap, reusable, N/P</b>	<b>8409627</b>
	<b>Red cap, 7 mm</b>	<b>8401645</b>

\*Tradeware




Not all articles are available worldwide.

## REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

Transparent breathing bags of silicone elastomer

A	① Breathing bag, silicone, reusable, 0.5 L, not made with natural rubber latex	<u>2166054</u>
	② Breathing bag, silicone, reusable, 1.5 L, not made with natural rubber latex	<u>2166127</u>
	③ Breathing bag, silicone, reusable, 2.3 L, not made with natural rubber latex	<u>2166062</u>
	④ Breathing bag, silicone, reusable, 3 L, not made with natural rubber latex	<u>2166070</u>



## REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

<b>A</b> Test lung SelfTestLung, reusable, max. 1 L, not made with natural rubber latex	<b>MP02400</b>
Spare parts set SelfTestLung, with locking brace and attachment bolt	<b>MP02401</b>
<b>B</b> Demo lung SmartLung, max.1 L, reusable, not made with natural rubber latex	<b>MP02405</b>
<b>C</b> Test Lung, reusable, max. 1.5 L, not made with natural rubber latex	<b>8403201</b>
<b>D</b> Neonatal Test Lung, reusable, 50 ml, not made with natural rubber latex	<b>MP20050</b>



# Filter/HME

## avoiding nosocomial infections and support of lung protective ventilation

### Our new filter portfolio

**High performance filtration rates**  
to reduce risk of nosocomial infections

**Writable surface**  
to facilitate clinical workflows

**Performance tested**  
in accordance with Dräger standards and accredited laboratories

**Clear color coding**  
to quickly identify right filter

**Excellent moistening performance**  
to support lung protective ventilation

D-4013-2021

To be able to rely on the quality of medical equipment is a needed prerequisite to fully concentrate on the application of therapies to take care of patient recovery and wellbeing. We provide you with high quality filters for a wide range of applications and patient groups.



## BREATHING SYSTEM FILTERS AND HMEs

### 2. BREATHING SYSTEM FILTERS AND HMEs

#### ELECTROSTATIC FILTER AND HME

The TwinStar® Plus filter/HME from Dräger is a combination of an efficient HME and a high-performance breathing system filter, thereby significantly contributing to infection prophylaxis in ventilation treatment.

- Combination of efficient HME and high-performance breathing system filter
- High retention rates for bacteria and viruses
- High return of moisture
- Reduced condensation in the breathing circuit
- Minimal workload and low cost
- Sampling connector with tethered cap
- Transparent housing for visual control
- Standardized connectors for safe connection to other components
- Clear labeling and blue color coding for quick identification

<b>A</b>	<b>Filter + HME TwinStar® 90 Plus, disposable, ~90 ml deadspace, 100 pcs.</b>	<b>MP05800</b>
<b>B</b>	<b>Filter + HME TwinStar® 60A Plus, disposable, ~60 ml deadspace, angled, 100 pcs.</b>	<b>MP05810</b>
<b>C</b>	<b>Filter + HME TwinStar® 55 Plus, disposable, ~55 ml deadspace, 100 pcs.</b>	<b>MP05805</b>
<b>D</b>	<b>Filter + HME TwinStar® 25 Plus, disposable, ~25 ml deadspace, 100 pcs.</b>	<b>MP05815</b>
<b>E</b>	<b>Filter + HME TwinStar® 9 Plus, disposable, ~9 ml deadspace, 100 pcs.</b>	<b>MP05820</b>
<b>F</b>	<b>Mechanical filter + HME TwinStar® HEPA Plus, disposable, ~90 ml deadspace, 100 pcs.</b>	<b>MP05801</b>

Planned available in the first half of 2022.  
For local availability please get in touch with your local Dräger contact.



## BREATHING SYSTEM FILTERS

<b>A</b>	<b>Electrostatic filter and HME TwinStar® 90, disposable, 90 ml deadspace, 50 pcs.</b>	<b>MP01800</b>
<b>B</b>	<b>Electrostatic filter and HME TwinStar® 65A, disposable, 65 ml deadspace, angled, 50 pcs.</b>	<b>MP01810</b>
<b>C</b>	<b>Electrostatic filter and HME TwinStar® 55, disposable, 55 ml deadspace, 50 pcs.</b>	<b>MP01805</b>
<b>D</b>	<b>Electrostatic filter and HME TwinStar® 25, disposable, 25 ml deadspace, 50 pcs.</b>	<b>MP01815</b>
<b>E</b>	<b>Electrostatic filter and HME TwinStar® 10A, disposable, 10 ml deadspace, angled, 50 pcs.</b>	<b>MP01825</b>
<b>F</b>	<b>Electrostatic filter and HME TwinStar® 8, disposable, 8 ml deadspace, 50 pcs.</b>	<b>MP01820</b>
<b>G</b>	<b>Mechanical filter and HME TwinStar® HEPA, disposable, 55 ml deadspace, 50 pcs.</b>	<b>MP01801</b>



## BREATHING SYSTEM FILTERS

### ELECTROSTATIC FILTER

The CareStar® Plus breathing system filter significantly contributes to infection prophylaxis in anesthesia and ventilation treatment through high retention rates.

- High-performance electrostatic filter
- Patient-side or device-side use
- Minimal workload and low cost
- Sampling connector with tethered cap
- Transparent housing for visual control
- Standardized connectors for safe connection to other components
- Clear labeling and yellow color coding for quick identification



**A** Electrostatic filter CareStar® 35 Plus, disposable, ~35 ml deadspace, 100 pcs. MP05755

**B** Electrostatic filter CareStar® 20 Plus, disposable, ~20 ml deadspace, 100 pcs. MP05770

Planned available in the first half of 2022.  
For local availability please get in touch with your local Dräger contact.

## BREATHING SYSTEM FILTERS

---

<b>A</b> Electrostatic filter CareStar® 45, disposable, 45 ml deadspace, 50 pcs.	<u>MP01755</u>
<b>B</b> Electrostatic filter CareStar® 40A, disposable, 40 ml deadspace, angled, 50 pcs.	<u>MP01765</u>
<b>C</b> Electrostatic filter CareStar® 30, disposable, 30 ml deadspace, 50 pcs.	<u>MP01770</u>



## BREATHING SYSTEM FILTERS

### MECHANICAL FILTER

The SafeStar® Plus mechanical high performance breathing system filter shows excellent retention rates, thereby significantly contributing to infection prophylaxis in anesthesia and ventilation treatment.

- High-performance mechanical HEPA filter
- High hydrophobicity
- Patient-side or device-side use
- Sampling connector with tethered cap
- Transparent housing for visual control
- Standardized connectors for safe connection to other components
- Clear labeling and red color coding for quick identification

<b>A Mechanical filter SafeStar® 90 Plus, disposable, ~90 ml deadspace, 100 pcs.</b>	<b><u>MP05785</u></b>
<b>B Mechanical filter SafeStar® 60A Plus, disposable, ~60 ml deadspace, angled, 100 pcs.</b>	<b><u>MP05795</u></b>
<b>C Mechanical filter SafeStar® 55 Plus, disposable, ~55 ml deadspace, 100 pcs.</b>	<b><u>MP05790</u></b>

Planned available in the first half of 2022.  
For local availability please get in touch with your local Dräger contact.



## BREATHING SYSTEM FILTERS

<b>A</b> Mechanical filter SafeStar® 80, disposable, 80 ml deadspace, 50 pcs.	<b>MP01785</b>
<b>B</b> Mechanical filter SafeStar® 60A, disposable, 60 ml deadspace, angled, 50 pcs.	<b>MP01795</b>
<b>C</b> Mechanical filter SafeStar® 55, disposable, 55 ml deadspace, 50 pcs.	<b>MP01790</b>



**HMEs**

**HME**

HumidStar® Plus moisture exchangers from Dräger partially take over the function of the upper airways and efficiently humidify the inspired air.

- High return of moisture
- Reduced condensation in the breathing circuit
- Minimal workload and low cost
- Sampling connector with tethered cap
- Transparent housing for visual control
- Standardized connectors for safe connection to other components
- Clear labeling and green color coding for quick identification

<b>A</b>	<b>HME HumidStar® 55 Plus*, disposable, ~55 ml deadspace, 100 pcs.</b>	<b>MP05730</b>
<b>B</b>	<b>HME HumidStar® 25 Plus*, disposable, ~25 ml deadspace, 100 pcs.</b>	<b>MP05735</b>
<b>C</b>	<b>HME HumidStar® 2 Plus, disposable, 2 ml deadspace, 100 pcs.</b>	<b>MP05845</b>
<b>D</b>	<b>HME HumidStar® Trach Plus, disposable, 6 ml deadspace, 100 pcs.</b>	<b>MP05750</b>

\* Planned available in the first half of 2022.  
For local availability please get in touch with your local Dräger contact.



## HMEs

---

- A HME HumidStar® 55,  
disposable, 55 ml deadspace, 50 pcs. MP01730
  
- B HME HumidStar® 25,  
disposable, 25 ml deadspace, 50 pcs. MP01735





## BREATHING SYSTEM FILTERS AND HMEs

### SPECIFICATIONS

	<b>TwinStar® 90 Plus</b>	<b>TwinStar® 60A Plus</b>	<b>TwinStar® 55 Plus</b>
Part number	MP05800	MP05810	MP05805
Deadspace	90 ml	60 ml	55 ml
Recommended tidal volume	300 to 1500 ml	300 to 1500 ml	300 to 1500 ml
Bacterial retention**	≥ 99.99%	≥ 99.99%	≥ 99.99%
Viral retention**	≥ 99.9%	≥ 99.9%	≥ 99.9%
Filtration method	electrostatic	electrostatic	electrostatic
Moisture loss*	≤ 5.6 mg/l at VT = 500 ml	≤ 6.3 mg/l at VT = 500 ml	≤ 9.4 mg/l at VT = 500 ml
Moisture return	≥ 38.4 mg/l at VT = 500 ml	≥ 37.7 mg/l at VT = 500 ml	≥ 34.6 mg/l at VT = 500 ml
Resistance	≤ 1.0 mbar at 30 l/min	≤ 1.3 mbar at 30 l/min	≤ 1.3 mbar at 30 l/min
Maximum duration of use	24 hours	24 hours	24 hours
Product	PVC-free/ Latex free	PVC-free/ Latex free	PVC-free/ Latex free

	<b>TwinStar® 25 Plus</b>	<b>TwinStar® 9 Plus</b>	<b>TwinStar® HEPA Plus</b>
Part number	MP05815	MP05820	MP05801
Deadspace	25 ml	9 ml	90 ml
Recommended tidal volume	100 to 500 ml	30 to 150 ml	300 to 1500 ml
Bacterial retention**	≥ 99.99%	≥ 99.99%	≥ 99.9999%
Viral retention**	≥ 99.9%	≥ 99.9%	≥ 99.9999%
Filtration method	electrostatic	electrostatic	mechanical
Moisture loss*	≤ 11.8 mg/l at VT = 250 ml	≤ 10.30 mg/l at VT = 50 ml	≤ 10.9 mg/l at VT = 500 ml
Moisture return	≥ 32.2 mg/l at VT = 250 ml	≥ 33.7 mg/l at VT = 50 ml	≥ 33.1 mg/l at VT = 500 ml
Resistance	≤ 1.8 mbar at 30 l/min	≤ 1.5 mbar at 15 l/min	≤ 1.6 mbar at 30 l/min
Maximum duration of use	24 hours	24 hours	24 hours
Product	PVC-free/ Latex free	PVC-free/ Latex free	PVC-free/ Latex free

Cleanroom manufactured according to EN ISO 14644-1:2014.

\*According to DIN EN ISO 9360-1 2009.

\*\*Test has been performed by Nelson Lab, USA, in 2021.

## BREATHING SYSTEM FILTERS

### SPECIFICATIONS

	CareStar® 35 Plus	CareStar® 20 Plus
Part number	MP05755	MP05770
Deadspace	35 ml	20 ml
Recommended tidal volume	300 to 1500 ml	100 to 500 ml
Bacterial retention**	≥ 99.99%	≥ 99.99%
Viral retention**	≥ 99.9%	≥ 99.9%
Filtration method	electrostatic	electrostatic
Moisture loss*	-	-
Moisture return	-	-
Resistance	≤ 0.9 mbar at 30 l/min	≤ 1.3 mbar at 30 l/min
Maximum duration of use	24 hours	24 hours
Product	PVC-free/ Latex free	PVC-free/ Latex free

	SafeStar® 90 Plus	Safe Star® 60A Plus	SafeStar® 55 Plus
Part number	MP05785	MP05795	MP05790
Deadspace	90 ml	60 ml	55 ml
Recommended tidal volume	300 to 1500 ml	300 to 1500 ml	300 to 1500 ml
Bacterial retention**	≥ 99.9999%	≥ 99.999%	≥ 99.999%
Viral retention**	≥ 99.999%	≥ 99.9999%	≥ 99.999%
Filtration method	mechanical	mechanical	mechanical
Moisture loss*	-	-	-
Moisture return	-	-	-
Resistance	≤ 1.3 mbar at 30 l/min	≤ 2.0 mbar at 30 l/min	≤ 2.0 mbar at 30 l/min
Maximum duration of use	24 hours	24 hours	24 hours
Product	PVC-free/ Latex free	PVC-free/ Latex free	PVC-free/ Latex free

Cleanroom manufactured according to EN ISO 14644-1:2014.

\*According to DIN EN ISO 9360-1 2009.

\*\*Test has been performed by Nelson Lab, USA, in 2021.

## HMEs

### SPECIFICATIONS

	HumidStar® 55 Plus	HumidStar® 25 Plus	HME HumidStar® 2 Plus
Part number	MP05730	MP05735	MP05845
Deadspace	55 ml	25 ml	2 ml
Recommended tidal volume	300 to 1500 ml	100 to 500 ml	10 to 50 ml
Bacterial retention	-	-	-
Viral retention	-	-	-
Filtration method	-	-	-
Moisture loss*	≤ 7.8 mg/l at VT = 500 ml	≤ 9.3 mg/l at VT = 250 ml	≤ 11.5 mg/l at VT = 45 ml
Moisture return	≥ 36.2 mg/l at VT = 500 ml	≥ 34.7 mg/l at VT = 250 ml	≥ 32.5 mg/l at VT = 45 ml
Resistance	≤ 0.6 mbar at 30 l/min	≤ 0.3 mbar at 30 l/min	≤ 1.2 mbar at 15 l/min
Maximum duration of use	24 hours	24 hours	24 hours
Product	PVC-free/ Latex free	PVC-free/ Latex free	PVC-free/ Latex free

Cleanroom manufactured according to EN ISO 14644-1:2014.

\*According to DIN EN ISO 9360-1 2009.

## CO<sub>2</sub> CUVETTES

### 3. CO<sub>2</sub> CUVETTES

CO<sub>2</sub> cuvettes are designed for the monitoring of CO<sub>2</sub> concentration during patient ventilation.

#### 3.1 DISPOSABLE

A	CO <sub>2</sub> cuvette disposable, adult, 10 pcs.	MP01062
B	CO <sub>2</sub> cuvette disposable, pediatric, 10 pcs.	MP01063

#### 3.2 REUSABLE

C	CO <sub>2</sub> cuvette reusable, adult	6870279
D	CO <sub>2</sub> cuvette reusable, pediatric	6870280

#### CO<sub>2</sub> CABLES

E	CO <sub>2</sub> mainstream sensor, for Evita® 2 dura, Evita® 4 Edition and Evita® XL	6871500
F	MCable Mainstream CO <sub>2</sub> , for Infinity® M540, Vista 120, Vista 120 S, and Delta VF9.1 and higher	6871950



## CATHETER MOUNTS AND AIRWAY CONNECTORS

### 4. CATHETER MOUNTS AND AIRWAY CONNECTORS

- Smoothbore products provide low resistance to flow while external coil reduces kinks and blockages
- Extendable product provides a lightweight and flexible solution
- Double swivel connector increases ease of use
- Double cap to maintain PEEP during suctioning or bronchoscopy
- Each catheter mount and airway connector is equipped with a red safety cap so that the system is completely closed and protected until directly prior to use on the patient
- 22F/15M connector on device side as a two-in-one solution
- Standardized connectors for safe connection to other components
- Luer Lock port for gas sampling
- Disposable convenience enhances workflow
- PVC-free design of gas leading components eliminates risk of softeners such as DEHP

<b>A</b>	<b>Catheter mount ErgoStar® CM 40, disposable, 10 cm, double swivel elbow, 50 pcs.</b>	<b>MP01840</b>
<b>B</b>	<b>Catheter mount ErgoStar® CM 45, disposable, 15 cm, double swivel elbow, 50 pcs.</b>	<b>MP01845</b>
<b>C</b>	<b>Catheter mount ErgoStar® CM 50, disposable, 10 – 16 cm, extendable, 50 pcs.</b>	<b>MP01850</b>
<b>D</b>	<b>Catheter mount ErgoStar® CM 55, disposable, 15 cm, straight, 50 pcs.</b>	<b>MP01855</b>
<b>E</b>	<b>Catheter mount ErgoStar® CM 60, disposable, 10 cm, small, double swivel elbow, 50 pcs.</b>	<b>MP01860</b>
<b>F</b>	<b>Airway connector ErgoStar® AC 90, disposable, double-swivel elbow w/ double cap, 100 pcs.</b>	<b>MP01890</b>
<b>G</b>	<b>Airway connector ErgoStar® AC 95, disposable, w/ Luer Lock sampling port, 100 pcs.</b>	<b>MP01895</b>




Not all articles are available worldwide.

## CATHETER MOUNTS AND AIRWAY CONNECTORS

### COMBINATIONS OF FILTER AND TUBE EXTENTION

<b>A</b> CombiStar Filter HME flex, combination of flexible tube extension MP01850 and filter TwinStar® 55 (MP01805), 25 pcs.	<b>MP04240</b>
<b>B</b> CombiStar F-HME HEPA flex, combination of flexible tube extension MP01850 and filter TwinStar® HEPA (MP01801), 25 pcs.	<b>MP04242</b>
<b>C</b> CombiStar mechanical Filter flex, combination of flexible tube extension MP01850 and filter SafeStar® 55 (MP01790), 25 pcs.	<b>MP04246</b>
<b>D</b> CombiStar A Filter HME, combination of airway connector MP01845 and filter TwinStar® 55 (MP01805), 25 pcs.	<b>MP01671</b>



**NIV MASKS AND ACCESSORIES**

**5. NON-INVASIVE PATIENT INTERFACES AND ACCESSORIES**

**5.1 NIV MASKS AND ACCESSORIES**

ClassicStar® NIV oronasal masks cover the nose and mouth of the patient. Therefore, they provide effective therapy even in case of mouth breathing.


The mask design ensures high patient comfort combined with anatomical fit and effective seal due to individually adjustable mask cushion. The 6-point headgear provides a stable and secure fixation. Adjustable forehead support and forehead pad allow for distributing the pressure from the bridge of nose towards the forehead for more patient comfort.

ClassicStar® NIV masks with standard elbow (SE) have been successfully tested for compatibility with Dräger ventilators which have NIV-option. Variants with Anit-Asphyxia Valve (AAV) are intended for Multi-Vendor-Accessory business.

All ClassicStar® NIV masks are for single patient use.

Sizing gauges for easy mask size identification as well as a pumpball are delivered together with the masks.



<b>A</b>	<b>NIV oronasal mask ClassicStar® SE, disposable, size S</b>	<b>MP01573</b>
	<b>NIV oronasal mask ClassicStar® SE, disposable, size M</b>	<b>MP01574</b>
	<b>NIV oronasal mask ClassicStar® SE, disposable, size L</b>	<b>MP01575</b>
<b>B</b>	<b>NIV oronasal mask ClassicStar® AAV, disposable, size S</b>	<b>MP01570</b>
	<b>NIV oronasal mask ClassicStar® AAV, disposable, size M</b>	<b>MP01571</b>
	<b>NIV oronasal mask ClassicStar® AAV, disposable, size L</b>	<b>MP01572</b>



## NIV MASKS AND ACCESSORIES

Oronasal masks are often the first-line strategy in the initial management of acute respiratory failure as they cover nose and mouth. Nasal masks are often chosen if NIV therapy has to be prolonged due to improved comfort and reduced complications associated with oronasal masks. Similar to ClassicStar® oronasal masks, the nasal mask cushion can be individually adjusted to the patient's face providing high patient comfort and effective seal. The 4-point-headgear ensures a stable and secure fixation reducing mask displacement. All ClassicStar® NIV nasal masks are for single patient use. Sizing gauges for easy mask size identification as well as a pumpball are delivered together with the masks.

<b>A</b>	<b>NIV nasal mask ClassicStar® non-vented, disposable, size S</b>	<b>MP01623</b>
	<b>NIV nasal mask ClassicStar® non-vented, disposable, size M</b>	<b>MP01624</b>
	<b>NIV nasal mask ClassicStar® non-vented, disposable, size L</b>	<b>MP01625</b>
<b>B</b>	<b>NIV nasal mask ClassicStar® vented, disposable, size S</b>	<b>MP01620</b>
	<b>NIV nasal mask ClassicStar® vented, disposable, size M</b>	<b>MP01621</b>
	<b>NIV nasal mask ClassicStar® vented, disposable, size L</b>	<b>MP01622</b>





## NIV MASKS AND ACCESSORIES

The ClassicStar® NIV total-face mask seals around the perimeter of the face, covering mouth, nose and eyes. These areas are less pressure sensitive and have smoother facial contours compared to the areas a oronasal masks covers (nasal bridge). The mask is suitable for patients with nasal bridge breakdown or facial irregularities. The air filled cushion can be adjusted individually to the patients face, providing high patient comfort and effective seal. The 5-point headgear which includes a headstrap at the top of the mask provides a stable and secure attachment, thus preventing mask displacement and reducing pressure. Quick release clips are integrated for quick removal of the mask.




<b>A</b>	<b>NIV total-face mask ClassicStar® SE, disposable, size S</b>	<b>MP02910</b>
	<b>NIV total-face mask ClassicStar® SE, disposable, size M</b>	<b>MP02911</b>
	<b>NIV total-face mask ClassicStar® SE, disposable, size L</b>	<b>MP02912</b>
<b>B</b>	<b>NIV total-face mask ClassicStar® AAV, disposable, size S</b>	<b>MP02913</b>
	<b>NIV total-face mask ClassicStar® AAV, disposable, size M</b>	<b>MP02914</b>
	<b>NIV total-face mask ClassicStar® AAV, disposable, size L</b>	<b>MP02915</b>
<b>C</b>	<b>NIV total-face mask ClassicStar® AAV without exhalation ports, disposable, size S</b>	<b>MP02916</b>
	<b>NIV total-face mask ClassicStar® AAV without exhalation ports, disposable, size M</b>	<b>MP02917</b>
	<b>NIV total-face mask ClassicStar® AAV without exhalation ports, disposable, size L</b>	<b>MP02918</b>



## NIV MASKS AND ACCESSORIES

The ClassicStar® plus mask series features a soft and anatomically shaped silicone lip as sealing interface to the patients face. The mask has an easy to adjust forehead pad with silicone cushion which allows optimal adaption to the sensitive nasal bridge. The mask is available in four sizes (S, M, L, XL) as oronasal and nasal mask. ClassicStar® plus NIV masks with standard elbow (SE) have been successfully tested for compatibility with Dräger ventilators which have NIV-option. Variants with Anti-Asphyxia-Valve (AAV) are intended for Multi-Vendor-Accessory business.

<b>A</b>	<b>NIV oronasal mask ClassicStar® plus SE, disposable, size S, 5 pcs.</b>	<b>MP04711</b>
	<b>NIV oronasal mask ClassicStar® plus SE, disposable, size M, 5 pcs.</b>	<b>MP04712</b>
	<b>NIV oronasal mask ClassicStar® plus SE, disposable, size L, 5 pcs.</b>	<b>MP04713</b>
	<b>NIV oronasal mask ClassicStar® plus SE, disposable, size XL, 5 pcs.</b>	<b>MP04714</b>
<b>B</b>	<b>NIV oronasal mask ClassicStar® plus AAV, disposable, size S, 5 pcs.</b>	<b>MP04721</b>
	<b>NIV oronasal mask ClassicStar® plus AAV, disposable, size M, 5 pcs.</b>	<b>MP04722</b>
	<b>NIV oronasal mask ClassicStar® plus AAV, disposable, size L, 5 pcs.</b>	<b>MP04723</b>
	<b>NIV oronasal mask ClassicStar® plus AAV, disposable, size XL, 5 pcs.</b>	<b>MP04724</b>
<b>C</b>	<b>NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size S, 5 pcs.</b>	<b>MP04731</b>
	<b>NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size M, 5 pcs.</b>	<b>MP04732</b>
	<b>NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size L, 5 pcs.</b>	<b>MP04733</b>
	<b>NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size XL, 5 pcs.</b>	<b>MP04734</b>



## NIV MASKS AND ACCESSORIES

<b>A</b>	<b>NIV nasal mask ClassicStar® plus non vented, disposable, size S, 5 pcs.</b>	<b>MP04741</b>
	<b>NIV nasal mask ClassicStar® plus non vented, disposable, size M, 5 pcs.</b>	<b>MP04742</b>
	<b>NIV nasal mask ClassicStar® plus non vented, disposable, size L, 5 pcs.</b>	<b>MP04743</b>
	<b>NIV nasal mask ClassicStar® plus non vented, disposable, size XL, 5 pcs.</b>	<b>MP04744</b>
<b>B</b>	<b>NIV nasal mask ClassicStar® plus vented, disposable, size S, 5 pcs.</b>	<b>MP04751</b>
	<b>NIV nasal mask ClassicStar® plus vented, disposable, size M, 5 pcs.</b>	<b>MP04752</b>
	<b>NIV nasal mask ClassicStar® plus vented, disposable, size L, 5 pcs.</b>	<b>MP04753</b>
	<b>NIV nasal mask ClassicStar® plus vented, disposable, size XL, 5 pcs.</b>	<b>MP04754</b>

A



D-10389-2016



D-10390-2016

## NIV MASKS AND ACCESSORIES

The NovaStar® plus NiV mask series cover nose and mouth of the patient. Therefore, they provide effective therapy even in case of mouth breathing. This range of products provides ultimate comfort and an effective seal due to the individual adaption of the silicone-gel cushion with a pliable embedded ring. NovaStar® plus NiV masks with standard elbow (SE) have been successfully tested for compatibility with Dräger ventilators which have NiV-option. Variants with Anti-Asphyxia-Valve (AAV) are intended for Multi-Vendor-Accessory business. All NovaStar® plus NiV masks are for multi patient use. Replacement headgears with magnetic clips are available individually (cf. accessories for NiV masks).

<b>A</b>	<b>NIV oronasal mask NovaStar® plus, SE, reusable, size S, 3 pcs.</b>	<b>MP05051</b>
	<b>NIV oronasal mask NovaStar® plus, SE, reusable, size M, 3 pcs.</b>	<b>MP05052</b>
	<b>NIV oronasal mask NovaStar® plus, SE, reusable, size L, 3 pcs.</b>	<b>MP05053</b>
	<b>NIV oronasal mask NovaStar® plus, SE, reusable, size XL, 3 pcs.</b>	<b>MP05054</b>
<b>B</b>	<b>NIV oronasal mask NovaStar® plus, AAV, reusable, size S, 3 pcs.</b>	<b>MP05061</b>
	<b>NIV oronasal mask NovaStar® plus, AAV, reusable, size M, 3 pcs.</b>	<b>MP05062</b>
	<b>NIV oronasal mask NovaStar® plus, AAV, reusable, size L, 3 pcs.</b>	<b>MP05063</b>
	<b>NIV oronasal mask NovaStar® plus, AAV, reusable, size XL, 3 pcs.</b>	<b>MP05064</b>
<b>C</b>	<b>NIV oronasal mask NovaStar® plus, AAV, without exhalation ports, reusable, size S, 3 pcs.</b>	<b>MP05071</b>
	<b>NIV oronasal mask NovaStar® plus, AAV, without exhalation ports, reusable, size M, 3 pcs.</b>	<b>MP05072</b>
	<b>NIV oronasal mask NovaStar® plus, AAV, without exhalation ports, reusable, size L, 3 pcs.</b>	<b>MP05073</b>
	<b>NIV oronasal mask NovaStar® plus, AAV, without exhalation ports, reusable, size XL, 3 pcs.</b>	<b>MP05074</b>



## NIV MASKS AND ACCESSORIES

### TRADEWARE

The **MiniMe2\*** nasal mask is designed for children ages 2 – 12. It features an ergonomic silicone gel cushion and a shapeable shell mask to fit individual needs and thus ensuring an effective seal and a comfortable fit.

<b>A</b>	<b>Pediatric nasal mask MiniMe2 non vented, disposable, size S</b>	<b>MP01555</b>
	<b>Pediatric nasal mask MiniMe2 non vented, disposable, size L</b>	<b>MP01556</b>
<b>B</b>	<b>Pediatric nasal mask MiniMe2 vented, disposable, size S</b>	<b>MP01553</b>
	<b>Pediatric nasal mask MiniMe2 vented, disposable, size L</b>	<b>MP01554</b>

\*Produced by SleepNet Corporation





## NIV MASKS AND ACCESSORIES

---

### ACCESSORIES FOR NIV MASKS

---

<b>A</b>	<b>Two-sided pump ball for air management</b>	<b>MP01590</b>
<b>B</b>	<b>NovaStar® plus Headgear inclusive magnetic clips, 3 pcs.</b>	<b>MP05080</b>



## ANESTHESIA MASKS AND ACCESSORIES

### 5.2 ANESTHESIA MASKS AND ACCESSORIES

#### SEDISTAR® ANESTHESIA FACE MASKS

The disposable anesthesia face mask SediStar features a soft and anatomically shaped lip as the sealing interface to the patient's face. The mask is BPA and PVC free.

#### Optimal fit


Due to the ergonomic design and sealing lip the mask offers an optimized fit for different facial anatomies.

#### Color-coding

Every mask size is color coded by a different label, which makes it easy to identify the correct mask size right of the shelf.

#### Additional mask accessories

Easy application is supported through additional mask accessories: hook ring and headgears for fixation. Two different headgears in small and large designs offer patients and physicians a soft and elastic support and holding position.



D-4736-2019

D-26951-2020

A	1 SediStar® anesthesia face mask, disposable, w/o hook ring, size 1, small infant, 30 pcs.	MP01701
	2 SediStar® anesthesia face mask, disposable, w/o hook ring, size 2, large infant, 30 pcs.	MP01702
	3 SediStar® anesthesia face mask, disposable, w/o hook ring, size 3, child, 30 pcs.	MP01703
	4 SediStar® anesthesia face mask, disposable, w/o hook ring, size 4, small adult, 30 pcs.	MP01704
	5 SediStar® anesthesia face mask, disposable, w/o hook ring, size 5, medium adult, 30 pcs.	MP01705
	6 SediStar® anesthesia face mask, disposable, w/o hook ring, size 6, large adult, 30 pcs.	MP01706
	7 SediStar® anesthesia face mask, disposable, w/o hook ring, size 7, extra large adult, 30 pcs.	MP01707
B	Hook ring for SediStar® anesthesia masks, disposable, 22 mm ID, for sizes 3 – 7, 30 pcs.	MP01708

## NIV MASKS AND ACCESSORIES

### LITESTAR® ANESTHESIA MASKS


The re-designed recessed grip as well as the teardrop shape of the of our disposable anesthesia mask LiteStar® support an anatomical fit. The transparent mask body allows for continuous observation of the patient's condition.

#### Color-coding

Every mask size is color coded by a different label, which makes it easy to identify the correct mask size.

#### Additional mask accessories

Easy application is supported through additional mask accessories: hook ring and headgears for fixation. Two different headgears in small and large designs offer patients and physicians a soft and elastic support and holding position.



D-41789-2021



D-44293-2021

A	① Anesthesia mask LiteStar®, disposable, w/o hook ring, size 1, infant S, 30 pcs.	MP11001
	② Anesthesia mask LiteStar®, disposable, w/o hook ring, size 2, infant L, 30 pcs.	MP11002
	③ Anesthesia mask LiteStar®, disposable, w/o hook ring, size 3, child, 30 pcs.	MP11003
	④ Anesthesia mask LiteStar®, disposable, w/o hook ring, size 4, adult S, 30 pcs.	MP11004
	⑤ Anesthesia mask LiteStar®, disposable, w/o hook ring, size 5, adult M, 30 pcs.	MP11005
	⑥ Anesthesia mask LiteStar®, disposable, w/o hook ring, size 6, adult L, 30 pcs.	MP11006
	⑦ Anesthesia mask LiteStar®, disposable, w/o hook ring, size 7, adult XL, 30 pcs.	MP11007
B	Hook ring for LiteStar® anesthesia masks, disposable, 22 mm ID, for sizes 3 – 7, 30 pcs.	MP11008



## ANESTHESIA MASKS AND ACCESSORIES

### COMFORTSTAR® ANESTHESIA MASKS

Patient comfort and ease of use were the top priorities when developing the Dräger disposable ComfortStar® anesthesia mask portfolio. Patient comfort is supported by teardrop or round-shaped masks and adjustable (inflatable) mask cushion which provide anatomical fit with effective seal. Non-slip ridges (sizes 4 – 6) and a flexible mask body provide healthcare professionals an easy and comfortable grip.

ComfortStar® scented anesthesia masks have the same excellent benefits of the ComfortStar® standard masks, but in addition, they have added aromas. The appropriate color scheme provides optical stimulation and is intended to reduce pre-operative anxiety in patients.

All masks are pre-equipped with 'Traffic Light' colored hook rings. They are color coded for easier size identification. Smaller sizes (0 – 1) have reddish color, mid-sizes (2 – 3) yellowish color and large sizes (4 – 6) greenish color. All ComfortStar® masks are compatible with all Dräger anesthesia devices.

Pumpball as well as different headgears for fixation are available (cf. accessories for anesthesia masks).



A	① Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 0, premature baby, 20 pcs.	MP01510
	② Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 1, neonatal, 20 pcs.	MP01511
	③ Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 2, baby, 20 pcs.	MP01512
	④ Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 3, infant, 20 pcs.	MP01513
	⑤ Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 4, adult S, 20 pcs.	MP01514
	⑥ Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 5, adult M, 20 pcs.	MP01515
	⑦ Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 6, adult L, 20 pcs.	MP01516

## ANESTHESIA MASKS AND ACCESSORIES


A	<p>① Anesthesia mask ComfortStar®, disposable, hook ring, strawberry, size 1, neonatal, 20 pcs. <u>MP01521</u></p> <p>② Anesthesia mask ComfortStar®, disposable, hook ring, strawberry, size 2, baby, 20 pcs. <u>MP01522</u></p> <p>③ Anesthesia mask ComfortStar®, disposable, hook ring, strawberry, size 3, infant, 20 pcs. <u>MP01523</u></p> <p>④ Anesthesia mask ComfortStar®, disposable, hook ring, strawberry, size 4, adult S, 20 pcs. <u>MP01524</u></p>
B	<p>① Anesthesia mask ComfortStar®, disposable, hook ring, bubble gum, size 1, neonatal, 20 pcs. <u>MP01531</u></p> <p>② Anesthesia mask ComfortStar®, disposable, hook ring, bubble gum, size 2, baby, 20 pcs. <u>MP01532</u></p> <p>③ Anesthesia mask ComfortStar®, disposable, hook ring, bubble gum, size 3, infant, 20 pcs. <u>MP01533</u></p> <p>④ Anesthesia mask ComfortStar®, disposable, hook ring, bubble gum, size 4, adult S, 20 pcs. <u>MP01534</u></p>
C	<p>① Anesthesia mask ComfortStar®, disposable, hook ring, mint, size 3, infant, 20 pcs. <u>MP01543</u></p> <p>② Anesthesia mask ComfortStar®, disposable, hook ring, mint, size 4, adult S, 20 pcs. <u>MP01544</u></p> <p>③ Anesthesia mask ComfortStar®, disposable, hook ring, mint, size 5, adult M, 20 pcs. <u>MP01545</u></p> <p>④ Anesthesia mask ComfortStar®, disposable, hook ring, mint, size 6, adult L, 20 pcs. <u>MP01546</u></p>



## ANESTHESIA MASKS AND ACCESSORIES

### SILICONE MASKS

New silicone masks are made of medical grade silicone because this is generally considered the material of choice for its superior ability to conform to the patient's facial anatomy. The field of application includes anesthesia and mask ventilation for pediatric and adult patients. The masks are available in various shapes and sizes. The smaller sizes have a rather round shape in order to provide comfortable fit and effective seal for the faces of infants. The bigger sizes have an anatomically formed teardrop shape to ensure convenient fit and seal for facial contours of adult patients. New silicone masks have a flexible, soft and transparent mask body. The mask body design provides a comfortable grip. Shape and material allow for safe handling by doctors and nurses. The silicone masks are reusable.



A	① Silicone mask, reusable, size 00, premature baby	MP02900
	② Silicone mask, reusable, size 0, small neonate	MP01910
	③ Silicone mask, reusable, size 1, large neonate	MP01911
	④ Silicone mask, reusable, size 2, small child	MP01912
	⑤ Silicone mask, reusable, size 3, large child	MP01913
	⑥ Silicone mask, reusable, size 4, small adult	MP01914
	⑦ Silicone mask, reusable, size 5, large adult	MP01915
B	① Hook ring for silicone masks, reusable, 15 mm OD, for sizes 00 – 1, 10 pcs.	MP01916
	② Hook ring for silicone masks, reusable, 22 mm ID, for sizes 2 – 5, 10 pcs.	MP01917


Additional mask accessories, e. g. reusable hook rings as well as headgears are available for fixation (cf. accessories for anesthesia masks).

## ANESTHESIA MASKS AND ACCESSORIES

### ACCESSORIES FOR ANESTHESIA MASKS

There are three different headgears in small and large designs offering patients and physicians a soft, elastic, lightweight fixation of disposable anesthesia/ventilation masks.

A	① Headgear, disposable, soft fabric, small	MP01559
	② Headgear, disposable, soft fabric, large	MP01560
B	① Headgear, disposable, soft rubber, small	MP01561
	② Headgear, disposable, soft rubber, large	MP01562
C	Two-sided pump ball for air management	MP01590



**OXYGEN (O<sub>2</sub>) AND AEROSOL THERAPY MASKS, VENTURI MASK KITS, NASAL CANNULAS AND ACCESSORIES**

**5.3 OXYGEN (O<sub>2</sub>) AND AEROSOL THERAPY MASKS, VENTURI MASK KITS, NASAL CANNULAS AND ACCESSORIES**

Oxygen therapy is the administration of oxygen at a concentration higher than in ambient air. The purpose is to prevent and/or treat the symptoms and manifestation of hypoxia. Aerosol therapy is used to administer medicine in the patient airways/lungs in order to reduce inflammation caused by different respiratory conditions. The aerosol and oxygen therapy masks are for disposable use.



<b>A</b>	<b>O2Star™ Non-rebreather oxygen mask with connection tube 2.1 m, disposable, size S, 50 pcs.</b>	<b>MP01930</b>
<b>B</b>	<b>O2Star™ Non-rebreather oxygen mask with connection tube 2.1 m, disposable, size M/L, 50 pcs.</b>	<b>MP01920</b>
<b>C</b>	<b>O2Star™ Medium concentration oxygen mask with connection tube 2.1 m, disposable, size S, 50 pcs.</b>	<b>MP01931</b>
<b>D</b>	<b>O2Star™ Medium concentration oxygen mask with connection tube 2.1 m, disposable, size M/L, 50 pcs.</b>	<b>MP01921</b>
<b>E</b>	<b>O2Star™ Oxygen and aerosol mask with 22 mm OD, disposable, size S, 50 pcs.</b>	<b>MP01934</b>
<b>F</b>	<b>O2Star™ Oxygen and aerosol mask with 22 mm OD, disposable, size M/L, 50 pcs.</b>	<b>MP01926</b>



Not all articles are available worldwide.

## OXYGEN (O<sub>2</sub>) AND AEROSOL THERAPY MASKS, VENTURI MASK KITS, NASAL CANNULAS AND ACCESSORIES

A	<u>O2Star™ Tracheostomy mask, disposable, size S, 50 pcs.</u>	<u>MP01932</u>
B	<u>O2Star™ Tracheostomy mask, disposable, size M/L, 50 pcs.</u>	<u>MP01924</u>
C	<u>O2Star™ Face tent, disposable, size S, 50 pcs.</u>	<u>MP01933</u>
D	<u>O2Star™ Face tent, disposable, size M/L, 50 pcs.</u>	<u>MP01925</u>





## OXYGEN (O<sub>2</sub>) AND AEROSOL THERAPY MASKS, VENTURI MASK KITS, NASAL CANNULAS AND ACCESSORIES

A O2Star™ Venturi mask kit, adjustable venturi valve, disposable, size S, 25 pcs.	<b>MP01935</b>
B O2Star™ Venturi mask kit, adjustable venturi valve, disposable, size M/L, 25 pcs.	<b>MP01922</b>
C O2Star™ Venturi mask kit, fixed venturi valve, disposable, size S, 25 pcs.	<b>MP01936</b>
D O2Star™ Venturi mask kit, fixed venturi valve, disposable, size M/L, 25 pcs.	<b>MP01923</b>



## OXYGEN (O<sub>2</sub>) AND AEROSOL THERAPY MASKS, VENTURI MASK KITS, NASAL CANNULAS AND ACCESSORIES

<b>A</b>	<b>O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, size S, 50 pcs.</b>	<b>MP02920</b>
	<b>O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, size M, 50 pcs.</b>	<b>MP02921</b>
	<b>O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, size L, 50 pcs.</b>	<b>MP02922</b>
	<b>O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, size XL, 50 pcs.</b>	<b>MP02923</b>
<b>B</b>	<b>O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, size S, 50 pcs.</b>	<b>MP02924</b>
	<b>O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, size M, 50 pcs.</b>	<b>MP02925</b>
	<b>O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, size L, 50 pcs.</b>	<b>MP02926</b>
	<b>O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, size XL, 50 pcs.</b>	<b>MP02927</b>
<b>C</b>	<b>O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, size S, 50 pcs.</b>	<b>MP02928</b>
	<b>O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, size M, 50 pcs.</b>	<b>MP02929</b>
	<b>O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, size L, 50 pcs.</b>	<b>MP02930</b>
	<b>O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, size XL, 50 pcs.</b>	<b>MP02931</b>
<b>D</b>	<b>O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, size S, 50 pcs.</b>	<b>MP02932</b>
	<b>O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, size M, 50 pcs.</b>	<b>MP02933</b>
	<b>O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, size L, 50 pcs.</b>	<b>MP02934</b>
	<b>O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, size XL, 50 pcs.</b>	<b>MP02935</b>






## OXYGEN (O<sub>2</sub>) AND AEROSOL THERAPY MASKS, VENTURI MASK KITS, NASAL CANNULAS AND ACCESSORIES

### ACCESSORIES FOR OXYGEN (O<sub>2</sub>) AND AEROSOL THERAPY MASKS, VENTURI MASK KITS, NASAL CANNULAS

<b>A</b>	<b>O2Star™ Connector kit, 6 mm OD/22 mm OD + 6 mm OD/22 mm ID with connection tube, disposable, 5 pcs.</b>	<b>MP01940</b>
<b>B</b>	<b>O2Star™ Connector kit for breathing circuit for Aquapor, disposable, 5 pcs.</b>	<b>MP01941</b>
<b>C</b>	<b>O2Star™ Connector 22 mm ID / 22 mm ID, disposable, 5 pcs.</b>	<b>MP01942</b>
<b>D</b>	<b>O2Star™ Oxygen connection tube, 2.1 m, disposable, 25 pcs.</b>	<b>MP01927</b>
	<b>O2Star™ Oxygen connection tube, 2.1 m, with 9/16" connector, disposable, 25 pcs.</b>	<b>MP01944</b>
<b>E</b>	<b>O2Star™ Oxygen connection tube, 4 m, disposable, 25 pcs.</b>	<b>MP01943</b>
	<b>O2Star™ Oxygen connection tube, 4 m, with 9/16" connector, disposable, 25 pcs.</b>	<b>MP01945</b>




## HIGH-FLOW THERAPY NASAL CANNULA AND ACCESSORIES

### 5.4 HIGH-FLOW THERAPY NASAL CANNULA AND ACCESSORIES

High Flow Therapy allows to provide warm humidified air with enriched oxygen concentration at flow rates up to 60 L per minute to patients via nasal cannulas. Patient comfort is one of the advantages of High Flow therapy over other treatment forms for patient with compromised respiration and can in many cases successfully avoid using less comfortable or even invasive forms of respiratory support.

The HI-Flow Star Nasal Cannula and the inspiratory breathing circuit offer advanced features designed for enhanced patient safety and comfort such as integrated clips in order to provide effective breathing circuit tension relief, a flexible, breathable hose minimizing internal condensation in the high flow nasal cannula as well as soft materials for the prongs and the headgear. Thanks to its symmetrical design, the nasal cannula can be connected from either the left or the right side of the bed. This helps caregivers save time and effort. The HI-Flow Star products are disposable. Oxygen and compressed air are required which are provided by an O<sub>2</sub> mixer such as the Oxymixer from Dräger, as well as a humidification source for the hose system.

A	① HI-Flow Star Nasal Cannula, disposable, adult S, Flow Range < 60 l/min, 25 pcs.	MP05511
A	② HI-Flow Star Nasal Cannula, disposable, adult M, Flow Range < 60 l/min, 25 pcs.	MP05512
A	③ HI-Flow Star Nasal Cannula, disposable, adult L, Flow Range < 60 l/min, 25 pcs.	MP05513
B	HI-Flow Star System, heated inspiratory breathing circuit, consists of: heated inspiratory hose, humidifier chamber, breathing hose when used with a ventilator, O <sub>2</sub> hose when used with an O <sub>2</sub> blender, bed clip, disposable, 25 pcs.	MP05601
C	HI-Flow Star Valve Kit w/ Pop-Up Valve and Connector 22 mm, disposable, 15 pcs.	MP05507
D	T-piece adapter for MX300/MX300i and HI-Flow Star System, disposable, 20 pcs.	MP05508



**OXYMIXER\***

**6. OXYMIXER**

Oxymixer enables a continuous and individually adjusted mixture of medical air and medical oxygen to be administered to infants, children and adults. The O<sub>2</sub> concentration is easily adjusted to a highly accurate flow – even with flow rates of less than 3 l/min.

**Oxymixer configuration  
Configurable Oxymixer**

**MP04200**

**A Oxymixer High Flow**

**MP04201**

**B Oxymixer High Flow with monitor**

**MP04202**

**C Multi-P trolley\* equipped**

Including base with 5 castors, 38 mm Ø pole, 3 rail clamps, basket.

**MP13020**

**D Multi-P trolley\***

Including base with 5 castors and 38 mm Ø pole for accessories.

**MP13021**

Several hoses to connect Oxymixer with the central supply. For CS hoses see chapter 4, "Accessory for gas supply".

\*Tradeware



**OXYMIXER\***

<b>A</b>	<b>Oxymixer sound damper 9/16"</b>	<b>MP04218</b>
<b>B</b>	<b>Oxymixer sound damper 22 and 15 mm</b>	<b>MP04219</b>
<b>C</b>	<b>Adapter 9/16" to 15/22 mm</b>	<b>MP05305</b>
<b>D</b>	<b>Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16" connection</b>	<b>MP00416</b>
	<b>Oxymixer oxygen sensor (spare part)</b>	<b>MP04221</b>

\*Tradeware



**DEVICE RELATED ACCESSORIES**


**7. DEVICE RELATED ACCESSORIES**

**EXPIRATORY VALVES FOR EVITA® 2 DURA, 4 EDITION, XL**

<b>A</b>	<b>Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.</b>	<b>8414776</b>
<b>B</b>	<b>Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.</b>	<b>MP02600</b>
	<b>Expiratory valve for Evita®, reusable</b>	<b>8410580</b>
	<b>Membrane for Evita® 2 dura, Evita® 4, Evita® XL, for expiratory valve</b>	<b>8412015</b>
<b>C</b>	<b>Water trap for Evita® 2 dura, Evita® 4, Evita® XL, reusable</b>	<b>8413125</b>

**EXPIRATORY VALVES FOR BABYLOG®**

	<b>Expiratory valve, for neonatal/pediatric patients (Non-RFID), reusable</b>	<b>8415296</b>
<b>D</b>	<b>Expiratory valve for Babylog® VN 500, reusable (RFID)</b>	<b>8415270</b>
	<b>Expiratory valve for Babylog® 8000</b>	<b>8408950</b>



**DEVICE RELATED ACCESSORIES**

**DISPOSABLE EXPIRATORY VALVES  
FOR CARINA®, SAVINA® AND V-FAMILY**

<b>A</b>	<b>Infinity® ID, expiratory valve, disposable, 10 pcs.</b>	<b>MP01060/MP20108</b>
<b>B</b>	<b>Expiratory valve, disposable, 10 pcs.</b>	<b>MP01061/MP20109</b>
<b>C</b>	<b>Expiratory valve for Carina®, disposable, 25 pcs.</b>	<b>MP00220</b>
<b>D</b>	<b>Leakage valve for Carina® SyncVent, disposable, 5 pcs.</b>	<b>MP00224</b>

**REUSABLE EXPIRATORY VALVES  
FOR SAVINA® AND V-FAMILY**

<b>E</b>	<b>Expiratory valve for Evita® Infinity® V500, reusable</b>	<b>8416750</b>
	<b>Expiratory valve for Savina®, reusable</b>	<b>8413660</b>
<b>F</b>	<b>Expiratory valve, reusable</b>	<b>8417050</b>



**DEVICE RELATED ACCESSORIES**

A <u>Infinity® ID Expiratory filter, disposable, 20 pcs.</u>	<u>MP01780</u>
B <u>Expiratory filter, disposable, 20 pcs.</u>	<u>MP01781</u>



## DEVICE RELATED ACCESSORIES

---

A Fluxmed TM,  
Pressure Probe with esophageal balloon, disposable MP20110





**PACK2GO®/SET2GO**

**8. PACK2GO®**

Dräger has developed a comprehensive range of disposable accessories. These accessories can now also be ordered together in a Pack2Go® package, in order to benefit the hospital's costs and logistical/clinical processes. Pack2Go® package solutions include dedicated Dräger and general accessories, which can be used as a system solution with Dräger devices.

- A Pack2Go® Evita® invasive ventilation pack with breathing circuit VentStar®, basic, + cuvette, 10 pcs. MP01656**
- B Pack2Go® Evita® invasive ventilation pack with breathing circuit VentStar®, basic, 1.8 m, 10 pcs. MP01657**
- C Pack2Go® Evita® invasive ventilation pack with breathing circuit VentStar®, coaxial, + cuvette, 10 pcs. MP01676**
- D Pack2Go® Evita® invasive ventilation pack with breathing circuit VentStar®, coaxial, 1.8 m, 10 pcs. MP01677**



## PACK2GO®/SET2GO

<b>A</b>	<b>Pack2Go® Carina® NIV ventilation pack with oronasal mask ClassicStar® SE, size S, 10 pcs.</b>	<b>MP01663</b>
	<b>Pack2Go® Carina® NIV ventilation pack with oronasal mask ClassicStar® SE, size M, 10 pcs.</b>	<b>MP01664</b>
	<b>Pack2Go® Carina® NIV ventilation pack with oronasal mask ClassicStar® SE, size L, 10 pcs.</b>	<b>MP01665</b>
<b>B</b>	<b>Pack2Go® Savina® invasive ventilation pack with breathing circuit VentStar®, coaxial, 1.8 m, 10 pcs.</b>	<b>MP01673</b>
<b>C</b>	<b>Pack2Go® Savina® invasive ventilation pack with breathing circuit VentStar®, basic, 1.8 m, 10 pcs.</b>	<b>MP01674</b>
<b>D</b>	<b>Pack2Go® anesthesia pack, A, with anesthesia set + watertrap, 10 pcs.</b>	<b>MP01682</b>



## PACK2GO®/SET2GO

---

### SET2GO

---

With Dräger's Set2go solutions we offer you totally customised sets consisting of an individual selection of single-patient-use accessories. Dräger Set2go makes using and ordering consumables and accessories much simpler for you. You just need one article number to get all the items in a single package and accomplish your specific task.

Please contact your local Dräger sales organisation to create your individual accessory solution.

---

## HUMIDIFIER AND NEBULIZER

### 9. HUMIDIFIER AND NEBULIZER

A	Humidifier chamber* for F&P MR 290, disposable, 10 pcs.	8418282
B	Humidifier chamber* for F&P MR 340, reusable, N/P	8411047
C	Humidifier chamber* for F&P MR 370, reusable, A	8412217


\*Tradeware



## HUMIDIFIER AND NEBULIZER

<b>A</b>	<b>Rail clamp* for F&amp;P humidifier and Seattle PAP bubble box</b>	<b>8411074</b>
<b>B</b>	<b>Holder* for F&amp;P humidifier U-shaped, for trolley, with rail clamp</b>	<b>MP01002</b>
<b>C</b>	<b>Water bag holder* 900 MR 290</b>	<b>MP01008</b>
<b>D</b>	<b>Hose heater*, A, 1.1 m</b>	<b>8411045</b>
<b>E</b>	<b>Hose heater* for F&amp;P MR 700/730 and MR 850, for reusable breathing circuit, 1.1 m</b>	<b>8414993</b>
<b>F</b>	<b>Hose heater* for F&amp;P MR 700/730 and MR 850, for reusable breathing circuit, 1.5 m</b>	<b>8414969</b>

\*Tradeware



## HUMIDIFIER AND NEBULIZER

<b>A</b>	<b>Temperature probe/flow sensor* for F&amp;P MR 850 for all breathing circuits, 1.1 m</b>	<b>8414989</b>
<b>B</b>	<b>Temperature probe/flow sensor* for F&amp;P MR 850, for all breathing circuits, 1.5 m</b>	<b>8414966</b>
<b>C</b>	<b>Hose heater adapter* for F&amp;P MR 850, for reusable breathing circuit</b>	<b>8414968</b>
<b>D</b>	<b>Hose heater adapter* for F&amp;P MR 850, for disposable breathing circuit</b>	<b>8414992</b>

\*Tradeware



## HUMIDIFIER AND NEBULIZER

<b>A</b> Hose heater adapter* for F&P MR 850, for double-heated disposable breathing circuit	<b>MP01006</b>
<b>B</b> Draw wire* for hose heater 1.5 m, for reusable breathing circuit	<b>8411050</b>
<b>C</b> Temperature probe adapter 900 MR 532*, for F&P humidifiers	<b>MP01007</b>

\*Tradeware



## HUMIDIFIER AND NEBULIZER

<b>A</b>	<b>Pneum. Medication Nebulizer N</b>	<b>8411030</b>
<b>B</b>	<b>Pneum. Medication Nebulizer</b>	<b>8412935</b>
<b>C</b>	<b>Nebulizer hose</b>	<b>8412985</b>





## HUMIDIFIER AND NEBULIZER

### AEROGEN PRO\*

Aerogen Pro works with an electronic micropump. Aerogen Pro is ideally suited to nebulizer therapy requirements for inline mechanical ventilation and it accommodates all patient age ranges from neonates to adults. It operates without changing patient ventilator parameters, without heating or degrading medications and it can be refilled without interrupting ventilation.

<b>A</b>	<b>Medication nebulizer Aerogen Pro</b>	<b>MP01010</b>
<b>B</b>	<b>Nebulizer unit with filler cap for Aerogen Pro</b>	<b>MP01030</b>
<b>C</b>	<b>T-piece with plug for Aerogen Pro, A, ISO 22 mm, 5 pcs.</b>	<b>MP01031</b>
<b>D</b>	<b>T-piece set with plug for Aerogen Pro, N, 15 mm (0.6 in), w/ adapter 10 mm (0.4 in), 5 pcs.</b>	<b>MP01032</b>
<b>E</b>	<b>T-connector for Aerogen Pro, 12 mm, with plug, 5 pcs.</b>	<b>MP01037</b>
<b>F</b>	<b>Controller cable for Aerogen Pro</b>	<b>MP01036</b>
<b>G</b>	<b>Filler cap for Aerogen Pro, silicone, 5 pcs.</b>	<b>MP01035</b>
	<b>Inhalation mask for Inhalette</b>	<b>M11015</b>
	<b>Mouthpiece for Inhalette</b>	<b>M12394</b>

\*Tradeware



## HUMIDIFIER AND NEBULIZER

### AEROGEN SOLO\*

#### Aerogen Solo Starter Kit

Consists of: Control module, 2 Aerogen Solo Nebulizers with filler caps, adult T-adapter with silicone plug, Universal mounting bracket, AC/DC adapter and Instruction manual.

<b>A</b>	<b>Aerogen Solo Starter Kit, Int.</b>	<b>MP01071</b>
	<b>Aerogen Solo Starter Kit, FR, NL, IT, GE</b>	<b>MP01072</b>
	<b>Aerogen Solo Starter Kit, ES, IT, PT, GR, TK</b>	<b>MP01073</b>
	<b>Aerogen Solo Starter Kit, SW, NO, FI, DK</b>	<b>MP01074</b>
	<b>Aerogen Solo Starter Kit, UK</b>	<b>MP01075</b>
	<b>Aerogen Solo Starter Kit, US</b>	<b>MP01076</b>
<b>B</b>	<b>Nebulizer head, 5 pcs.</b>	<b>MP01078</b>
<b>C</b>	<b>Nebulizer head, 10 pcs.</b>	<b>MP01079</b>
	<b>T-Adapter, adult, 10 pcs.</b>	<b>MP01085</b>
	<b>T-Adapter, pediatric, 10 pcs.</b>	<b>MP01086</b>
	<b>T-Adapter**, neonates, 10 pcs.</b>	<b>MP02689</b>
	<b>Kit T-Adapter, Pediatric with Neo connectors, 10 pcs.</b>	<b>MP01087</b>
	<b>Aerogen Solo USB Controller Starter Kit NE</b>	<b>MP01089</b>
	<b>Aerogen USB Controller Replacement w/o AC/DC adapter</b>	<b>MP01095</b>
<b>D</b>	<b>T-adapter neonatal for NO therapy, 10 pcs.</b>	<b>8422215</b>

\*Tradeware

\*\*Made by Drägerwerk AG & Co. KGaA



**SPARE PARTS FOR RESUSCITATORS**

**10. SPARE PARTS FOR RESUSCITATORS**

<b>A</b>	<b>Oxidem 3000 demand valve incl. adapter (2120496, 2120488)</b>	<b>2111764</b>
	<b>1.5 m spiral hose and M12×1 screw connector</b>	<b>2M86291</b>
	<b>1.5 m spiral hose and probe for central supply system</b>	<b>2M86292</b>
	<b>3.0 m spiral hose and probe for central supply system</b>	<b>2M86293</b>
	<b>Adapter for Oxidem for M12×1 (for existing hose systems)</b>	<b>8410547</b>
<b>B</b>	<b>Adapter for Ambu Mark III*</b>	<b>2120488</b>
<b>C</b>	<b>Adapter for Laerdal**</b>	<b>2120496</b>
	<b>Adapter for Laerdal</b>	<b>5790124</b>
<b>D</b>	<b>Adapter for Combibag</b>	<b>2M86913</b>
<b>E</b>	<b>Adapter for Resutator 2000/MR-100**</b>	<b>2120461</b>
<b>F</b>	<b>Sealing rings for spiral hoses, 20 pcs.</b>	<b>M07152</b>

\*Made by Spiracle Technology  
 \*\*Made by Allied Healthcare, USA





**Dräger**

Dräger AG, 26149 Luebeck, Germany  
Dräger AG, 26149 Luebeck, Germany  
電話 49 4308 0  
FAX 49 4308 1201  
E-MAIL: dräger@dräger.com  
3051-2013 (碱石灰)  
製造販売  
ダイカルクマバ  
〒100-0001 東京都千代田区千代田2-5-17 日興東急ビル  
株式会社 日本呼吸器産業 アフロ  
TEL: 03-5561-1100  
FAX: 03-5561-1101  
E-MAIL: info@jrbp.co.jp  
www.jrbp.co.jp  
Made in Germany  
R3P033-09

# Soda lime

## Contactless and dustless—protect your patient, protect yourself

Protecting your patients, protecting your staff – we take safety seriously. In the operating room every breath the patient takes is paramount to their safety. Safeguarding both patient and clinician during this critical time is of the highest importance. With our Drägersorb CLIC disposable absorber, you can protect your patients from breathing exhaled carbon dioxide thanks to the soda lime absorption, which filters and absorbs the patient's exhaled carbon dioxide. In addition, in just one click, you can easily and quickly change absorbers during a surgical procedure, giving you more time to care for your patient.

Improve infection prevention and maximise economic efficiency: Drägersorb CLIC is a disposal solution in which staff have no direct contact with dust and saves on costs due to its colour indicator that tells you exactly when it is used up.

**CONTENT SODA LIME**

---

<b>Soda lime</b>	<b>103</b>
<b>Absorber with CLIC System</b>	<b>103</b>

## SODA LIME

<b>A</b>	<b>Soda lime Drägersorb® 800+, for CO<sub>2</sub> absorption, canister, 5 l, 2 pcs.</b>	<b>MX00001</b>
<b>B</b>	<b>Soda lime Drägersorb® Free, for CO<sub>2</sub> absorption, canister, 5 l, 2 pcs.</b>	<b>MX50050</b>
<b>C</b>	<b>Canister opener, for canisters MX00001 and MX50050, 5 pcs.</b>	<b>MX10209</b>
<b>CO<sub>2</sub> ABSORBER WITH CLIC SYSTEM</b>		
<b>D</b>	<b>CLIC Absorber 800+, disposable absorber, 1.2 l, 6 pcs.</b>	<b>MX00004</b>
<b>E</b>	<b>CLIC Absorber Free, disposable absorber, 1.2 l, 6 pcs.</b>	<b>MX50100</b>
	<b>Infinity® ID CLIC Absorber 800+, disposable absorber, 1.2 l, 6 pcs.</b>	<b>MX50004</b>
	<b>Infinity® ID CLIC Absorber Free, disposable absorber, 1.2 l, 6 pcs.</b>	<b>MX50120</b>







## SODA LIME

<b>A</b> Absorber adapter CLIC, for Dräger anesthesia workstations	<b>MX50090</b>
<b>B</b> Bacteria filter IBF absorber, only use with Zeus®/Zeus® IE, 5 pcs.	<b>MK02588</b>
<b>C</b> Dust filter Perseus®, 5 pcs.	<b>MX50115</b>

A



D-585-2009

B



MT-4622-2005

C



D-45166-2015



# Sensors

## **Improved diagnostics means improved therapy solutions**

Patient data is valuable for both diagnosing and delivering the correct therapies for your patient's pathway to recovery. This is why the reliability and quality of collected data is imperative when diagnosing and monitoring. It must provide you with accurate volume, flow, and pressure values so as to assess your patient's lung condition and reduce ventilator-associated pneumonia (VAP).

Our sensors are rigorously tested for both quality and compatibility with our devices because we know this allows you to reliably monitor every patient's vitals so as to improve your patient outcomes.

**CONTENT SENSORS**

---

**Flow sensors by Dräger** 109

---

**Oxygen sensors by Dräger** 111

---

**SENSORS**

**FLOW SENSORS BY DRÄGER**

**Hot-wire anemometry: Accurate and intelligent flow measurement**

Spirolog®, neonatal flow sensors and SpiroLife® are based on proven hot-wire anemometry techniques. Due to extremely fast and accurate measurement results, as well as extremely low inspiratory and expiratory resistances, it is clearly superior to other methods. You only need one flow sensor for all patients. Neonatal flow sensors offer customized solutions for the sole exception of the specific needs of neonates in intensive care. The sterilizable neonatal flow sensors and SpiroLife® combine the advantages of hot-wire technology with the possibility of sterilizability. Therefore, they integrate seamlessly into your hospital's sterilization processes.

<b>A</b>	<b>Flow sensor Spirolog®, PC/ABS, 5 pcs.</b>	<b>8403735</b>
<b>B</b>	<b>Flow sensor SpiroLife®, PPSU, sterilizable</b>	<b>MK01900</b>
<b>C</b>	<b>Flow sensor Infinity® ID, PC/ABS, 5 pcs.</b>	<b>6871980</b>
<b>D</b>	<b>Neonatal flow sensor ISO 15, PSU, sterilizable</b>	<b>8411130</b>
<b>E</b>	<b>Insert for neonatal flow sensor, PSU, sterilizable, 5 pcs.</b>	<b>8410179</b>

**Differential pressure measurement: proven technology for emergencies**

The sterilizable reusable flow sensor for the emergency room is based on the proven principle of differential pressure measurement. Because of its robustness, it really is the ideal solution for the specialties of the emergency room. The pressure differential sensor is used on Oxylog® 3000 plus, Oxylog® 3000 and Oxylog® 2000 plus.

Whichever Dräger flow sensor you choose – you can be sure to have made the right choice with our extensive family of flow sensors.

<b>F</b>	<b>Pressure difference flow sensor, PPSU, sterilizable</b>	<b>8412034</b>
----------	--	----------------




Not all articles are available worldwide.

## SENSORS

---

<b>A</b>	<b><u>Flow sensor cable, for neonatal flow sensor, e.g., Babylog®</u></b>	<b><u>8409626</u></b>
<b>B</b>	<b><u>MRI flow sensor extension cable, for MRI patient monitor</u></b>	<b><u>8306370</u></b>
<b>C</b>	<b><u>Flow sensor cable for V-series with Neo option and VN-series</u></b>	<b><u>8416600</u></b>



## SENSORS

### OXYGEN SENSORS BY DRÄGER

#### Oxygen for Life

Oxygen sensors have the important task of measuring and monitoring the inspiratory and/or expiratory O<sub>2</sub> concentration in anesthesia and respiratory devices. Oxygen sensors from Dräger satisfy the highest national and international requirements. Furthermore, they have been extensively tested and fine-tuned for proper functional performance with Dräger devices and systems. Dräger's years of experience in the field of sensors, and their high quality has even convinced NASA. Dräger O<sub>2</sub> sensors are electrochemical transducers used to measure O<sub>2</sub> partial pressure. They operate on the principle of a galvanic cell.

Examples of locations where the sensors are used include the Fabius® family, Evita® family and the Primus®. To take into account the high value of oxygen measurement, we only recommend using O<sub>2</sub> sensors from Dräger.

<b>A</b>	<b>O<sub>2</sub> sensor capsule, for mainstream measurement</b>	<b>6850645</b>
<b>B</b>	<b>O<sub>2</sub> sensor OxyTrace VE, for Savina® ventilator</b>	<b>MX01049</b>
<b>C</b>	<b>O<sub>2</sub> sensor OxyTrace INCU, for Caleo®</b>	<b>MX01050</b>
<b>D</b>	<b>O<sub>2</sub> sensor Oxycell, for Babyleo® TN500</b>	<b>6873065</b>
<b>E</b>	<b>O<sub>2</sub> sensor housing Oxydig, for O<sub>2</sub> sensor capsule, with spiral cable</b>	<b>6850250</b>







# Monitoring accessories

## Patient-centred care: Integrated solutions that fit

To support the delivery of quality care, you need quick access to patient data with all relevant information at a glance to reliably assess your patient's status. So as to enable you to get the relevant information and to accurately take care of the patient's needs, we provide you with a broad portfolio of monitoring accessories – all from a single source.

Equally important, to help you break the chain of infections while offering you accuracy and reliability, we provide you with hygienic, single-patient use solutions such as our:

- Electrocardiography leads
- Non-invasive blood pressure (NIBP) cuffs
- Temperature probes, e.g. Tcore sensor

Assisting you in delivering a patient-centred approach, as Your Specialist in Acute Care, we have paid detailed attention in designing our accessories using quality materials that promote comfort and patient satisfaction.

## CONTENT MONITORING ACCESSORIES

<b>1. Infinity® Monitoring: Gamma, Delta, Kappa and Vista series</b>	<b>115</b>	<b>3. Infinity® M300</b>	<b>218</b>
1.1 MultiMed® Pods	115	3.1 Electrocardiography (ECG)	218
1.2 Electrocardiography (ECG)	117	3.2 Pulse oximetry (SpO <sub>2</sub> )	223
1.3 Pulse oximetry (SpO <sub>2</sub> )	127	3.3 Pouch	229
1.4 Temperature	145	3.4 Codensation	229
1.5 Tcore® Temperature Monitoring System	147	<b>4. Vista 120</b>	<b>230</b>
1.6 Non-invasive blood pressure (NIBP)	148	4.1 Electrocardiography (ECG)	230
1.7 CNAP continuous non-invasive arterial pressure	152	4.2 Pulse oximetry (SpO <sub>2</sub> )	235
1.8 Invasive blood pressure (IBP) and cardiac output (CO)	154	4.3 Non-invasive blood pressure (NIBP)	237
1.9 Infinity® PiCCO	167	4.4 Temperature	239
1.10 Bispectral index (BIS)	170	4.5 Invasive blood pressure (IBP) and cardiac output (CO)	242
1.11 Electroencephalography (EEG)	171	4.6 CO <sub>2</sub> Sidestream	244
1.12 Neuromuscular Transmission (NMT)	172	4.7 CO <sub>2</sub> Mainstream	245
1.13 Capnography etCO <sub>2</sub>	173	<b>5. Vista 120 SPOTCHECK</b>	<b>248</b>
1.14 Scio	178	5.1 Pulse oximetry (SpO <sub>2</sub> )	248
1.15 Recorder paper	179	5.2 Non-invasive blood pressure (NIBP)	254
<b>2. Infinity® Acute Care System</b>	<b>180</b>	5.3 Temperature	260
2.1 Electrocardiography (ECG)	180	5.4 Capnography etCO <sub>2</sub>	262
2.2 Pulse oximetry (SpO <sub>2</sub> )	187	<b>6. Multi Vendor Adapter</b>	<b>264</b>
2.3 Temperature	199	6.1 ECG Adapter	264
2.4 Tcore® Temperature Monitoring System	201	6.2 ECG Adapter Telemetry	266
2.5 Non-invasive blood pressure (NIBP)	202	6.3 TEMP Adapter	266
2.6 Invasive blood pressure (IBP) and cardiac output (CO)	206		
2.7 etCO <sub>2</sub>	213		
2.8 ToFscan® Neuromuscular Transmission Monitor	216		

**MULTIMED® PODS**

**1. INFINITY® MONITORING:  
GAMMA, DELTA, KAPPA AND VISTA SERIES**

**1.1 MULTIMED® PODS**

<b>A</b>	Multiparameter cable MultiMed® 5 Pod, for ECG, resp., SpO <sub>2</sub> , and temp., 1.5 m	<b>5950196</b>
	Multiparameter cable MultiMed® 5 Pod, for ECG, resp., SpO <sub>2</sub> , and temp., 2.5 m	<b>3368391</b>
<b>B</b>	Multiparameter cable MultiMed® 6 Pod, for ECG, resp., SpO <sub>2</sub> , and temp., 2.5 m	<b>5191221</b>
<b>C</b>	Multiparameter cable MultiMed® plus, for ECG, resp., SpO <sub>2</sub> , and temp., 2.5 m	<b>MS20093</b>
<b>D</b>	Multiparameter cable MultiMed® plus OR, for ECG, SpO <sub>2</sub> , and temp., 2.5 m	<b>MS20094</b>
<b>E</b>	Multiparameter cable NeoMed Pod, for ECG, resp., SpO <sub>2</sub> , temp., and FiO <sub>2</sub> , 2.5 m	<b>5590539</b>
<b>F</b>	Patient parameter unit MultiMed® 12 Pod	<b>5589663</b>

GAMMA / GAMMA XL  
GAMMA X XL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL




Not all articles are available worldwide.

## MULTIMED® PODS

<b>A</b>	<b>Holder for MultiMed® 12 Pod</b>	<b>5202747</b>
<b>B</b>	<b>Pod connection cable, 30 cm</b>	<b>7257988</b>
	<b>Pod connection cable, 3 m</b>	<b>3368425</b>
	<b>Pod connection cable, 5 m</b>	<b>5195198</b>
<b>C</b>	<b>Holder for MultiMed® 5/6, MultiMed® Plus/OR, NeoMed Pods and Tcore®, swiveling 360°</b>	<b>MP00721</b>
<b>D</b>	<b>Holder for MultiMed® 5/6, MultiMed® Plus/OR, and NeoMed Pods</b>	<b>5598128</b>
<b>E</b>	<b>Universal pole mount</b>	<b>7485621</b>

GAMMA / GAMMA XL  
 GAMMA X XL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL




## ELECTROCARDIOGRAPHY (ECG)

### 1.2 ELECTROCARDIOGRAPHY (ECG)

#### MONOLEAD® SINGLE-PIN CONNECTOR (1ST GENERATION)

ECG single-pin connectors can be connected directly to MultiMed® plus/MultiMed® plus OR as well as to Infinity® M300 and Infinity® M540. Note: Not for use with Infinity® TruST™ Telemetry.

		GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
<b>A</b>	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (European color code), 2 m							
	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color code), 2 m							
<b>B</b>	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (European color code), 2.5 m							
	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US color code), 2.5 m							
	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (European color code), 3 m							
	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color code), 3 m							



Not all articles are available worldwide.

## ELECTROCARDIOGRAPHY (ECG)

### MONOLEAD® LONG, SINGLE-PIN CONNECTOR (1ST GENERATION)

Not for use with ECG extension cable MS16256.

ECG cable, 3-lead,  
single-pin connector MonoLead® 3,  
IEC1 (European color code), 4.1 m **MS28561**

ECG cable, 3-lead,  
single-pin connector MonoLead® 3,  
IEC2 (AHA/US color code), 4.1 m **MS28557**


ECG cable, 5-lead,  
single-pin connector MonoLead® 5,  
IEC1 (European color code), 5.3 m **MS28559**

ECG cable, 5-lead,  
single-pin connector MonoLead® 5,  
IEC2 (AHA/US color code), 5.3 m **MS28558**

A ECG cable, 6-lead,  
single-pin connector MonoLead® 6,  
IEC2 (AHA/US color code), 5.7 m **MS28560**

ECG cable, 6-lead,  
single-pin connector MonoLead® 6,  
IEC1 (European color code), 5.7 m **MS17185**

GAMMA / GAMMA XL  
GAMMA X XL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL



D-7685-2010

## ELECTROCARDIOGRAPHY (ECG)

### MONOLEAD® DUAL-PIN CONNECTOR (1ST GENERATION)

ECG dual-pin connectors can be connected directly to MultiMed® 5,6 and MultiMed® 12.


<b>A</b>	ECG cable, 3-lead, dual-pin connector MonoLead® 3, IEC1 (European color code), 2 m	<b>MS16160</b>
	ECG cable, 3-lead, dual-pin connector MonoLead® 3, IEC2 (AHA/US color code), 2 m	<b>MS16233</b>
<b>B</b>	ECG cable, 5-lead, dual-pin connector MonoLead® 5, IEC1 (European color code), 2.5 m	<b>MS16161</b>
	ECG cable, 5-lead, dual-pin connector MonoLead® 5, IEC2 (AHA/US color code), 2.5 m	<b>MS16229</b>

### CHESTLEADS FOR USE WITH MULTIMED® 12 (1ST GENERATION)

ECG dual-pin connectors can be connected directly to MultiMed® 12.

<b>C</b>	ECG cable for C lead MonoLead® 5, IEC1 (European color code), 1.5 m	<b>MS16232</b>
	ECG cable for V lead MonoLead® 5, IEC2 (AHA/US color code), 1.5 m	<b>MS16230</b>

GAMMA / GAMMA XL  
GAMMA X XL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL



## ELECTROCARDIOGRAPHY (ECG)

### MONOLEAD® SINGLE-PIN CONNECTOR (2<sup>ND</sup> GENERATION)

ECG single-pin connectors can be connected directly to MultiMed® plus/MultiMed® plus OR as well as to Infinity® M300 und Infinity® M540.  
Note: Not for use with Infinity® TruST™ Telemetrie.

<b>A</b>	<b>ECG MonoLead®, 3-lead, EUR, 2 m</b>	<b>MP05120</b>
<b>B</b>	<b>ECG MonoLead®, 3-lead, AHA/US, 2 m</b>	<b>MP05121</b>
<b>C</b>	<b>ECG MonoLead®, 5-lead, EUR, 2.5 m</b>	<b>MP05122</b>
<b>D</b>	<b>ECG MonoLead®, 5-lead, AHA/US, 2.5 m</b>	<b>MP05123</b>
<b>E</b>	<b>ECG MonoLead®, 6-lead, EUR, 3 m</b>	<b>MP05124</b>
<b>F</b>	<b>ECG MonoLead®, 6-lead, AHA/US, 3 m</b>	<b>MP05125</b>

GAMMA / GAMMA XL  
GAMMA X XL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLIT  
VISTA  
VISTA XL





## ELECTROCARDIOGRAPHY (ECG)

### MONOLEAD® LONG, SINGLE-PIN CONNECTOR (2<sup>ND</sup> GENERATION)

A	ECG MonoLead®, 3-lead, EUR, 4.1 m	MP05130
B	ECG MonoLead®, 3-lead, AHA/US, 4.1 m	MP05131
C	ECG MonoLead®, 5-lead, EUR, 5.3 m	MP05132
D	ECG MonoLead®, 5-lead, AHA/US, 5.3 m	MP05133
E	ECG MonoLead®, 6-lead, EUR, 5.7 m	MP05134
F	ECG MonoLead®, 6-lead, AHA/US, 5.7 m	MP05135

GAMMA / GAMMA XL  
GAMMA X XL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL



Not all articles are available worldwide.


## ELECTROCARDIOGRAPHY (ECG)

### SINGLE-PATIENT USE ECG LEADS SINGLE-PIN CONNECTOR

ECG single-pin connectors can be connected directly to MultiMed® plus/MultiMed® plus OR as well as to Infinity® M300 and Infinity® M540.

<b>A</b> ECG cable, 3-lead, single-pin connector, single-patient use, IEC1 (European color code), 1 m, 20 pcs.	<b>MP00875</b>
ECG cable, 3-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1 m, 20 pcs.	<b>MP00877</b>
<b>B</b> ECG cable, 5-lead, single-pin connector, single-patient use, IEC1 (European color code), 1/1.5 m, 20 pcs.	<b>MP00879</b>
ECG cable, 5-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs.	<b>MP00881</b>
<b>C</b> ECG cable, 6-lead, single-pin connector, single-patient use, IEC1 (European color code), 1/1.5 m, 20 pcs.	<b>MP03122</b>
ECG cable, 6-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs.	<b>MP03123</b>

GAMMA / GAMMA XL  
GAMMA X XL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL



## ELECTROCARDIOGRAPHY (ECG)

### REUSABLE ECG LEADS SINGLE-PIN CONNECTOR

ECG single-pin connectors can be connected directly to MultiMed® plus/MultiMed® plus OR as well as to Infinity® M300 and Infinity® M540.

<b>A</b>	ECG cable, 3-lead, single-pin connector, IEC1 (European color code), 1 m	<b>MP03401</b>							
	ECG cable, 3-lead, single-pin connector, IEC2 (AHA/US color code), 1 m	<b>MP03402</b>							
<b>B</b>	ECG cable, 5-lead, single-pin connector, IEC1 (European color code), 1/1.5 m	<b>MP03403</b>							
	ECG cable, 5-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m	<b>MP03404</b>							
<b>C</b>	ECG cable, 6-lead, single-pin connector, IEC1 (European color code), 1/1.5 m	<b>MP03405</b>							
	ECG cable, 6-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m	<b>MP03406</b>							

GAMMA / GAMMA XL  
GAMMA X XL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL



Not all articles are available worldwide.

## ELECTROCARDIOGRAPHY (ECG)

### REUSABLE ECG LEADS DUAL-PIN CONNECTOR

ECG dual-pin connectors can be connected directly to MultiMed® 5,6 and MultiMed® 12.


<b>A</b>	ECG cable, 3-lead, dual-pin connector, IEC1 (European color code), 1 m	<b>MP03411</b>
	ECG cable, 3-lead, dual-pin connector, IEC2 (AHA/US color code), 1 m	<b>MP03412</b>
<b>B</b>	ECG cable, 5-lead, dual-pin connector, IEC1 (European color code), 1/1.5 m	<b>MP03413</b>
	ECG cable, 5-lead, dual-pin connector, IEC2 (AHA/US color code), 1/1.5 m	<b>MP03414</b>
<b>C</b>	ECG cable, 6-lead, dual-pin connector, IEC1 (European color code), 1/1.5 m	<b>MP03415</b>
	ECG cable, 6-lead, dual-pin connector, IEC2 (AHA/US color code), 1/1.5 m	<b>MP03416</b>

### CHESTLEADS FOR USE WITH MULTIMED® 12

ECG dual-pin connectors can be connected directly to MultiMed® 12.

<b>D</b>	ECG cable for C lead, IEC1 (European color code), 1 m	<b>MP03417</b>
	ECG cable for V lead, IEC2 (AHA/US color code), 1 m	<b>MP03418</b>

GAMMA / GAMMA XL  
GAMMA X XL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL



## ELECTROCARDIOGRAPHY (ECG)

### ELECTRODES

ECG electrodes\*,  
single-patient use, neonate, 300 pcs. **5195024**

### NEONATAL ECG

ECG electrodes\*,  
single-patient use, neonate, 300 pcs. **5195024**

A Electrode adapter, to connect neonatal electrodes  
to MultiMed® pod, 10 pcs. **5194779**

B ECG intermediate cable, 3-lead,  
for NeoMed Pod, 1.5 m **5592162**

\*Tradeware

GAMMA / GAMMA XL  
GAMMA X XL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL




## ELECTROCARDIOGRAPHY (ECG)

### ECG ACCESSORIES

<b>A</b>	<b>ECG adapter for single-pin ECG cable to MultiMed® 5</b>	<b>MS14679</b>
	<b>ECG adapter for single-pin ECG cable to MultiMed® 6</b>	<b>MS14680</b>
<b>B</b>	<b>ECG extension cable, 6-lead, single-pin connector, 2 m</b>	<b>MS16256</b>
<b>C</b>	<b>ECG extension cable, 6-lead, 2 m</b>	<b>MP05115</b>
<b>D</b>	<b>ECG extension cable, dual-pin connector, 2 m</b>	<b>MS16492</b>
<b>E</b>	<b>ECG ESU block, for OR use of 3- or 5-lead ECG cables with MultiMed® 5</b>	<b>5947226</b>
<b>F</b>	<b>ECG ESU block, for OR use of 3-, 5-, or 6-lead ECG cables with MultiMed® 6</b>	<b>7486140</b>

GAMMA / GAMMA XL  
 GAMMA X XL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL











**PULSE OXIMETRY (SPO<sub>2</sub>)**

<b>A</b> SpO <sub>2</sub> adhesive sensor Dräger, cloth, disposable, baby, 24 pcs.	<b>MS16447</b>
<b>B</b> SpO <sub>2</sub> adhesive sensor Dräger, cloth, disposable, neonate, 24 pcs.	<b>MS16446</b>

GAMMA / GAMMA XL  
 GAMMA X XL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL

■	■	■	■	■
■	■	■	■	■



Not all articles are available worldwide.

**PULSE OXIMETRY (SpO<sub>2</sub>)**

**DRÄGER/NELLCOR® CABLES**

SpO<sub>2</sub> intermediate cables for connection to MultiMed® 5, 6, 12 and NeoMed Pods.

**A** SpO<sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 1 m\* **3368433**

SpO<sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 2 m\* **3375834**

SpO<sub>2</sub> intermediate cables for connection to MultiMed® plus/plus OR.

**B** SpO<sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 1.2 m\* **MS18683**

**C** SpO<sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 3 m\* **MS17330**

**MASIMO®**

**MASIMO® LNCS CABLES\*\***

SpO<sub>2</sub> intermediate cables for connection to Infinity® M300 and Masimo® SET Pod.

**D** SpO<sub>2</sub> intermediate cable Masimo® LNCS, 3 m **MS17522**

**D** SpO<sub>2</sub> intermediate cable Masimo® LNCS, 1.2 m **MS24303**

**MASIMO® RD SET CABLES\*\***

Connects the Masimo® SET approved sensors to the Masimo® SET pod or to Infinity M300. This cable cannot be used with the MultiMed.

**E** SpO<sub>2</sub> intermediate cable Masimo® RD SET, 3 m (9.8 ft) **MS34437**

**E** SpO<sub>2</sub> intermediate cable Masimo® RD SET, 1.2 m (3.9 ft) **MS34436**

\*Note: Requires Nellcor sensor software setting.

\*\*Tradeware

GAMMA / GAMMA XL  
GAMMA X XL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL



**PULSE OXIMETRY (SPO<sub>2</sub>)**


**MASIMO® LNCS REUSABLE SENSORS\***

<b>A</b>	SpO <sub>2</sub> finger sensor Masimo® LNCS DCI, reusable, adult	<b>MP00796</b>
<b>B</b>	SpO <sub>2</sub> finger sensor Masimo® LNCS DCIP, reusable, child	<b>MP00795</b>
	SpO <sub>2</sub> Masimo® sensor LNCS-TC-I Ear, reusable, pediatric/adult	<b>MP00788</b>
	SpO <sub>2</sub> Masimo® sensor LNCS-YI Multisite, reusable, neonate/pediatric/adult	<b>MP00789</b>
	SpO <sub>2</sub> Masimo® sensor LNCS-TF-I, reusable, pediatric/adult	<b>MP00799</b>
<b>C</b>	SpO <sub>2</sub> Masimo® sensor LNCS-DBI, reusable, adult	<b>MP02993</b>

\*Tradeware

GAMMA / GAMMA XL  
 GAMMA X XL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL

--	--	--	--	--	--	--	--	--	--



Not all articles are available worldwide.

**PULSE OXIMETRY (SPO<sub>2</sub>)**

**MASIMO® LNCS DISPOSABLE SENSORS\***

<b>A</b>	<b>SpO<sub>2</sub> adhesive sensor Masimo® LNCS Adtx, disposable, adult, 20 pcs.</b>	<b>MP00790</b>	■	■	■	■	■	■
<b>B</b>	<b>SpO<sub>2</sub> adhesive sensor Masimo® LNCS Inf, disposable, baby, 20 pcs.</b>	<b>MP00791</b>	■	■	■	■	■	■
<b>C</b>	<b>SpO<sub>2</sub> adhesive sensor Masimo® LNCS Neo, disposable, neonate, 20 pcs.</b>	<b>MP00792</b>	■	■	■	■	■	■
<b>D</b>	<b>SpO<sub>2</sub> adhesive sensor Masimo® LNCS Pdtx, disposable, child, 20 pcs.</b>	<b>MP00793</b>	■	■	■	■	■	■
<b>E</b>	<b>SpO<sub>2</sub> adhesive sensor Masimo® LNCS NeoPt, disposable, premature baby, 20 pcs.</b>	<b>MP00794</b>	■	■	■	■	■	■

\*Tradeware

GAMMA / GAMMA XL  
 GAMMA XXL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL



**PULSE OXIMETRY (SPO<sub>2</sub>)**




**MASIMO® LNCS TRAUMA SENSORS\***

Masimo® LNCS Trauma sensors are for use with Masimo® SET technology only.

<b>A</b>	Masimo® LNCS Trauma sensor, adult, 20 pcs.	<b>MP03191</b>		
<b>B</b>	Masimo® LNCS Trauma sensor, infant/pedi, 20 pcs.	<b>MP03193</b>		
<b>C</b>	Masimo® LNCS Trauma sensor, neonate, 20 pcs.	<b>MP03192</b>		

\*Tradeware

GAMMA / GAMMA XL  
 GAMMA X XL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL



## PULSE OXIMETRY (SPO<sub>2</sub>)

### MASIMO® RD SET ADAPTER CABLES\*

<p><b>A</b> Adapter cable RD SET to LNOP, for connection of RD SET sensors to Infinity® M300 and Masimo® SET Pod via the LNOP intermediate cables MS18680 and MS17041, as well as to MultiMed® 5/6/12, NeoMed Pods and MultiMed® Plus/Plus OR via the according intermediate cables MS13926/7492601 or MS20163**</p>	<p><b>MS33731</b></p>
<p><b>B</b> Adapter cable RD SET to LNCS, for connection of RD SET sensors to Infinity® M300 and Masimo® SET Pod via the LNCS intermediate cables MS24303 or MS17522</p>	<p><b>MS33732</b></p>
<p><b>B</b> Adapter cable RD SET to MultiMed®, for connection of RD SET sensors to MultiMed® 5/6/12, NeoMed Pods as well as MultiMed® Plus/Plus OR via the according intermediate cables 3368433/3375834 or MS18683/MS17330</p>	<p><b>MS33733</b></p>

\*Tradeware

\*\*Products are not available any more.  
Adapter is to be used to switch from sensors to the installed base.

GAMMA / GAMMA XL  
GAMMA XXL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL



**PULSE OXIMETRY (SPO<sub>2</sub>)**

**MASIMO® RD SET REUSABLE SENSORS\***

<b>A</b>	<b>Masimo® RD SET DCI sensor, adult, reusable</b>	<b>MS33740</b>				
<b>B</b>	<b>Masimo® RD SET DC-IP sensor, pediatric, reusable</b>	<b>MS33741</b>				
<b>C</b>	<b>Masimo® RD SET sensor TC-I Ear, pediatric/adult, reusable</b>	<b>MS40067</b>				
<b>D</b>	<b>Masimo® RD SET sensor YI Multisite, neonate/pediatric/adult, reusable</b>	<b>MS40070</b>				
<b>E</b>	<b>Masimo® RD SET sensor TF-I, pediatric/adult, reusable</b>	<b>MS40073</b>				

\*Tradeware

GAMMA / GAMMA XL  
 GAMMA X XL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL





**PULSE OXIMETRY (SPO<sub>2</sub>)**

**MASIMO® RD SET DISPOSABLE SENSORS\***

<b>A</b>	<b>Masimo® RD SET sensor, adult, disposable</b>	<b>MS33726</b>
<b>B</b>	<b>Masimo® RD SET sensor, pediatric, disposable</b>	<b>MS33727</b>
<b>C</b>	<b>Masimo® RD SET sensor, infant, disposable</b>	<b>MS33728</b>
<b>D</b>	<b>Masimo® RD SET sensor, neonatal, disposable</b>	<b>MS33729</b>
<b>E</b>	<b>Masimo® RD SET sensor, neonatal preterm, disposable</b>	<b>MS33730</b>

\*Tradeware

GAMMA / GAMMA XL  
 GAMMA X XL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL





**PULSE OXIMETRY (SPO<sub>2</sub>)**



**MASIMO® RD SET TRAUMA  
DISPOSABLE SENSORS\***

For use with Masimo® SET technology only.

<b>A</b>	<b>Masimo® Trauma sensor RD SET, adult, disposable</b>	<b>MS40088</b>				
<b>B</b>	<b>Masimo® Trauma sensor RD SET, infant/pedi, disposable</b>	<b>MS40091</b>				
<b>C</b>	<b>Masimo® Trauma sensor RD SET, neonate, disposable</b>	<b>MS40094</b>				

\*Tradeware

GAMMA / GAMMA XL  
GAMMA X XL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL




**PULSE OXIMETRY (SpO<sub>2</sub>)**

**MASIMO® ACCESSORIES\***

<b>A</b>	<b>SpO<sub>2</sub> adhesive wrap Masimo® Multisite-Wrap, for LNOP YI SpO<sub>2</sub> sensor, 100 pcs.</b>	<b>7496917</b>
<b>B</b>	<b>SpO<sub>2</sub> adhesive wrap Masimo® Petite-Wrap, for LNOP YI SpO<sub>2</sub> sensor, 100 pcs.</b>	<b>7496909</b>
<b>C</b>	<b>SpO<sub>2</sub> adhesive square Masimo®, 12 pcs.</b>	<b>7496875</b>
<b>D</b>	<b>SpO<sub>2</sub> foam wrap Masimo® Foam-Wrap, neonate, LNOP YI SpO<sub>2</sub> sensor, 12 pcs.</b>	<b>7496891</b>

\*Tradeware

GAMMA / GAMMA XL  
 GAMMA X XL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL



**PULSE OXIMETRY (SPO<sub>2</sub>)**

<b>A</b>	<b>Headband* LNCS TF-I, 5 pcs.</b>	<b>MP03197</b>
<b>B</b>	<b>Adhesive Pad* LNCS TF-I, 20 pcs.</b>	<b>MP03198</b>

\*Tradeware

GAMMA / GAMMA XL  
 GAMMA X XL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL



**PULSE OXIMETRY (SPO<sub>2</sub>)**

**NELLCOR®**

**DRÄGER/NELLCOR® CABLES**

SpO<sub>2</sub> intermediate cables for connection to MultiMed® 5, 6, 12 and NeoMed Pods.

**A** SpO<sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 1 m **3368433**

SpO<sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 2 m **3375834**

SpO<sub>2</sub> intermediate cables for connection to, MultiMed® plus/plus OR, Infinity® M300 and Nellcor® Oximax.

**B** SpO<sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 1.2 m **MS18683**

**C** SpO<sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 3 m **MS17330**

GAMMA / GAMMA XL  
GAMMA X XL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL



**PULSE OXIMETRY (SPO<sub>2</sub>)**

**NELLCOR® REUSABLE SENSORS\***

<b>A</b>	<b>SpO<sub>2</sub> finger sensor Nellcor® DURA DS 100A</b>	<b>7262764</b>
<b>B</b>	<b>SpO<sub>2</sub> multisite sensor Nellcor® DURA-Y™, reusable</b>	<b>MX01004</b>
<b>C</b>	<b>Ear clip for Nellcor® DURA-Y™</b>	<b>MX01005</b>
<b>D</b>	<b>Adhesive wrap for Nellcor® Oxiband™ A/N, 100 pcs.</b>	<b>8201012</b>
<b>E</b>	<b>Adhesive wrap for Nellcor® Oxiband™ P/I, 100 pcs.</b>	<b>2170221</b>

\*Tradeware

GAMMA / GAMMA XL  
 GAMMA X XL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL


**A**



D-500-2014

**B**



D-35680-2009

**C**



MT-2355-2004

**D**



MT-2257-2004

**E**



MT-2216-2004

Not all articles are available worldwide.

**PULSE OXIMETRY (SPO<sub>2</sub>)**

**NELLCOR® DISPOSABLE SENSORS\***

<b>A</b>	<b>SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-A, disposable, adult, cable 46 cm, 24 pcs.</b>	<b>MX50065</b>
<b>B</b>	<b>SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-AL, disposable, adult, cable 91 cm, 24 pcs.</b>	<b>MX50071</b>
<b>C</b>	<b>SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-I, disposable, child, 24 pcs.</b>	<b>MX50067</b>
<b>D</b>	<b>SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-N, disposable, neonate/adult, 24 pcs.</b>	<b>MX50068</b>
<b>E</b>	<b>SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-P, disposable, child, 24 pcs.</b>	<b>MX50066</b>

\*Tradeware

GAMMA / GAMMA XL  
 GAMMA X XL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL



## PULSE OXIMETRY (SPO<sub>2</sub>)

For use with Oximax® technology.

<b>A</b>	<b>SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-Fast*, disposable, application on forehead, 24 pcs.</b>	<b>MX50070</b>							
<b>B</b>	<b>SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-R*, disposable, application on nose, 24 pcs.</b>	<b>MX50069</b>							
<b>C</b>	<b>SpO<sub>2</sub> Nellcor® FLEXMAX* Adt</b>	<b>MS34677</b>							
<b>C</b>	<b>SpO<sub>2</sub> Nellcor® FLEXMAX* Pdt</b>	<b>MS34678</b>							

\*Tradeware

GAMMA / GAMMA XL  
 GAMMA X XL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL


















# PULSE OXIMETRY (SPO<sub>2</sub>)























## SpO<sub>2</sub> Sensor Connectivity

VF6 VF7 VF8 VF9 and higher

Patient-worn Monitors		Infinity Patient Monitors			
Infinity M300/M300+	Gamma XL	Vista XL	Delta/Delta XL	Kappa	
 D-E	 MS16358 Maximo D-E Nellcor D-E MultiMed	 MS23997 MS16358 Maximo D-E Nellcor D-E MultiMed	 MS23997 MS16356 Maximo D-E Nellcor D-E MultiMed	 MS16356 MS23997 Maximo D-E Nellcor D-E MultiMed	

Patient-worn Monitors		Infinity Patient Monitors		Infinity Patient Monitors		Infinity Patient Monitors		Infinity Patient Monitors	
Infinity M300/M300+	Gamma XL	Vista XL	Delta/Delta XL	Kappa	NeoMed	NeoMed	NeoMed	NeoMed	NeoMed
 D-E	 MS16358 Maximo D-E Nellcor D-E MultiMed	 MS23997 MS16358 Maximo D-E Nellcor D-E MultiMed	 MS23997 MS16356 Maximo D-E Nellcor D-E MultiMed	 MS16356 MS23997 Maximo D-E Nellcor D-E MultiMed	 MS19221 2.5 M OR MS19221 1.5 M 396391 2.5 M	 MS19221 2.5 M OR MS19221 1.5 M 396391 2.5 M	 MS19221 2.5 M OR MS19221 1.5 M 396391 2.5 M	 MS19221 2.5 M OR MS19221 1.5 M 396391 2.5 M	 MS19221 2.5 M OR MS19221 1.5 M 396391 2.5 M

Patient-worn Monitors		Infinity Patient Monitors		Infinity Patient Monitors		Infinity Patient Monitors		Infinity Patient Monitors	
Infinity M300/M300+	Gamma XL	Vista XL	Delta/Delta XL	Kappa	NeoMed	NeoMed	NeoMed	NeoMed	NeoMed
 D-E	 MS16358 Maximo D-E Nellcor D-E MultiMed	 MS23997 MS16358 Maximo D-E Nellcor D-E MultiMed	 MS23997 MS16356 Maximo D-E Nellcor D-E MultiMed	 MS16356 MS23997 Maximo D-E Nellcor D-E MultiMed	 MS19221 2.5 M OR MS19221 1.5 M 396391 2.5 M	 MS19221 2.5 M OR MS19221 1.5 M 396391 2.5 M	 MS19221 2.5 M OR MS19221 1.5 M 396391 2.5 M	 MS19221 2.5 M OR MS19221 1.5 M 396391 2.5 M	 MS19221 2.5 M OR MS19221 1.5 M 396391 2.5 M

Patient-worn Monitors		Infinity Patient Monitors		Infinity Patient Monitors		Infinity Patient Monitors		Infinity Patient Monitors	
Infinity M300/M300+	Gamma XL	Vista XL	Delta/Delta XL	Kappa	NeoMed	NeoMed	NeoMed	NeoMed	NeoMed
 D-E	 MS16358 Maximo D-E Nellcor D-E MultiMed	 MS23997 MS16358 Maximo D-E Nellcor D-E MultiMed	 MS23997 MS16356 Maximo D-E Nellcor D-E MultiMed	 MS16356 MS23997 Maximo D-E Nellcor D-E MultiMed	 MS19221 2.5 M OR MS19221 1.5 M 396391 2.5 M	 MS19221 2.5 M OR MS19221 1.5 M 396391 2.5 M	 MS19221 2.5 M OR MS19221 1.5 M 396391 2.5 M	 MS19221 2.5 M OR MS19221 1.5 M 396391 2.5 M	 MS19221 2.5 M OR MS19221 1.5 M 396391 2.5 M

Not all articles are available worldwide.

\*\*\*Sensors are only for use with Masimo SET not via MultiMed.  
\*\*\*Sensors are not released for M300/M300+.

Dräger, the Dräger logo, Infinity, and MultiMed are registered trademarks of Dräger.

Max-Fast is a registered trademark of Covidien LP.  
Nellcor, the Nellcor logo and Nellcor OxMax Works Here are registered trademarks of Nellcor Puritan Bennett LLC.

Maximo, the Masimo logo, LNCS, LNCP, RD SET, and SET are registered trademarks of Masimo Corporation.



**TEMPERATURE**

**1.4 TEMPERATURE**

**ADAPTER CABLES**

<b>A</b>	Adapter cable, 7-pin connector for temperature probe with ¼" connector	<b>5198333</b>
<b>B</b>	Y-cable, reusable, 7-pin connector, for 2 temperature probes	<b>5592154</b>

**SINGLE-PATIENT USE TEMPERATURE PROBES**

<b>C</b>	General-purpose temperature probe, single-patient use, adult, 7-pin connector, 1.6 m	<b>MP00991</b>
	General-purpose temperature probe, single-patient use, adult, 7-pin connector, 3 m	<b>MP00992</b>
<b>D</b>	General-purpose temperature probe, single-patient use, child, 7-pin connector, 1.6 m	<b>MP00993</b>
	General-purpose temperature probe, single-patient use, child, 7-pin connector, 3 m	<b>MP00994</b>
<b>E</b>	Skin temperature probe, single-patient use, adult, 7-pin connector, 1.6 m	<b>MP00995</b>
	Skin temperature probe, single-patient use, adult, 7-pin connector, 3 m	<b>MP00996</b>
<b>F</b>	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 1.6 m	<b>MP00997</b>
	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 3 m	<b>MP00998</b>

GAMMA / GAMMA XL  
 GAMMA X XL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL



Not all articles are available worldwide.

## TEMPERATURE

### REUSABLE TEMPERATURE PROBES

<b>A</b>	<b>General-purpose temperature probe, reusable, adult, 7-pin connector, 1.5 m</b>	<b>4329889</b>
<b>A</b>	<b>General-purpose temperature probe, reusable, adult, 7-pin connector, 3 m</b>	<b>5204644</b>
<b>A</b>	<b>General-purpose temperature probe, reusable, child, 7-pin connector, 1.5 m</b>	<b>4329848</b>
<b>A</b>	<b>General-purpose temperature probe, reusable, child, 7-pin connector, 3 m</b>	<b>5204651</b>
<b>B</b>	<b>Skin temperature probe, reusable, with 7-pin connector, 1.5 m</b>	<b>4329822</b>
<b>B</b>	<b>Skin temperature probe, reusable, with 7-pin connector, 3 m</b>	<b>5204669</b>
<b>C</b>	<b>Protective cover for general-purpose temperature probe, contains latex, 10 pcs.</b>	<b>7014616</b>
	<b>Protective cover* for general-purpose temperature probe, latexfree, 100 pcs.</b>	<b>MS40243</b>

\*Tradeware

GAMMA / GAMMA XL  
 GAMMA X XL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL



## TCORE® TEMPERATURE MONITORING SYSTEM

### 1.5 TCORE® TEMPERATURE MONITORING SYSTEM

Tcore® – a new non-invasive technology for accurate core temperature monitoring Tcore® employs a unique dual-sensor heat flux technology, which, following a short ramp-up time, calculates core body temperature continuously and accurately. A simple, self-adhesive sensor – for children from 5 years of age and adults – placed on the patient's forehead is all that's required. This single-use sensor can be connected through a battery-powered adapter to all current Dräger monitors\*, eliminating the need for a dedicated display.

\*Exception: Vista 120 product family, patient monitors.

<b>A</b>	<b>Tcore® adapter, reusable</b>	<b>MP00999</b>							
<b>B</b>	<b>Tcore® sensor, single patient use</b>	<b>MP00989</b>							
<b>C</b>	<b>Tcore® extension cable</b>	<b>MP02201</b>							
<b>D</b>	<b>Holder for MultiMed® 5/6, MultiMed® Plus/OR, NeoMed Pods and Tcore®, swiveling 360°</b>	<b>MP00721</b>							

GAMMA / GAMMA XL  
 GAMMA X XL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL



## NON-INVASIVE BLOOD PRESSURE (NIBP)

### 1.6 NON-INVASIVE BLOOD PRESSURE (NIBP)

#### NIBP HOSES

<b>A</b> NIBP connection tube, adult, 3.7 m, for Infinity® monitors	<b>MP00953</b>
<b>B</b> NIBP hose, neonate, 2.4 m	<b>2870298</b>

GAMMA / GAMMA XL  
 GAMMA X XL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL




## NON-INVASIVE BLOOD PRESSURE (NIBP)

### NIBP CUFFS, REUSABLE

A	① NIBP cuff XXS, reusable, infant, 8 – 13 cm/13 cm	MP00911								
	② NIBP cuff XS, reusable, child, 12 – 19 cm/19 cm	MP00912								
	③ NIBP cuff S, reusable, small adult, 17 – 25 cm/29 cm	MP00913								
	④ NIBP cuff M, reusable, adult, 23 – 33 cm/33 cm	MP00915								
	⑤ NIBP cuff M+, reusable, adult, long, 23 – 33 cm/43 cm	MP00916								
	⑥ NIBP cuff M++, reusable, adult, extra long, 23 – 33 cm/53 cm	MP00917								
	⑦ NIBP cuff L, reusable, large adult, 31 – 40 cm/40 cm	MP00918								
	⑧ NIBP cuff L+, reusable, large adult, long, 31 – 40 cm/55 cm	MP00919								
	⑨ NIBP cuff XL, reusable, thigh, 38 – 50 cm/50 cm	MP00921								

GAMMA / GAMMA XL  
 GAMMA X XL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL




## NON-INVASIVE BLOOD PRESSURE (NIBP)

### NIBP CUFFS, SINGLE-PATIENT USE

A	1	NIBP cuff XXS, single-patient use, infant, 8 – 13 cm/13 cm, 10 pcs.	MP00924
	2	NIBP cuff XS, single-patient use, child, 12 – 19 cm/19 cm, 10 pcs.	MP00925
	3	NIBP cuff S, single-patient use, small adult, 17 – 25 cm/29 cm, 10 pcs.	MP00926
	4	NIBP cuff M, single-patient use, adult, 23 – 33 cm/33 cm, 10 pcs.	MP00928
	5	NIBP cuff M+, single-patient use, adult long, 23 – 33 cm/43 cm, 10 pcs.	MP00929
	6	NIBP cuff M++, single-patient use, adult extra long, 23 – 33 cm/53 cm, 10 pcs.	MP00930
	7	NIBP cuff L, single-patient use, large adult, 31 – 40 cm/40 cm, 10 pcs.	MP00931
	8	NIBP cuff L+, single-patient use, large adult long, 31 – 40 cm/55 cm, 10 pcs.	MP00932
	9	NIBP cuff XL, single-patient use, thigh, 38 – 50 cm/50 cm, 10 pcs.	MP00934

GAMMA / GAMMA XL  
 GAMMA XXL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL



**NON-INVASIVE BLOOD PRESSURE (NIBP)**

**NIBP CUFFS NEONATAL, DISPOSABLE**

<b>A</b>	NIBP cuff, disposable, neonate, size 1, 3.1 – 5.7 cm, 10 pcs.	<b>2870181</b>
<b>B</b>	NIBP cuff, disposable, neonate, size 2, 4.3 – 8 cm, 10 pcs.	<b>2870199</b>
<b>C</b>	NIBP cuff, disposable, neonate, size 3, 5.8 – 10.9 cm, 10 pcs.	<b>2870207</b>
<b>D</b>	NIBP cuff, disposable, neonate, size 4, 7.1 – 13.1 cm, 10 pcs.	<b>2870215</b>
<b>E</b>	NIBP cuff, disposable, neonate, size 5, 8.3 – 15 cm, 10 pcs.	<b>2870173</b>

GAMMA / GAMMA XL  
 GAMMA X XL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL



Not all articles are available worldwide.

## CNAP CONTINUOUS NON-INVASIVE ARTERIAL PRESSURE

### 1.7 CNAP CONTINUOUS NON-INVASIVE ARTERIAL PRESSURE

<b>A</b>	<b>Starter kit for patient parameter unit Infinity® CNAP™ SmartPod®</b>	<b>MS17075</b>
	Includes the following accessories:	
	<b>CNAP™ cuff controller and cradle</b>	<b>MS26125</b>
<b>B</b>	<b>CNAP™ intermediate cable for Infinity® CNAP™ SmartPod®, for CNAP™ controller</b>	<b>MS15893</b>
<b>C</b>	<b>CNAP™ cuff controller forearm strap</b>	<b>MS26122</b>
<b>D</b>	<b>Cuff controller cradle allows CNAP™ cuff controller to “slide” with movement of patient’s arm</b>	<b>MS26123</b>

GAMMA / GAMMA XL  
GAMMA X XL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL





## CNAP CONTINUOUS NON-INVASIVE ARTERIAL PRESSURE

<b>A</b>	<b>CNAP™ sensor cuff, size L</b>	<b>MS15896</b>
<b>B</b>	<b>CNAP™ sensor cuff, size M</b>	<b>MS15895</b>
<b>C</b>	<b>CNAP™ sensor cuff, size S</b>	<b>MS15894</b>
<b>D</b>	<b>Pod connection cable, 3 m</b>	<b>3368425</b>
<b>E</b>	<b>Universal pole mount</b>	<b>7485621</b>

GAMMA / GAMMA XL  
 GAMMA X XL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL





## INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

### 1.8 INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

#### IBP AND CO HEMO PODS

<b>A</b>	<b>Infinity® MPod-QuadHemo, cardiac output, 2 temperatures, up to 4 invasive pressures</b>	<b>MS20725</b>
<b>B</b>	<b>Patient parameter unit Infinity® HemoMed Pod</b>	<b>5588822</b>
<b>C</b>	<b>Connection cable, connects HemoMed Pod to monitor, 3 m</b>	<b>5591925</b>
	<b>Connection cable, connects HemoMed Pod to monitor, 5 m</b>	<b>5591933</b>
<b>D</b>	<b>Universal pole mount</b>	<b>7485621</b>

GAMMA / GAMMA XL  
 GAMMA X XL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL






## INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

### IBP QUADHEMO ADAPTERS

<b>A</b>	IBP transducer adapter Abbott/Medex/ICU Medical	<b>MS22535</b>				
	IBP transducer adapter Argon/Merit Medical	<b>MS22148</b>				
	IBP transducer adapter Baxter/Edwards	<b>MS22147</b>				
<b>B</b>	IBP transducer adapter Utah Medical	<b>MS22534</b>				
<b>C</b>	IBP transducer adapter cable, Dräger 7-pin	<b>MS22533</b>				
<b>D</b>	IBP transducer adapter cable, Dräger 10-pin	<b>MS22532</b>				

GAMMA / GAMMA XL  
GAMMA X XL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL




## INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

For use with Infinity® MPod-QuadHemo.

<b>A</b>	<b>IBP transducer adapter cable, Codan/DPT, 2 m</b>	<b>2601235</b>
<b>B</b>	<b>IBP transducer adapter cable, Codan/DPT, 0.3 m</b>	<b>2601234</b>
<b>C</b>	<b>IBP transducer adapter cable, B.Braun, 2 m</b>	<b>2601233</b>
<b>D</b>	<b>IBP transducer adapter cable, B.Braun, 0.3 m</b>	<b>2601232</b>




GAMMA / GAMMA XL  
 GAMMA X XL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLIT  
 VISTA  
 VISTA XL



## INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

<b>A</b>	IBP transducer adapter cable, Abbott/Medex, Smiths/TranStar, 2 m	<b>2601231</b>
<b>B</b>	IBP transducer adapter cable, Abbott/Medex, Smiths/TranStar, 0.3 m	<b>2601230</b>
<b>C</b>	IBP transducer adapter cable, Utah Medical, 2 m	<b>2601229</b>
<b>D</b>	IBP transducer adapter cable, Utah Medical, 0.3 m	<b>2601228</b>

GAMMA / GAMMA XL  
 GAMMA X XL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL





Not all articles are available worldwide.

## INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

<b>A</b>	<b>IBP transducer adapter cable, Dräger 7-pin, 2 m</b>	<b>2601227</b>
<b>B</b>	<b>IBP transducer adapter cable, Dräger 7-pin, 0.3 m</b>	<b>2601226</b>
<b>C</b>	<b>IBP transducer adapter cable, Dräger 10-pin, 2 m</b>	<b>2601225</b>
<b>D</b>	<b>IBP transducer adapter cable, Dräger 10-pin, 0.3 m</b>	<b>2601224</b>

GAMMA / GAMMA XL  
 GAMMA X XL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLIT  
 VISTA  
 VISTA XL




**INVASIVE BLOOD PRESSURE (IBP)  
AND CARDIAC OUTPUT (CO)**

<b>A</b>	<b>IBP transducer adapter cable, Argon/BD/Ohmeda, 2 m</b>	<b>2601223</b>
<b>B</b>	<b>IBP transducer adapter cable, Argon/BD/Ohmeda, 0.3 m</b>	<b>2601222</b>
<b>C</b>	<b>IBP transducer adapter cable, Baxter/Edwards, 2 m</b>	<b>2601221</b>
<b>D</b>	<b>IBP transducer adapter cable, Baxter/Edwards, 0.3 m</b>	<b>2601220</b>
<b>E</b>	<b>IBP transducer adapter cable, Codan/Xtrans, 0.3 m</b>	<b>2601236</b>

GAMMA / GAMMA XL  
GAMMA X XL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL

■	■	■	■	■	■
■	■	■	■	■	■
■	■	■	■	■	■
■	■	■	■	■	■
■	■	■	■	■	■





Not all articles are available worldwide.

## INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

### IBP HEMO POD ADAPTERS AND PLATES

<b>A</b>	<b>Pod adapter, 10-pin, for pressure transducer</b>	<b>3375958</b>
<b>B</b>	<b>Pod adapter, for pressure transducer Abbott/Medex/ICU Medical</b>	<b>5196998</b>
<b>C</b>	<b>Pod adapter, for Edwards pressure transducer</b>	<b>5196980</b>
<b>D</b>	<b>Pod adapter, for pressure transducer Argon/Merit Medical (former Becton Dickinson/Ohmeda)</b>	<b>3375941</b>
	<b>Pod adapter SensoNor, for connecting pressure transducer cables, 7-pin</b>	<b>MS23598</b>

GAMMA / GAMMA XL  
 GAMMA XXL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLIT  
 VISTA  
 VISTA XL







## INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

<b>A</b> IBP pressure transducer plate, for Hemo2/4 Pods, for Abbott Transpac IV, 5 pcs.	<b>7270460</b>
<b>B</b> IBP pressure transducer plate, for Hemo2/4 Pods, for Abbott TranspacII/III/Braun, 5 pcs.	<b>5192112</b>
<b>C</b> IBP pressure transducer plate, for Hemo4 Pod, for Memscap (Capto/SensoNor), 5 pcs.	<b>4721416</b>
<b>D</b> IBP pressure transducer plate, for Hemo4 Pod, universal, 5 pcs.	<b>4721424</b>
IBP pressure transducer plate, for Hemo2 Pod, for Memscap (Capto/SensoNor), 5 pcs.	<b>4721614</b>

GAMMA / GAMMA XL  
 GAMMA X XL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL

■	■	■	■
■	■	■	■
■	■	■	■
■	■	■	■
■	■	■	■



Not all articles are available worldwide.

## INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

### IBP Y-ADAPTERS AND CABLES

A	IBP Y-adapter, 7-pin	5592147
B	IBP Y-adapter, 10-pin	5731281
C	IBP adapter, 10-pin to 7-pin	3368383
D	IBP Y-adapter, 10-pin to 7-pin	5588095
E	IBP Y-cable, Baxter/Edwards, 3.7 m	5206607

GAMMA / GAMMA XL  
 GAMMA X XL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL



## INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

### IBP MEMSCAP CABLES AND TRANSDUCERS

<b>A</b>	<b>IBP pressure transducer cable for Memscap (Capto/SensoNor), 3.7 m</b>	<b>4321563</b>
	<b>IBP pressure transducer for Memscap (Capto/SensoNor) 844, disposable, sterile, 50 pcs.</b>	<b>7864908</b>
<b>B</b>	<b>IBP Y-cable, for Memscap (Capto/SensoNor), 3.7 m</b>	<b>5195180</b>
<b>C</b>	<b>IBP pressure transducer set* for Memscap (Capto/SensoNor) 844, disposable, 10 pcs.</b>	<b>7489433</b>
<b>D</b>	<b>IBP holder* for pressure transducer Memscap (Capto/SensoNor) 844, 4 pcs.</b>	<b>7864155</b>
<b>E</b>	<b>IBP pressure transducer* for Memscap (Capto/SensoNor) 844, reusable</b>	<b>7489417</b>
	<b>IBP pressure transducer set* for Memscap (Capto/SensoNor) 844</b>	<b>7498947</b>

\*Tradeware

GAMMA / GAMMA XL  
 GAMMA X XL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL




## INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

### IBP OHMEDA CABLES AND TRANSDUCERS

<b>A</b>	<b>IBP connection cable</b> Argon/Merit Medical, 3.7 m (12.1 ft)	<b>3375933</b>
<b>B</b>	<b>IBP Y-cable</b> Argon/Merit Medical 3.7 m (12.1 ft)	<b>5206581</b>
<b>C</b>	<b>IBP pressure transducer set*</b> Argon/Merit Medical, disposable, sterile, 5 pcs.	<b>4528741</b>

\*Tradeware

GAMMA / GAMMA XL  
GAMMA X XL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL



## INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

### CO CABLES, CATHETERS AND THERMISTORS

<b>A</b>	<b>CO thermistor cable* Argon/Merit Medical</b>	<b>8420077</b>
<b>B</b>	<b>CO thermistor T-piece* Argon/Merit Medical</b>	<b>5741975</b>
<b>C</b>	<b>CO thermistor cable* Baxter/Edwards</b>	<b>8539983</b>
<b>D</b>	<b>CO connection cable, 1 m</b>	<b>3368458</b>
<b>E</b>	<b>CO catheter cable</b>	<b>8419160</b>

\*Tradeware

GAMMA / GAMMA XL  
 GAMMA X XL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL



# INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

## Hemodynamic Connectivity



<p><b>Infinity Acute Care System</b></p> <p>Infinity M540</p> <p>MS28897 2.0 M MS28898 2.9 M</p> <p>Hemo</p> <p>Monitor IBP</p>	<p><b>Infinity Bedside Monitors</b></p> <p>Infinity Gamma X XL Vista XL</p> <p>HemoMed Aux/Hemo 2, 3</p>	<p><b>Infinity Kappa</b></p> <p>HemoMed Aux/Hemo 2, 3</p>	<p><b>Infinity Kappa XLT</b></p> <p>*PICO not supported</p> <p>HemoMed</p> <p>7257688 0.3 M 3388425 3.0 M 551933 5.0 M</p> <p>OR</p> <p>HemoMed</p> <p>5591925 3.0 M 551933 5.0 M</p> <p>Monitor IBP Aux/Hemo</p>														
<p><b>Dual Hemo</b></p> <p>MS20763</p> <p>A B</p>	<p><b>Quad Hemo</b></p> <p>MS20725</p> <p>A B C D</p>	<p><b>Hemo2</b></p> <p>4319435</p> <p>Sold out</p> <p>A B</p>	<p><b>Hemo4</b></p> <p>4315991</p> <p>Sold out</p> <p>A B C D</p>	<p><b>PICO</b></p> <p>MS16734</p> <p>Kappa XLT does not support PICO</p> <p>Sold out</p> <p>C D</p>	<p><b>PICO Gen II</b></p> <p>MS23183</p> <p>Kappa XLT does not support PICO Gen II</p> <p>Works with IBP adapters: MS22534 MS22534 MS22533 MS22533 MS22532 MS22532</p> <p>A B C D</p>	<p><b>HemoMed</b></p> <p>5568822</p> <p>A B C D</p>											
<p><b>Vendor specific adapter cables [A-B-C-D]</b></p> <table border="0"> <tr> <td>Dräger 2601228 0.3-3M 2601229 0.3-3M 2601227 0.3-3M</td> <td>Dräger 2601224 0.3-3M 2601225 0.3-3M</td> <td>Abbott SM 2601230 0.3-3M 2601231 0.3-3M</td> <td>Novo 2601220 0.3-3M 2601221 0.3-3M</td> <td>Uyah 2601222 0.3-3M 2601223 0.3-3M</td> <td>Edwards 2601226 0.3-3M 2601227 0.3-3M</td> <td>Codan 2601284 0.3-3M 2601285 0.3-3M</td> <td>MS23598 7 Pin 3375858 7 Pin 3375858</td> <td>Abbot/Medex (Transtar) 5198998</td> <td>Edwards 5198980</td> <td>Argon/BD 3375841</td> </tr> </table>							Dräger 2601228 0.3-3M 2601229 0.3-3M 2601227 0.3-3M	Dräger 2601224 0.3-3M 2601225 0.3-3M	Abbott SM 2601230 0.3-3M 2601231 0.3-3M	Novo 2601220 0.3-3M 2601221 0.3-3M	Uyah 2601222 0.3-3M 2601223 0.3-3M	Edwards 2601226 0.3-3M 2601227 0.3-3M	Codan 2601284 0.3-3M 2601285 0.3-3M	MS23598 7 Pin 3375858 7 Pin 3375858	Abbot/Medex (Transtar) 5198998	Edwards 5198980	Argon/BD 3375841
Dräger 2601228 0.3-3M 2601229 0.3-3M 2601227 0.3-3M	Dräger 2601224 0.3-3M 2601225 0.3-3M	Abbott SM 2601230 0.3-3M 2601231 0.3-3M	Novo 2601220 0.3-3M 2601221 0.3-3M	Uyah 2601222 0.3-3M 2601223 0.3-3M	Edwards 2601226 0.3-3M 2601227 0.3-3M	Codan 2601284 0.3-3M 2601285 0.3-3M	MS23598 7 Pin 3375858 7 Pin 3375858	Abbot/Medex (Transtar) 5198998	Edwards 5198980	Argon/BD 3375841							
<p><b>Vendor specific Hemo Pod adapters [AB-CD]</b></p> <table border="0"> <tr> <td>Reusable Adult 4328822 1.5m 5204689 3m</td> <td>Reusable Pediatric 4329848 1.5m 5204681 3m</td> <td>Single Patient Use Adult MPO0991 1.5m MPO0992 3m</td> <td>Single Patient Use Pediatric MPO0993 1.5m MPO0994 3m</td> <td>Argon/BD 3398458 8419160</td> <td>Argon/BD 8420077</td> <td>Edwards 8539983</td> </tr> </table>							Reusable Adult 4328822 1.5m 5204689 3m	Reusable Pediatric 4329848 1.5m 5204681 3m	Single Patient Use Adult MPO0991 1.5m MPO0992 3m	Single Patient Use Pediatric MPO0993 1.5m MPO0994 3m	Argon/BD 3398458 8419160	Argon/BD 8420077	Edwards 8539983				
Reusable Adult 4328822 1.5m 5204689 3m	Reusable Pediatric 4329848 1.5m 5204681 3m	Single Patient Use Adult MPO0991 1.5m MPO0992 3m	Single Patient Use Pediatric MPO0993 1.5m MPO0994 3m	Argon/BD 3398458 8419160	Argon/BD 8420077	Edwards 8539983											
<p><b>Cardiac Output (C.O.)</b></p> <p>Argon/BD 3398458 8419160 8420077 5741975</p> <p>Edwards 8539983</p> <p>Baxter MS16916 MS16918 MS16919</p>																	
<p><b>Temperature</b></p>																	

# INFINITY® PiCCO

## 1.9 INFINITY® PiCCO


<b>A</b>	<b>Infinity® PiCCO Gen II SmartPod®</b>	<b>MS23133</b>
	<b>Infinity® PiCCO Gen II SmartPod® kit</b>	<b>MS32282</b>
<b>B</b>	<b>CO thermistor cable* for Infinity® PiCCO Pod</b>	<b>MS16919</b>
	<b>CO catheter cable for Infinity® PiCCO Pod</b>	<b>MS16918</b>
	<b>CO cable for Infinity® PiCCO Pod</b>	<b>MS16916</b>
<b>C</b>	<b>IBP transducer adapter cable, Dräger 10-pin</b>	<b>MS22532</b>
<b>D</b>	<b>Pod adapter, 10-pin, for pressure transducer</b>	<b>3375958</b>
	<b>Adapter cable* for Infinity® PiCCO SmartPod®, for 10-pin connector</b>	<b>MS16920</b>

\*Tradeware

GAMMA / GAMMA XL  
 GAMMA X XL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL




## INFINITY® PiCCO





INFINITY® PiCCO GEN II SMARTPOD®



**CO Thermistor Cable**  
MS16919

**CO Catheter Cable**  
MS16918

**Cable to Monitor**  
3368425 (3 m)  
5195198 (5 m)

**Infinity® PiCCO Gen II SmartPod®**  
MS23133

**CO Intermediate Cable**  
MS16916

**IBP-Adapter, 10-Pin**  
MS22532

**Pulsion to 10 Pin Cable**  
MS16920

These items are included in the  
Infinity® PiCCO Gen II  
SmartPod® Kit  
MS32282

10-2016

**PULSIOCATH**  
arterial thermodilution  
catheters

injectate temperature  
sensor housing  
PV 4046

**PULSION**  
blood pressure  
transducer

Order from Pulsion

Not all articles are available worldwide.

## BISPECTRAL INDEX (BIS)

### 1.10 BISPECTRAL INDEX (BIS)

#### INFINITY® BISX SMARTPOD®

A	Patient parameter unit Infinity® BISx SmartPod®	MS14796
---	--	---------

GAMMA / GAMMA XL  
 GAMMA X XL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL

A



MT-5816-2006

## ELECTROENCEPHALOGRAPHY (EEG)


### 1.11 ELECTROENCEPHALOGRAPHY (EEG)

#### INFINITY® EEG POD AND ACCESSORIES

<b>A</b>	<b>Patient parameter unit Infinity® EEG Pod</b>	<b>5736744</b>
<b>B</b>	<b>EEG electrode cable, color-coded, 9 pcs.</b>	<b>5947804</b>
<b>C</b>	<b>Block for EEG referential lead conversion</b>	<b>5954859</b>
<b>D</b>	<b>EEG electrodes*, disposable, 25 pcs.</b>	<b>MS29468</b>

\*Tradeware

GAMMA / GAMMA XL  
GAMMA X XL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL




## NEUROMUSCULAR TRANSMISSION (NMT)

### 1.12 NEUROMUSCULAR TRANSMISSION (NMT)

#### INFINITY® TRIDENT (NMT) SMARTPOD® AND ACCESSORIES

<b>A</b>	<b>Patient parameter unit set Infinity® Trident® NMT SmartPod®</b>	<b>MS15007</b>
	Includes the following accessories:	
<b>B</b>	<b>NMT accelerometer Trident®</b>	<b>MS15085</b>
<b>C</b>	<b>NMT thermistor Trident®</b>	<b>MS15053</b>
<b>D</b>	<b>NMT hand adapter Trident®</b>	<b>MS15086</b>
<b>E</b>	<b>NMT thumb adapter for Infinity® Trident (NMT) SmartPod®, disposable, 50 pcs.</b>	<b>MS15084</b>
<b>F</b>	<b>NMT intermediate cable for Infinity® Trident (NMT) SmartPod®, 1.9 m</b>	<b>7872174</b>
	<b>NMT electrode cable Trident®, 2-lead, 0.3 m</b>	<b>MS13218</b>
<b>G</b>	<b>Bed clip for cables</b>	<b>MS15087</b>

GAMMA / GAMMA XL  
GAMMA X XL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL



## CAPNOGRAPHY ETCO<sub>2</sub>

### 1.13 CAPNOGRAPHY ETCO<sub>2</sub>

A	etCO <sub>2</sub> airway adapter, reusable, adult	4721796
A	etCO <sub>2</sub> airway adapter, reusable, neonate	4721788
B	CO <sub>2</sub> airway adapter*, adult, disposable, 10 pcs.	2606227
C	CO <sub>2</sub> airway adapter*, neonatal (infant/pediatric), disposable, 10 pcs.	2606228

\*Tradeware

GAMMA / GAMMA XL  
 GAMMA X XL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL



Not all articles are available worldwide.

## CAPNOGRAPHY ETCO<sub>2</sub>

### CO<sub>2</sub> CABLES

<b>A</b> MCable Mainstream CO <sub>2</sub> , for Infinity® M540, Vista 120, Vista 120 S, and Delta VF9.1 and higher	<b>6871950</b>
<b>B</b> Y-cable CO <sub>2</sub> and analog/sync	<b>MS22259</b>

### CO<sub>2</sub> CUVETTES, DISPOSABLE

<b>C</b> CO <sub>2</sub> cuvette disposable, adult, 10 pcs.	<b>MP01062</b>
<b>D</b> CO <sub>2</sub> cuvette disposable, pediatric, 10 pcs.	<b>MP01063</b>

### CO<sub>2</sub> CUVETTES, REUSABLE

<b>E</b> CO <sub>2</sub> cuvette reusable, adult	<b>6870279</b>
<b>F</b> CO <sub>2</sub> cuvette reusable, pediatric	<b>6870280</b>

GAMMA / GAMMA XL  
 GAMMA X XL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL




## CAPNOGRAPHY ETCO<sub>2</sub>

### ACCESSORIES

Calibration set, with test connection and test gas cylinder	8412710
Test gas cylinder 5 Vol.% CO <sub>2</sub> , 95 Vol. % N <sub>2</sub>	6850435
A Parking holder for CO <sub>2</sub> sensor	8416352
Test filter	6870281


GAMMA / GAMMA XL  
 GAMMA X XL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL



**CAPNOGRAPHY ETCO<sub>2</sub>**

<b>A</b>	<b>etCO<sub>2</sub> Microstr. Intubated Adult/Pediatric - Extended Duration, 25 pcs.</b>	<b>MP15001</b>
	<b>etCO<sub>2</sub> Microstr. Intubated Adult/Pediatric - Short-term use, 25 pcs.</b>	<b>MP15002</b>
<b>B</b>	<b>etCO<sub>2</sub> Microstr. Intubated Infant/Neonatal - Extended Duration, 25 pcs.</b>	<b>MP15003</b>
<b>C</b>	<b>etCO<sub>2</sub> Microstr. Nasal Adult - Extended Duration, 25 pcs.</b>	<b>MP15004</b>
	<b>etCO<sub>2</sub> Microstr. Nasal Adult - Short-term use, 25 pcs.</b>	<b>MP15005</b>
<b>D</b>	<b>etCO<sub>2</sub> Microstr. Nasal Pediatric - Short-term use, 25 pcs.</b>	<b>MP15006</b>
<b>E</b>	<b>etCO<sub>2</sub> Microstr. Nasal Infant/Neonatal - Extended Duration, 25 pcs.</b>	<b>MP15007</b>
<b>F</b>	<b>etCO<sub>2</sub> Microstr. Nasal/Oral Adult - Short-term use, 25 pcs.</b>	<b>MP15008</b>
<b>G</b>	<b>etCO<sub>2</sub> Microstr. Nasal/Oral Pediatric - Short-term use, 25 pcs.</b>	<b>MP15009</b>

GAMMA / GAMMA XL  
 GAMMA X XL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL






## CAPNOGRAPHY ETCO<sub>2</sub>

<b>A</b>	<b>CO<sub>2</sub> Microstr. O<sub>2</sub> Nasal Adult - Extended Duration, 25 pcs.</b>	<b>MP15010</b>
	<b>CO<sub>2</sub> Microstr. O<sub>2</sub> Nasal Pediatric - Extended Duration, 25 pcs.</b>	<b>MP15011</b>
	<b>CO<sub>2</sub> Microstr. O<sub>2</sub> Nasal/Oral Adult - Short-term use, 25 pcs.</b>	<b>MP15012</b>
<b>B</b>	<b>CO<sub>2</sub> Microstr. O<sub>2</sub> Nasal/Oral Pediatric - Short-term use, 25 pcs.</b>	<b>MP15013</b>

GAMMA / GAMMA XL  
 GAMMA X XL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL


Not all articles are available worldwide.

## SCIO

### 1.14 SCIO

#### SCIO ACCESSORIES

<b>A</b>	<b>Sample line, disposable, 10 pcs.</b>	<b>8290286</b>
<b>B</b>	<b>Watertrap WaterLock® 2, 12 pcs.</b>	<b>6872130</b>
	<b>Water trap Infinity® ID WaterLock® 2, 12 pcs.</b>	<b>6872020</b>
	<b>Sample gas return line for Fabius®, with filter</b>	<b>M32692</b>
<b>C</b>	<b>Bacterial filter for Dräger patient monitors, disposable</b>	<b>8402868</b>



## RECORDER PAPER

### 1.15 RECORDER PAPER

<b>A</b> Recording paper for Infinity® R 50, 50 mm, approx. 30 m, 10 rolls	<b>4711201</b>
---	----------------

GAMMA / GAMMA XL  
 GAMMA X XL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL



## INFINITY® ACUTE CARE SYSTEM

### 2. INFINITY® ACUTE CARE SYSTEM

#### 2.1 ELECTROCARDIOGRAPHY (ECG)

##### MONOLEAD® SINGLE-PIN CONNECTOR (1<sup>ST</sup> GENERATION)

<b>A</b>	<b>ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (European color code), 2 m</b>	<b>MS14555</b>
	<b>ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color code), 2 m</b>	<b>MS14556</b>
<b>B</b>	<b>ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (European color code), 2.5 m</b>	<b>MS14559</b>
	<b>ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US color code), 2.5 m</b>	<b>MS14560</b>
	<b>ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (European color code), 3 m</b>	<b>MS14683</b>
	<b>ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color code), 3 m</b>	<b>MS14682</b>



**INFINITY® ACUTE CARE SYSTEM**

**MONOLEAD® LONG, SINGLE-PIN CONNECTOR  
(1ST GENERATION)**

Not for use with ECG extension cable MS16256.

ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (European color code), 4.1 m **MS28561**

ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color code), 4.1 m **MS28557**

ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (European color code), 5.3 m **MS28559**

ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US color code), 5.3 m **MS28558**

A ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color code), 5.7 m **MS28560**

ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (European color code), 5.7 m **MS17185**

**CHESTLEADS MONOLEAD® (1ST GENERATION)**

ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC1 (European color code), 1.7 m **MS14693**

ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC2 (AHA/US color code), 1.7 m **MS14694**

ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC1 (European color code), 3.7 m\* **MS20476**

ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC2 (AHA/US color code), 3.7 m\* **MS20475**

\*Not for use with extension cable MS31435.



## INFINITY® ACUTE CARE SYSTEM


### MONOLEAD® SINGLE-PIN CONNECTOR (2<sup>ND</sup> GENERATION)

A	ECG MonoLead®, 3-lead, EUR, 2 m	MP05120
B	ECG MonoLead®, 3-lead, AHA/US, 2 m	MP05121
C	ECG MonoLead®, 5-lead, EUR, 2.5 m	MP05122
D	ECG MonoLead®, 5-lead, AHA/US, 2.5 m	MP05123
E	ECG MonoLead®, 6-lead, EUR, 3 m	MP05124
F	ECG MonoLead®, 6-lead, AHA/US, 3 m	MP05125

### MONOLEAD® LONG, SINGLE-PIN CONNECTOR (2<sup>ND</sup> GENERATION)\*

A	ECG MonoLead®, 3-lead, EUR, 4.1 m	MP05130
B	ECG MonoLead®, 3-lead, AHA/US, 4.1 m	MP05131
C	ECG MonoLead®, 5-lead, EUR, 5.3 m	MP05132
D	ECG MonoLead®, 5-lead, AHA/US, 5.3 m	MP05133
E	ECG MonoLead®, 6-lead, EUR, 5.7 m	MP05134
F	ECG MonoLead®, 6-lead, AHA/US, 5.7 m	MP05135

\*Not for use with extension cables MS16256 and MP05115.




**INFINITY® ACUTE CARE SYSTEM**

**CHESTLEADS MONOLEAD®  
(2ND GENERATION)**

<b>A</b>	<b>ECG MonoLead®, 4-lead, EUR, 1.7 m</b>	<b>MP05126</b>
<b>B</b>	<b>ECG MonoLead®, 4-lead, AHA/US, 1.7 m</b>	<b>MP05127</b>
<b>A</b>	<b>ECG MonoLead®, 4-lead, EUR, 3.7 m*</b>	<b>MP05128</b>
<b>B</b>	<b>ECG MonoLead®, 4-lead, AHA/US, 3.7 m*</b>	<b>MP05129</b>

\*Not for use with extension cables MS31435 and MP05114.



## INFINITY® ACUTE CARE SYSTEM

### REUSABLE ECG LEADS SINGLE-PIN CONNECTOR

<b>A</b>	<b>ECG cable, 3-lead, single-pin connector, IEC1 (European color code), 1 m</b>	<b>MP03401</b>
	<b>ECG cable, 3-lead, single-pin connector, IEC2 (AHA/US color code), 1 m</b>	<b>MP03402</b>
<b>B</b>	<b>ECG cable, 5-lead, single-pin connector, IEC1 (European color code), 1/1.5 m</b>	<b>MP03403</b>
	<b>ECG cable, 5-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m</b>	<b>MP03404</b>
<b>C</b>	<b>ECG cable, 6-lead, single-pin connector, IEC1 (European color code), 1/1.5 m</b>	<b>MP03405</b>
	<b>ECG cable, 6-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m</b>	<b>MP03406</b>
<b>CHESTLEADS</b>		
<b>D</b>	<b>ECG cable, 4-lead, single-pin connector, IEC1 (European color code), 1 m</b>	<b>MP03407</b>
	<b>ECG cable, 4-lead, single-pin connector, IEC2 (AHA/US color code), 1 m</b>	<b>MP03408</b>





**INFINITY® ACUTE CARE SYSTEM**

**SINGLE-PATIENT USE ECG LEADS  
SINGLE-PIN CONNECTOR**

**A** ECG cable, 3-lead, single-pin connector, single-patient use, IEC1 (European color code), 1 m, 20 pcs. **MP00875**

ECG cable, 3-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1 m, 20 pcs. **MP00877**

**B** ECG cable, 5-lead, single-pin connector, single-patient use, IEC1 (European color code), 1/1.5 m, 20 pcs. **MP00879**

ECG cable, 5-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs. **MP00881**


**C** ECG cable, 6-lead, single-pin connector, single-patient use, IEC1 (European color code), 1/1.5 m, 20 pcs. **MP03122**

ECG cable, 6-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs. **MP03123**

**SINGLE-PATIENT USE ECG LEADS  
SINGLE-PIN CONNECTOR FOR CHESTLEADS**

**D** ECG cable, 4-lead, single-pin connector, single-patient use, IEC1 (European color code), 1 m, 20 pcs. **MP03120**

ECG cable, 4-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1 m, 20 pcs. **MP03121**



Not all articles are available worldwide.

## INFINITY® ACUTE CARE SYSTEM

### ELECTRODES

**ECG electrodes\*, single-patient use, neonate, 300 pcs. 5195024**

### NEONATAL ECG

**ECG electrodes\*, single-patient use, neonate, 300 pcs. 5195024**

**ECG neonatal 3-lead adapter cable, 2 m MS25951**

### ECG ACCESSORIES

**A ECG adapter for single-pin ECG cable to MultiMed® 5 MS14679**

**ECG adapter for single-pin ECG cable to MultiMed® 6 MS14680**

**B ECG "4-lead" spacer, 10 pcs. MS22832**


**ECG extension cable, 6-lead, single-pin connector, 2 m MS16256**

**C ECG extension cable, 6-lead, 2 m MP05115**

**D ECG extension cable, 4-lead, 2 m MP05114**

**ECG extension cable, 4-lead, single-pin connector, 2 m MS31435**

\*Tradeware



**INFINITY® ACUTE CARE SYSTEM**

**2.2 PULSE OXIMETRY (SPO<sub>2</sub>)**

**MASIMO®**

For Masimo® accessories, specific part numbers for USA and Japan apply. Please contact your local Dräger Sales representative for further information.

**MASIMO® LNCS CABLES\***

For connection of LNCS sensors to Masimo® SET Mcable.

A	<u>SpO<sub>2</sub> intermediate cable Masimo® LNCS, 1.2 m</u>	<u>MP00800</u>
A	<u>SpO<sub>2</sub> intermediate cable Masimo® LNCS, 3 m</u>	<u>MP00797</u>
A	<u>SpO<sub>2</sub> intermediate cable Masimo® LNCS, 4.3 m</u>	<u>MP03194</u>

For connection of LNCS sensors to Masimo® rainbow SET Mcable.

B	<u>SpO<sub>2</sub> intermediate cable Masimo® Red LNCS, 1.2 m</u>	<u>MP02991</u>
B	<u>SpO<sub>2</sub> intermediate cable Masimo® Red LNCS, 3 m</u>	<u>MP02992</u>
B	<u>SpO<sub>2</sub> intermediate cable Masimo® Red LNCS, 4.3 m</u>	<u>MP03196</u>

\*Tradeware




## INFINITY® ACUTE CARE SYSTEM

### MASIMO® LNCS REUSABLE SENSORS\*

<b>A</b>	<b>SpO<sub>2</sub> finger sensor Masimo® LNCS DCI, reusable, adult</b>	<b>MP00796</b>
<b>B</b>	<b>SpO<sub>2</sub> finger sensor Masimo® LNCS DCIP, reusable, child</b>	<b>MP00795</b>
	<b>SpO<sub>2</sub> Masimo® sensor LNCS-TC-I Ear, reusable, pediatric/adult</b>	<b>MP00788</b>
	<b>SpO<sub>2</sub> Masimo® sensor LNCS-TF-I, reusable, pediatric/adult</b>	<b>MP00799</b>
	<b>SpO<sub>2</sub> Masimo® sensor LNCS-YI Multisite, reusable, neonate/pediatric/adult</b>	<b>MP00789</b>
<b>C</b>	<b>SpO<sub>2</sub> Masimo® sensor LNCS-DBI, reusable, adult</b>	<b>MP02993</b>

\*Tradeware



**INFINITY® ACUTE CARE SYSTEM**

**MASIMO® DISPOSABLE SENSORS\***

<b>A</b> SpO <sub>2</sub> adhesive sensor Masimo® LNCS Amtx, disposable, adult, 20 pcs.	<b>MP00790</b>
<b>B</b> SpO <sub>2</sub> adhesive sensor Masimo® LNCS Inf, disposable, baby, 20 pcs.	<b>MP00791</b>
<b>C</b> SpO <sub>2</sub> adhesive sensor Masimo® LNCS Neo, disposable, neonate, 20 pcs.	<b>MP00792</b>
<b>D</b> SpO <sub>2</sub> adhesive sensor Masimo® LNCS Pmtx, disposable, child, 20 pcs.	<b>MP00793</b>
<b>E</b> SpO <sub>2</sub> adhesive sensor Masimo® LNCS NeoPt, disposable, premature baby, 20 pcs.	<b>MP00794</b>

\*Tradeware



## INFINITY® ACUTE CARE SYSTEM

### MASIMO® LNCS TRAUMA SENSORS\*

Masimo® LNCS Trauma sensors are for use with Masimo® SET technology only.

<b>A</b> Masimo® LNCS Trauma sensor, adult, 20 pcs.	<b>MP03191</b>
<b>B</b> Masimo® LNCS Trauma sensor, infant/pedi, 20 pcs.	<b>MP03193</b>
<b>C</b> Masimo® LNCS Trauma sensor, neonate, 20 pcs.	<b>MP03192</b>

\*Tradeware



**INFINITY® ACUTE CARE SYSTEM**

**MASIMO® RD SET CABLES\***

Connection of RD SET sensors to Masimo® SET Mcable.

**A** RD SET intermediate cable for Masimo® SET Mcable, 1.5 m **MS33736**

**A** RD SET intermediate cable for Masimo® SET Mcable, 3.6 m **MS33737**

For connection of RD SET sensors to Masimo® rainbow SET Mcable.

**B** RD SET intermediate cable for Masimo® rainbow SET Mcable, 1.5 m **MS33738**

**B** RD SET intermediate cable for Masimo® rainbow SET Mcable, 3.6 m **MS33739**

**MASIMO® RD SET DISPOSABLE SENSORS\***

**C** Masimo® RD SET sensor, adult, disposable **MS33726**


**D** Masimo® RD SET sensor, pediatric, disposable **MS33727**

**E** Masimo® RD SET sensor, infant, disposable **MS33728**

**F** Masimo® RD SET sensor, neonatal, disposable **MS33729**

**G** Masimo® RD SET sensor, neonatal preterm, disposable **MS33730**

\*Tradeware



Not all articles are available worldwide.

**INFINITY® ACUTE CARE SYSTEM**

**MASIMO® RD SET REUSABLE SENSORS\***

<b>A</b>	<b>Masimo® RD SET DCI sensor, adult, reusable</b>	<b>MS33740</b>
<b>B</b>	<b>Masimo® RD SET DC-IP sensor, pediatric, reusable</b>	<b>MS33741</b>
<b>C</b>	<b>Masimo® RD SET sensor TC-I Ear, pediatric/adult, reusable</b>	<b>MS40067</b>
<b>D</b>	<b>Masimo® RD SET sensor YI Multisite, neonate/pediatric/adult, reusable</b>	<b>MS40070</b>
<b>E</b>	<b>Masimo® RD SET sensor TF-I, pediatric/adult, reusable</b>	<b>MS40073</b>

**MASIMO® RD SET TRAUMA DISPOSABLE SENSORS\***

For use with Masimo® SET technology only.

<b>F</b>	<b>Masimo® Trauma sensor RD SET, adult, disposable</b>	<b>MS40088</b>
<b>G</b>	<b>Masimo® Trauma sensor RD SET, infant/pedi, disposable</b>	<b>MS40091</b>
	<b>Masimo® Trauma sensor RD SET, neonate, disposable</b>	<b>MS40094</b>

\*Tradeware





**INFINITY® ACUTE CARE SYSTEM**

**MASIMO® RAINBOW CABLES\***

For connection of rainbow sensors to Masimo® rainbow SET Mcable.

<b>A</b>	<b>SpO<sub>2</sub> intermediate cable Masimo® rainbow, 1.2 m</b>	<b>MP02974</b>
<b>A</b>	<b>SpO<sub>2</sub> intermediate cable Masimo® rainbow, 3.6 m</b>	<b>MP02975</b>


**MASIMO® RAINBOW DISPOSABLE SENSORS (SPCO, SPMET, SPOC, PVI)\***

<b>B</b>	<b>Rainbow sensor R25-L, neonate, 10 pcs.</b>	<b>MP02961</b>
<b>C</b>	<b>Rainbow sensor R20-L, infant, 10 pcs.</b>	<b>MP02962</b>
<b>D</b>	<b>Rainbow sensor R25, pedi, 10 pcs.</b>	<b>MP02959</b>
<b>E</b>	<b>Rainbow sensor R20, adult, 10 pcs.</b>	<b>MP02960</b>

**MASIMO® RAINBOW REUSABLE SENSORS (SPCO, SPMET, SPOC, PVI)\***

<b>F</b>	<b>Rainbow sensor DCI, Adt</b>	<b>MP02971</b>
	<b>Rainbow sensor DCIP, pedi</b>	<b>MP02972</b>

\*Tradeware



## INFINITY® ACUTE CARE SYSTEM

### MASIMO® RD RAINBOW SET MCABLE\*


<b>A</b>	<b>Masimo® RD rainbow SET sensor, disposable, adult</b>	<b>MS40076</b>
<b>B</b>	<b>Masimo® RD rainbow SET sensor, disposable, pediatric</b>	<b>MS40079</b>
<b>C</b>	<b>Masimo® RD rainbow SET sensor, disposable, infant</b>	<b>MS40082</b>
<b>D</b>	<b>Masimo® RD rainbow SET sensor, disposable, neonate</b>	<b>MS40085</b>

### MASIMO® RD RAINBOW DISPOSABLE SENSORS (SPHB, SPMET, SPOC, PVI)\*

For connection of RD SET sensors to Masimo® rainbow SET Mcable.

<b>E</b>	<b>RD SET intermediate cable for Masimo® rainbow SET Mcable, 1.5 m</b>	<b>MS33738</b>
<b>E</b>	<b>RD SET intermediate cable for Masimo® rainbow SET Mcable, 3.6 m</b>	<b>MS33739</b>

\*Tradeware




**INFINITY® ACUTE CARE SYSTEM**

**MASIMO® ACCESSORIES\***

<b>A</b> SpO <sub>2</sub> adhesive wrap Masimo® Multisite-Wrap, for LNOP YI SpO <sub>2</sub> sensor, 100 pcs.	<b>7496917</b>
<b>B</b> SpO <sub>2</sub> adhesive wrap Masimo® Petite-Wrap, for LNOP YI SpO <sub>2</sub> sensor, 100 pcs.	<b>7496909</b>
<b>C</b> SpO <sub>2</sub> adhesive square Masimo®, 12 pcs.	<b>7496875</b>
<b>D</b> SpO <sub>2</sub> foam wrap Masimo® Foam-Wrap, neonate, LNOP YI SpO <sub>2</sub> sensor, 12 pcs.	<b>7496891</b>

\*Tradeware



## INFINITY® ACUTE CARE SYSTEM

---

<b>A</b>	<b>Headband* LNCS TF-I, 5 pcs.</b>	<b>MP03197</b>
<b>B</b>	<b>Adhesive Pad* LNCS TF-I, 20 pcs.</b>	<b>MP03198</b>
<b>C</b>	<b>Masimo® rainbow sensor cover*, 10 pcs.</b>	<b>MP03203</b>

\*Tradeware



INFINITY® ACUTE CARE SYSTEM



Masimo® SpO<sub>2</sub> and rainbow Sensor Connectivity

INFINITY® PATIENT MONITORS

PATIENT-MORN MONITORS

MS-40

Masimo® SET MCable MS20687

Masimo® rainbow® SET MCable MS27003 (order via MS27900)

rainbow Sensors for SpO<sub>2</sub>, PLS, PI, SpMet, SpOC, PVI and SpCO

Disposable

- rainbow P25-L MP02861
- rainbow P20-L MP02862
- rainbow P25 1.2 m MS32796 1.5 m MS32798 3.0 m MS32797 3.6 m MS32799
- rainbow P20 1.2 m MP02860
- rainbow P20 3.0 m MP03194
- rainbow SET 2 Adt MS40076
- rainbow SET 2 Pht MS40079
- rainbow SET 2 Neo MS40085
- rainbow SET 2 Inf MS40082

Gamma XL (VF6, VF7)

Masimo® SET Pod MS16358

RD SET Sensors for SpO<sub>2</sub>, PLS, PI, PVI\*\*

Disposable

- RD SET Adt MS33726
- RD SET Inf MS33728
- RD SET Neo MS33725
- RD SET NeoPI MS33726
- RD SET Pht MS33727
- RD SET Neo MS33725
- RD SET NeoPI MS33726
- RD SET Trauma Sensors (not via MultiMeda) MS40088 MS40091 MS40091 MS40094

Vista XL (VF6, VF7, VF8)

Masimo® SET Pod MS16359

RD SET Sensors for SpO<sub>2</sub>, PLS, PI, PVI\*\*

Reusable

- RD SET Adt MS33740
- RD SET TCh MS40087
- RD SET TFI MS40079
- RD SET Trauma Sensors (not via MultiMeda) MS40088 MS40091 MS40091 MS40094

DeLta/Delta XL/Kappa (VF6, VF7, VF8)

Masimo® SET Pod MS16356

RD SET Sensors for SpO<sub>2</sub>, PLS, PI, PVI\*\*

Reusable

- RD SET Adt MS33740
- RD SET TCh MS40087
- RD SET TFI MS40079
- RD SET Trauma Sensors (not via MultiMeda) MS40088 MS40091 MS40091 MS40094

Infinity® M300

MultiMeda® 12 5.8 m 5358665 3.0 m

MultiMeda® 5 5.8 m 3396391 2.5 m

MultiMeda® 6 5.8 m 5191221 2.5 m

MultiMeda® 12 5.8 m 5358665 3.0 m

MultiMeda® 5 5.8 m 3396391 2.5 m

MultiMeda® 6 5.8 m 5191221 2.5 m

rainbow Sensors for SpO<sub>2</sub>, PLS, PI, SpMet, SpOC, PVI and SpCO

Reusable

- rainbow DC-I MP02971
- rainbow DC-IP MP02972
- rainbow P25-L MP02861
- rainbow P20-L MP02862
- rainbow P25 1.2 m MS32796 1.5 m MS32798 3.0 m MS32797 3.6 m MS32799
- rainbow P20 1.2 m MP02860
- rainbow P20 3.0 m MP03194
- rainbow SET 2 Adt MS40076
- rainbow SET 2 Pht MS40079
- rainbow SET 2 Neo MS40085
- rainbow SET 2 Inf MS40082

LNCS Sensors for SpO<sub>2</sub>, PLS, PI, PVI\*\*

Disposable

- LNCS Adt MP00790
- LNCS Inf MP00791
- LNCS Neo MP00792
- LNCS NeoPI MP00794
- LNCS Pht MP00793
- LNCS Trauma Sensors (not via MultiMeda) MP03181 MP03182 MP03183 MP03192

Reusable

- LNCS DC-IP MP00795
- LNCS TCh MP00786
- LNCS TFI MP00799
- LNCS DBI MP00789
- LNCS YI MP00788

\*\* PVI works only with Masimo rainbow® SET MCable.

**INFINITY® ACUTE CARE SYSTEM**

**NELLCOR®**

**NELLCOR® CABLES\***

<b>A</b>	<b>Nellcor® intermediate cable, 1.2 m</b>	<b>MP00748</b>
	<b>Nellcor® intermediate cable, 3 m</b>	<b>MS20979</b>

**NELLCOR® REUSABLE SENSOR\***

<b>B</b>	<b>SpO<sub>2</sub> finger sensor Nellcor® DURA DS 100A</b>	<b>7262764</b>
	<b>SpO<sub>2</sub> Nellcor® FLEXMAX Adt</b>	<b>MS34677</b>
	<b>SpO<sub>2</sub> Nellcor® FLEXMAX Pdt</b>	<b>MS34678</b>

**NELLCOR® DISPOSABLE SENSORS\***

<b>C</b>	<b>SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-A, disposable, adult, cable 46 cm, 24 pcs.</b>	<b>MX50065</b>
<b>D</b>	<b>SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-AL, disposable, adult, cable 91 cm, 24 pcs.</b>	<b>MX50071</b>
<b>E</b>	<b>SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-I, disposable, child, 24 pcs.</b>	<b>MX50067</b>
<b>F</b>	<b>SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-N, disposable, neonate/adult, 24 pcs.</b>	<b>MX50068</b>
<b>G</b>	<b>SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-P, disposable, child, 24 pcs.</b>	<b>MX50066</b>

\*Tradeware




**INFINITY® ACUTE CARE SYSTEM**

**2.3 TEMPERATURE**

**ADAPTER CABLE**

<b>A</b>	Y-cable, reusable, 7-pin connector, for 2 temperature probes	<b>5592154</b>
----------	--	----------------



**SINGLE-PATIENT USE TEMPERATURE PROBES**

<b>B</b>	General-purpose temperature probe, single-patient use, adult, 7-pin connector, 1.6 m	<b>MP00991</b>
----------	--	----------------



	General-purpose temperature probe, single-patient use, adult, 7-pin connector, 3 m	<b>MP00992</b>
--	--	----------------

<b>C</b>	General-purpose temperature probe, single-patient use, child, 7-pin connector, 1.6 m	<b>MP00993</b>
----------	--	----------------



	General-purpose temperature probe, single-patient use, child, 7-pin connector, 3 m	<b>MP00994</b>
--	--	----------------

<b>D</b>	Skin temperature probe, single-patient use, adult, 7-pin connector, 1.6 m	<b>MP00995</b>
----------	---	----------------



	Skin temperature probe, single-patient use, adult, 7-pin connector, 3 m	<b>MP00996</b>
--	---	----------------

<b>E</b>	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 1.6 m	<b>MP00997</b>
----------	--	----------------



	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 3 m	<b>MP00998</b>
--	--	----------------

## INFINITY® ACUTE CARE SYSTEM

### REUSABLE TEMPERATURE PROBES

<b>A</b>	<b>General-purpose temperature probe, reusable, adult, 7-pin connector, 1.5 m</b>	<b>4329889</b>
<b>A</b>	<b>General-purpose temperature probe, reusable, adult, 7-pin connector, 3 m</b>	<b>5204644</b>
<b>A</b>	<b>General-purpose temperature probe, reusable, child, 7-pin connector, 1.5 m</b>	<b>4329848</b>
<b>A</b>	<b>General-purpose temperature probe, reusable, child, 7-pin connector, 3 m</b>	<b>5204651</b>
<b>B</b>	<b>Skin temperature probe, reusable, with 7-pin connector, 1.5 m</b>	<b>4329822</b>
<b>B</b>	<b>Skin temperature probe, reusable, with 7-pin connector, 3 m</b>	<b>5204669</b>
<b>C</b>	<b>Protective cover for general-purpose temperature probe, contains latex, 10 pcs.</b>	<b>7014616</b>
	<b>Protective cover* for general-purpose temperature probe, latexfree, 100 pcs.</b>	<b>MS40243</b>

\*Tradeware





## INFINITY® ACUTE CARE SYSTEM

### 2.4 Tcore® TEMPERATURE MONITORING SYSTEM

Tcore® – a new non-invasive technology for accurate core temperature monitoring Tcore® employs a unique dual-sensor heat flux technology, which, following a short ramp-up time, calculates core body temperature continuously and accurately. A simple, self-adhesive sensor – for children from 5 years of age and adults – placed on the patient's forehead is all that's required. This single-use sensor can be connected through a battery-powered adapter to all current Dräger monitors\*, eliminating the need for a dedicated display.

\*Exception: Vista 120 product family, patient monitors.

<b>A</b>	<b>Tcore® adapter, reusable</b>	<b>MP00999</b>
<b>B</b>	<b>Tcore® sensor, single patient use</b>	<b>MP00989</b>
<b>C</b>	<b>Tcore® extension cable</b>	<b>MP02201</b>
	<b>Tcore® mount for M540</b>	<b>MS33239</b>
<b>D</b>	<b>Holder for MultiMed® 5/6, MultiMed® Plus/OR, NeoMed Pods and Tcore®, swiveling 360°</b>	<b>MP00721</b>



## INFINITY® ACUTE CARE SYSTEM

---

### 2.5 NON-INVASIVE BLOOD PRESSURE (NIBP)

---

#### NIBP HOSES

---


<b>A</b> NIBP connection tube, adult, 3.7 m, for Infinity® monitors	<b>MP00953</b>
<b>B</b> NIBP hose, neonate, 2.4 m	<b>2870298</b>



## INFINITY® ACUTE CARE SYSTEM

## NIBP CUFFS, REUSABLE


A	① NIBP cuff XXS, reusable, infant, 8 – 13 cm/13 cm	MP00911
	② NIBP cuff XS, reusable, child, 12 – 19 cm/19 cm	MP00912
	③ NIBP cuff S, reusable, small adult, 17 – 25 cm/29 cm	MP00913
	④ NIBP cuff M, reusable, adult, 23 – 33 cm/33 cm	MP00915
	⑤ NIBP cuff M+, reusable, adult, long, 23 – 33 cm/43 cm	MP00916
	⑥ NIBP cuff M++, reusable, adult, extra long, 23 – 33 cm/53 cm	MP00917
	⑦ NIBP cuff L, reusable, large adult, 31 – 40 cm/40 cm	MP00918
	⑧ NIBP cuff L+, reusable, large adult, long, 31 – 40 cm/55 cm	MP00919
	⑨ NIBP cuff XL, reusable, thigh, 38 – 50 cm/50 cm	MP00921



## INFINITY® ACUTE CARE SYSTEM

### NIBP CUFFS, SINGLE-PATIENT USE

A	① NIBP cuff XXS, single-patient use, infant, 8 – 13 cm/13 cm, 10 pcs.	MP00924
	② NIBP cuff XS, single-patient use, child, 12 – 19 cm/19 cm, 10 pcs.	MP00925
	③ NIBP cuff S, single-patient use, small adult, 17 – 25 cm/29 cm, 10 pcs.	MP00926
	④ NIBP cuff M, single-patient use, adult, 23 – 33 cm/33 cm, 10 pcs.	MP00928
	⑤ NIBP cuff M+, single-patient use, adult long, 23 – 33 cm/43 cm, 10 pcs.	MP00929
	⑥ NIBP cuff M++, single-patient use, adult extra long, 23 – 33 cm/53 cm, 10 pcs.	MP00930
	⑦ NIBP cuff L, single-patient use, large adult, 31 – 40 cm/40 cm, 10 pcs.	MP00931
	⑧ NIBP cuff L+, single-patient use, large adult long, 31 – 40 cm/55 cm, 10 pcs.	MP00932
	⑨ NIBP cuff XL, single-patient use, thigh, 38 – 50 cm/50 cm, 10 pcs.	MP00934



**INFINITY® ACUTE CARE SYSTEM**

**NIBP CUFFS NEONATAL, DISPOSABLE**

<b>A</b>	NIBP cuff, disposable, neonate, size 1, 3.1 – 5.7 cm, 10 pcs.	<b>2870181</b>
<b>B</b>	NIBP cuff, disposable, neonate, size 2, 4.3 – 8 cm, 10 pcs.	<b>2870199</b>
<b>C</b>	NIBP cuff, disposable, neonate, size 3, 5.8 – 10.9 cm, 10 pcs.	<b>2870207</b>
<b>D</b>	NIBP cuff, disposable, neonate, size 4, 7.1 – 13.1 cm, 10 pcs.	<b>2870215</b>
<b>E</b>	NIBP cuff, disposable, neonate, size 5, 8.3 – 15 cm, 10 pcs.	<b>2870173</b>



Not all articles are available worldwide.

## INFINITY® ACUTE CARE SYSTEM

### 2.6 INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

<b>A</b>	<b>MPod-Dual Hemo, 2 invasive blood pressures for M540*</b>	<b>MS20783</b>
<b>B</b>	<b>Infinity® MPod-QuadHemo, cardiac output, 2 temperatures, up to 4 invasive pressures*</b>	<b>MS20725</b>
<b>Required to connect MPod-QuadHemo, Hemo2 or Hemo4 to IACS:</b>		
<b>C</b>	<b>M540 Hemo connection cable, 1.5 m</b>	<b>MS23897</b>
	<b>M540 Hemo connection cable, 3 m</b>	<b>MS23898</b>
<b>Required to connect two MPod-QuadHemo:</b>		
	<b>Pod connection cable, 30 cm</b>	<b>7257988</b>
	<b>Pod connection cable, 3 m</b>	<b>3368425</b>
	<b>Pod connection cable, 5 m</b>	<b>5195198</b>

\*Adapter cable not included.



## INFINITY® ACUTE CARE SYSTEM

### IBP TRANSDUCER ADAPTER CABLES

<b>A</b>	<b>IBP transducer adapter Abbott/Medex/ICU Medical</b>	<b>MS22535</b>
	<b>IBP transducer adapter Argon/Merit Medical</b>	<b>MS22148</b>
	<b>IBP transducer adapter Baxter/Edwards</b>	<b>MS22147</b>
<b>B</b>	<b>IBP transducer adapter Utah Medical</b>	<b>MS22534</b>
<b>C</b>	<b>IBP transducer adapter cable, Dräger 7-pin</b>	<b>MS22533</b>
<b>D</b>	<b>IBP transducer adapter cable, Dräger 10-pin</b>	<b>MS22532</b>




## INFINITY® ACUTE CARE SYSTEM

---

For use with Infinity® MPod-QuadHemo.


<b>A</b>	<b><u>IBP transducer adapter cable, Codan/DPT, 2 m</u></b>	<b><u>2601235</u></b>
<b>B</b>	<b><u>IBP transducer adapter cable, Codan/DPT, 0.3 m</u></b>	<b><u>2601234</u></b>
<b>C</b>	<b><u>IBP transducer adapter cable, B.Braun, 2 m</u></b>	<b><u>2601233</u></b>
<b>D</b>	<b><u>IBP transducer adapter cable, B.Braun, 0.3 m</u></b>	<b><u>2601232</u></b>





**INFINITY® ACUTE CARE SYSTEM**



<b>A</b>	<b>IBP transducer adapter cable, Abbott/Medex, Smiths/TranStar, 2 m</b>	<b>2601231</b>
<b>B</b>	<b>IBP transducer adapter cable, Abbott/Medex, Smiths/TranStar, 0.3 m</b>	<b>2601230</b>
<b>C</b>	<b>IBP transducer adapter cable, Utah Medical, 2 m</b>	<b>2601229</b>
<b>D</b>	<b>IBP transducer adapter cable, Utah Medical, 0.3 m</b>	<b>2601228</b>



## INFINITY® ACUTE CARE SYSTEM

---

<b>A</b>	<b>IBP transducer adapter cable, Dräger 7-pin, 2 m</b>	<b>2601227</b>
<b>B</b>	<b>IBP transducer adapter cable, Dräger 7-pin, 0.3 m</b>	<b>2601226</b>
<b>C</b>	<b>IBP transducer adapter cable, Dräger 10-pin, 2 m</b>	<b>2601225</b>
<b>D</b>	<b>IBP transducer adapter cable, Dräger 10-pin, 0.3 m</b>	<b>2601224</b>



## INFINITY® ACUTE CARE SYSTEM

<b>A</b>	<b>IBP transducer adapter cable, Argon/BD/Ohmeda, 2 m</b>	<b>2601223</b>
<b>B</b>	<b>IBP transducer adapter cable, Argon/BD/Ohmeda, 0.3 m</b>	<b>2601222</b>
<b>C</b>	<b>IBP transducer adapter cable, Baxter/Edwards, 2 m</b>	<b>2601221</b>
<b>D</b>	<b>IBP transducer adapter cable, Baxter/Edwards, 0.3 m</b>	<b>2601220</b>
<b>E</b>	<b>IBP transducer adapter cable, Codan/Xtrans, 0.3 m</b>	<b>2601236</b>



## INFINITY® ACUTE CARE SYSTEM

### CO CABLES AND THERMISTORS

<b>A</b>	<b>CO thermistor cable* Argon/Merit Medical</b>	<b>8420077</b>
<b>B</b>	<b>CO thermistor T-piece* Argon/Merit Medical</b>	<b>5741975</b>
<b>C</b>	<b>CO thermistor cable Baxter/Edwards</b>	<b>8539983</b>
<b>D</b>	<b>CO connection cable, 1 m</b>	<b>3368458</b>
<b>E</b>	<b>CO catheter cable</b>	<b>8419160</b>

### CARDIAC OUTPUT KITS

	<b>Cardiac output kit, Baxter</b>	<b>7265155</b>
	<b>Cardiac output kit, Argon/Merit Medical</b>	<b>7265163</b>

\*Tradeware



**INFINITY® ACUTE CARE SYSTEM**

**2.7 ETCO<sub>2</sub>**

**CO<sub>2</sub> CABLES**

<b>A</b> MCable Mainstream CO <sub>2</sub> , for Infinity® M540, Vista 120, Vista 120 S, and Delta VF9.1 and higher	<b>6871950</b>
<b>B</b> Y-cable CO <sub>2</sub> and analog/sync	<b>MS22259</b>

**CO<sub>2</sub> CUVETTES, DISPOSABLE**


<b>C</b> CO <sub>2</sub> cuvette disposable, adult, 10 pcs.	<b>MP01062</b>
<b>D</b> CO <sub>2</sub> cuvette disposable, pediatric, 10 pcs.	<b>MP01063</b>

**CO<sub>2</sub> CUVETTES, REUSABLE**

<b>E</b> CO <sub>2</sub> cuvette reusable, adult	<b>6870279</b>
<b>F</b> CO <sub>2</sub> cuvette reusable, pediatric	<b>6870280</b>

**ACCESSORIES**

<b>Calibration set, with test connection and test gas cylinder</b>	<b>8412710</b>
<b>Test gas cylinder 5 Vol.% CO<sub>2</sub>, 95 Vol. % N<sub>2</sub></b>	<b>6850435</b>
<b>G</b> Parking holder for CO <sub>2</sub> sensor	<b>8416352</b>
<b>Test filter</b>	<b>6870281</b>



Not all articles are available worldwide.


## INFINITY® ACUTE CARE SYSTEM

<b>A</b>	<b>etCO<sub>2</sub> Microstr. Intubated Adult/Pediatric - Extended Duration, 25 pcs.</b>	<b>MP15001</b>
	<b>etCO<sub>2</sub> Microstr. Intubated Adult/Pediatric - Short-term use, 25 pcs.</b>	<b>MP15002</b>
<b>B</b>	<b>etCO<sub>2</sub> Microstr. Intubated Infant/Neonatal - Extended Duration, 25 pcs.</b>	<b>MP15003</b>
<b>C</b>	<b>etCO<sub>2</sub> Microstr. Nasal Adult - Extended Duration, 25 pcs.</b>	<b>MP15004</b>
	<b>etCO<sub>2</sub> Microstr. Nasal Adult - Short-term use, 25 pcs.</b>	<b>MP15005</b>
<b>D</b>	<b>etCO<sub>2</sub> Microstr. Nasal Pediatric - Short-term use, 25 pcs.</b>	<b>MP15006</b>
<b>E</b>	<b>etCO<sub>2</sub> Microstr. Nasal Infant/Neonatal - Extended Duration, 25 pcs.</b>	<b>MP15007</b>
<b>F</b>	<b>etCO<sub>2</sub> Microstr. Nasal/Oral Adult - Short-term use, 25 pcs.</b>	<b>MP15008</b>
<b>G</b>	<b>etCO<sub>2</sub> Microstr. Nasal/Oral Pediatric - Short-term use, 25 pcs.</b>	<b>MP15009</b>



**INFINITY® ACUTE CARE SYSTEM**

<p><b>A</b> <u>CO<sub>2</sub> Microstr. O<sub>2</sub> Nasal Adult - Extended Duration, 25 pcs.</u></p>	<p><b>MP15010</b></p>
<p><u>CO<sub>2</sub> Microstr. O<sub>2</sub> Nasal Pediatric - Extended Duration, 25 pcs.</u></p>	<p><b>MP15011</b></p>
<p><u>CO<sub>2</sub> Microstr. O<sub>2</sub> Nasal/Oral Adult - Short-term use, 25 pcs.</u></p>	<p><b>MP15012</b></p>
<p><b>B</b> <u>CO<sub>2</sub> Microstr. O<sub>2</sub> Nasal/Oral Pediatric - Short-term use, 25 pcs.</u></p>	<p><b>MP15013</b></p>



## INFINITY® ACUTE CARE SYSTEM

### 2.8 TOFSCAN® NEUROMUSCULAR TRANSMISSION MONITOR\*

ToFscan® is a nerve stimulator module for the measurement of neuromuscular transmission, via accelerometry. It provides an easy, accurate way to measure of patient muscle relaxation. ToFscan® supports evidence-based judgment about the state of a patient's neuromuscular blockade.

<b>A</b>	<b>ToFscan® Kit configurator</b>	<b>MS32318</b>
	<b>Hand sensor, reusable, adult</b>	<b>MS32154</b>
<b>B</b>	<b>Hand sensor, reusable, adult, as of Software 1.8</b>	<b>MS40317</b>
	<b>Hand sensor, reusable, pediatric</b>	<b>MS32289</b>
<b>C</b>	<b>Hand sensor, reusable, pediatric, as of Software 1.8</b>	<b>MS40318</b>
<b>D</b>	<b>Hand sensor, reusable, small pediatric, as of Software 1.8</b>	<b>MS40319</b>
	<b>Eyebrow sensor, reusable</b>	<b>MS32291</b>
<b>E</b>	<b>Eyebrow sensor, reusable, as of Software 1.8</b>	<b>MS40321</b>
	<b>Tape for Eyebrow Sensor, 96 pcs.</b>	<b>MS34209</b>
	<b>Foot sensor, reusable</b>	<b>MS32290</b>
<b>F</b>	<b>Foot sensor, reusable, as of Software 1.8</b>	<b>MS40322</b>
<b>G</b>	<b>Disposable hand sensor, adult, as of Software 1.8</b>	<b>MS40320</b>

\*Tradeware

TOFSCAN® MONITOR  
TOFSCAN® MONITOR,  
SOFTWARE 1.8





## INFINITY® ACUTE CARE SYSTEM

### TOFSCAN® NEUROMUSCULAR TRANSMISSION MONITOR\*

<b>A</b>	<b>Intermediate cable for disposable sensor 3 m, reusable</b>	<b>MS40323</b>
<b>B</b>	<b>Extension cable</b>	<b>MS32153</b>
<b>C</b>	<b>Mount clamp 10 – 40 mm (0.4 – 1.57 in)</b>	<b>MS32150</b>
	<b>Mount clamp 20 – 60 mm (0.79 – 2.36 in)</b>	<b>MS32151</b>
<b>D</b>	<b>Optic serial RS 232 cable (1 meter) to connect the device to a Dräger monitorAC</b>	<b>MS32156</b>
	<b>Optic serial RS 232 cable (2.5 meter) to connect the device to a Dräger monitorAC</b>	<b>MS40021</b>

\*Tradeware

TOFSCAN® MONITOR  
TOFSCAN® MONITOR,  
SOFTWARE 1.8




## INFINITY® M300

### 3. INFINITY® M300

#### 3.1 ELECTROCARDIOGRAPHY (ECG)

##### MONOLEAD® SINGLE-PIN CONNECTOR (1<sup>ST</sup> GENERATION)

A	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (European color code), 2 m	MS14555
	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color code), 2 m	MS14556
B	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (European color code), 2.5 m	MS14559
	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US color code), 2.5 m	MS14560
	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (European color code), 3 m	MS14683
	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color code), 3 m	MS14682



INFINITY® M300

**MONOLEAD® SINGLE-PIN CONNECTOR (2<sup>ND</sup> GENERATION)**

<b>A</b>	<b>ECG MonoLead®, 3-lead, EUR, 2 m</b>	<b>MP05120</b>
<b>B</b>	<b>ECG MonoLead®, 3-lead, AHA/US, 2 m</b>	<b>MP05121</b>
<b>C</b>	<b>ECG MonoLead®, 5-lead, EUR, 2.5 m</b>	<b>MP05122</b>
<b>D</b>	<b>ECG MonoLead®, 5-lead, AHA/US, 2.5 m</b>	<b>MP05123</b>
<b>E</b>	<b>ECG MonoLead®, 6-lead, EUR, 3 m</b>	<b>MP05124</b>
<b>F</b>	<b>ECG MonoLead®, 6-lead, AHA/US, 3 m</b>	<b>MP05125</b>



Not all articles are available worldwide.

## INFINITY® M300

### ECG-LEAD SETS FOR TELEMETRY

Infinity® TruST™ Telemetry lead sets can also be used in combination with MultiMed® plus. Shielded, not for use in the OR.

A	ECG cable, 3-lead Infinity® TruST™, IEC1 (European color code), 70 cm	MP03421
	ECG cable, 3-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm	MP03422
B	ECG cable, 5-lead Infinity® TruST™, IEC1 (European color code), 70 cm	MP03423
	ECG cable, 5-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm	MP03424
C	ECG cable, 6-lead Infinity® TruST™, IEC1 (European color code), 70 cm	MP03425
	ECG cable, 6-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm	MP03426



## INFINITY® M300

**REUSABLE ECG LEADS SINGLE-PIN CONNECTOR**

<b>A</b>	<b>ECG cable, 3-lead, single-pin connector, IEC1 (European color code), 1 m</b>	<b>MP03401</b>
	<b>ECG cable, 3-lead, single-pin connector, IEC2 (AHA/US color code), 1 m</b>	<b>MP03402</b>
<b>B</b>	<b>ECG cable, 5-lead, single-pin connector, IEC1 (European color code), 1/1.5 m</b>	<b>MP03403</b>
	<b>ECG cable, 5-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m</b>	<b>MP03404</b>
<b>C</b>	<b>ECG cable, 6-lead, single-pin connector, IEC1 (European color code), 1/1.5 m</b>	<b>MP03405</b>
	<b>ECG cable, 6-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m</b>	<b>MP03406</b>



## INFINITY® M300

### SINGLE-PATIENT USE ECG LEADS SINGLE-PIN CONNECTOR

<b>A</b>	<b>ECG cable, 3-lead, single-pin connector, single-patient use, IEC1 (European color code), 1 m, 20 pcs.</b>	<b>MP00875</b>
	<b>ECG cable, 3-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1 m, 20 pcs.</b>	<b>MP00877</b>
<b>B</b>	<b>ECG cable, 5-lead, single-pin connector, single-patient use, IEC1 (European color code), 1/1.5 m, 20 pcs.</b>	<b>MP00879</b>
	<b>ECG cable, 5-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs.</b>	<b>MP00881</b>
<b>C</b>	<b>ECG cable, 6-lead, single-pin connector, single-patient use, IEC1 (European color code), 1/1.5 m, 20 pcs.</b>	<b>MP03122</b>
	<b>ECG cable, 6-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs.</b>	<b>MP03123</b>



INFINITY® M300

3.2 PULSE OXIMETRY (SPO<sub>2</sub>)

DRÄGER

DRÄGER CABLES

A	SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 1.2 m	<b>MS18683</b>
B	SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 3 m	<b>MS17330</b>



Not all articles are available worldwide.

## INFINITY® M300

### DRÄGER REUSABLE SENSOR

<b>A</b>	<b>SpO<sub>2</sub> finger sensor Dräger, reusable</b>	<b>MS13235</b>
----------	---	----------------

### DRÄGER DISPOSABLE SENSORS

<b>B</b>	<b>SpO<sub>2</sub> adhesive sensor Dräger, vinyl, disposable, adult, 24 pcs.</b>	<b>MS16449</b>
----------	--	----------------

<b>C</b>	<b>SpO<sub>2</sub> adhesive sensor Dräger, foam, disposable, adult, 24 pcs.</b>	<b>MS16445</b>
----------	---	----------------

<b>D</b>	<b>SpO<sub>2</sub> adhesive sensor Dräger, vinyl, disposable, child, 24 pcs.</b>	<b>MS16448</b>
----------	--	----------------

<b>E</b>	<b>SpO<sub>2</sub> adhesive sensor Dräger, foam, disposable, child, 24 pcs.</b>	<b>MS16444</b>
----------	---	----------------





**INFINITY® M300**

**MASIMO®**

For Masimo® accessories, specific part numbers for USA and Japan apply. Please contact your local Dräger Sales representative for further information.

**MASIMO® LNCS CABLES\***

A	SpO <sub>2</sub> intermediate cable Masimo® LNCS, 3 m	MS17522
A	SpO <sub>2</sub> intermediate cable Masimo® LNCS, 1.2 m	MS24303

**MASIMO® LNCS REUSABLE SENSORS\***

B	SpO <sub>2</sub> finger sensor Masimo® LNCS DCI, reusable, adult	MP00796
C	SpO <sub>2</sub> finger sensor Masimo® LNCS DCIP, reusable, child	MP00795
	SpO <sub>2</sub> Masimo® sensor LNCS-TC-I Ear, reusable, pediatric/adult	MP00788
	SpO <sub>2</sub> Masimo® sensor LNCS-YI Multisite, reusable, neonate/pediatric/adult	MP00789
	SpO <sub>2</sub> Masimo® sensor LNCS-TF-I, reusable, pediatric/adult	MP00799
D	SpO <sub>2</sub> Masimo® sensor LNCS-DBI, reusable, adult	MP02993

**MASIMO® LNCS DISPOSABLE SENSORS\***

E	SpO <sub>2</sub> adhesive sensor Masimo® LNCS Amtx, disposable, adult, 20 pcs.	MP00790
F	SpO <sub>2</sub> adhesive sensor Masimo® LNCS Inf, disposable, baby, 20 pcs.	MP00791
G	SpO <sub>2</sub> adhesive sensor Masimo® LNCS Pmtx, disposable, child, 20 pcs.	MP00793

\*Tradeware



## INFINITY® M300

### MASIMO® RD SET ADAPTER CABLES\*

<p><b>A</b> Adapter cable RD SET to LNOP, for connection of RD SET sensors to Infinity® M300 and Masimo® SET Pod via the LNOP intermediate cables MS18680 and MS17041, as well as to MultiMed® 5/6/12, NeoMed Pods and MultiMed® Plus/Plus OR via the according intermediate cables MS13926/7492601 or MS20163**</p>	<p><b>MS33731</b></p>
<p><b>B</b> Adapter cable RD SET to LNCS, for connection of RD SET sensors to Infinity® M300 and Masimo® SET Pod via the LNCS intermediate cables MS24303 or MS17522</p>	<p><b>MS33732</b></p>
<p><b>SpO<sub>2</sub> intermediate cable Masimo® RD SET, 3 m (9.8 ft)</b></p>	<p><b>MS34437</b></p>
<p><b>SpO<sub>2</sub> intermediate cable Masimo® RD SET, 1.2 m (3.9 ft)</b></p>	<p><b>MS34436</b></p>

### MASIMO® RD SET DISPOSABLE SENSORS\*

<p><b>C</b> Masimo® RD SET sensor, adult, disposable</p>	<p><b>MS33726</b></p>
<p><b>D</b> Masimo® RD SET sensor, pediatric, disposable</p>	<p><b>MS33727</b></p>


### MASIMO® RD SET REUSABLE SENSORS\*

<p><b>E</b> Masimo® RD SET DCI sensor, adult, reusable</p>	<p><b>MS33740</b></p>
<p><b>F</b> Masimo® RD SET DC-IP sensor, pediatric, reusable</p>	<p><b>MS33741</b></p>

\*Tradeware

\*\*Products are not available any more.

Adapter is to be used to switch from sensors to the installed base.




INFINITY® M300

MASIMO® ACCESSORIES\*

A SpO <sub>2</sub> adhesive wrap Masimo® Multisite-Wrap, for LNOP YI SpO <sub>2</sub> sensor, 100 pcs.	7496917
B SpO <sub>2</sub> adhesive wrap Masimo® Petite-Wrap, for LNOP YI SpO <sub>2</sub> sensor, 100 pcs.	7496909
C SpO <sub>2</sub> adhesive square Masimo®, 12 pcs.	7496875
D SpO <sub>2</sub> foam wrap Masimo® Foam-Wrap, neonate, LNOP YI SpO <sub>2</sub> sensor, 12 pcs.	7496891

\*Tradeware



**INFINITY® M300**

**NELLCOR®**

**NELLCOR® CABLES\***

**A** SpO<sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 1.2 m **MS18683**

**B** SpO<sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 3 m **MS17330**

**NELLCOR® REUSABLE SENSOR\***

**C** SpO<sub>2</sub> finger sensor Nellcor® DURA DS 100A **7262764**

**NELLCOR® DISPOSABLE SENSORS\***

**D** SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-A, disposable, adult, cable 46 cm, 24 pcs. **MX50065**

**E** SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-AL, disposable, adult, cable 91 cm, 24 pcs. **MX50071**

**F** SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-P, disposable, child, 24 pcs. **MX50066**

**G** SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-N, disposable, neonate/adult, 24 pcs. **MX50068**

\*Tradeware



**INFINITY® M300**

**3.3 POUCH**

**A** Telemetry transmitter pouch, disposable, 100 pcs. **MS22905**

**3.4 CODENSATION**

**B** Holder for Infinity® M300 bedside charger, swiveling 360° **MP00990**



Not all articles are available worldwide.

## VISTA 120

### 4. VISTA 120

#### 4.1 ELECTROCARDIOGRAPHY (ECG)

Not all articles are available worldwide.

##### VISTA 120 ECG SINGLE-PIN

<b>A</b>	<u>ECG defib trunk cable, 3/5-lead single-pin, IEC/AHA, 1.5 m</u>	<u>2612020</u>
	<u>ECG defib trunk cable, 3/5-lead single-pin, IEC/AHA, 2.5 m</u>	<u>2612021</u>
<b>B</b>	<u>ECG ESU trunk cable, 3/5-lead single-pin, IEC/AHA, 1.5 m</u>	<u>2612024</u>
	<u>ECG ESU trunk cable, 3/5-lead single-pin, IEC/AHA, 2.5 m</u>	<u>2612025</u>
<b>C</b>	<u>ECG defib trunk cable, Neonate, single-pin, IEC/AHA, 1.5 m</u>	<u>2612026</u>
	<u>ECG defib trunk cable, Neonate, single-pin, IEC/AHA, 2.5 m</u>	<u>2612027</u>
<b>D</b>	<u>ECG ESU trunk cable, Neonate, single-pin, IEC/AHA, 1.5 m</u>	<u>2612028</u>
	<u>ECG ESU trunk cable, Neonate, single-pin, IEC/AHA, 2.5 m</u>	<u>2612029</u>



VISTA 120

<b>A</b>	<u>ECG leadwire, 3-lead single-pin, IEC, 1 m</u>	<u>2612000</u>
	<u>ECG leadwire, 3-lead single-pin, AHA, 1 m</u>	<u>2612001</u>
	<u>ECG leadwire, 5-lead single-pin, IEC, 1.5 m</u>	<u>2612002</u>
<b>B</b>	<u>ECG leadwire, 5-lead single-pin, AHA, 1.5 m</u>	<u>2612003</u>



## VISTA 120

### INFINITY ECG CABLE

The following lead cables from the Infinity ECG portfolio can be used together with the Vista 120 single-pin connection cables.

<b>A</b>	<b>ECG cable, 3-lead, single-pin connector, IEC1 (European color code), 1 m</b>	<b>MP03401</b>
	<b>ECG cable, 3-lead, single-pin connector, IEC2 (AHA/US color code), 1 m</b>	<b>MP03402</b>
<b>B</b>	<b>ECG cable, 5-lead, single-pin connector, IEC1 (European color code), 1/1.5 m</b>	<b>MP03403</b>
	<b>ECG cable, 5-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m</b>	<b>MP03404</b>
<b>C</b>	<b>ECG cable, 3-lead, single-pin connector, single-patient use, IEC1 (European color code), 1 m, 20 pcs.</b>	<b>MP00875</b>
	<b>ECG cable, 3-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1 m, 20 pcs.</b>	<b>MP00877</b>
<b>D</b>	<b>ECG cable, 5-lead, single-pin connector, single-patient use, IEC1 (European color code), 1/1.5 m, 20 pcs.</b>	<b>MP00879</b>
	<b>ECG cable, 5-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs.</b>	<b>MP00881</b>








## VISTA 120

The following lead cables from the Infinity ECG portfolio can be used together with the Vista 120 single-pin connection cables.

<b>A</b>	<b>ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (European color code), 2 m</b>	<b>MS14555</b>
	<b>ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color code), 2 m</b>	<b>MS14556</b>
<b>B</b>	<b>ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (European color code), 2.5 m</b>	<b>MS14559</b>
	<b>ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US color code), 2.5 m</b>	<b>MS14560</b>
	<b>ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (European color code), 4.1 m</b>	<b>MS28561</b>
	<b>ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color code), 4.1 m</b>	<b>MS28557</b>
	<b>ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (European color code), 5.3 m</b>	<b>MS28559</b>
	<b>ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US color code), 5.3 m</b>	<b>MS28558</b>
<b>C</b>	<b>ECG MonoLead®, 3-lead, EUR, 2 m</b>	<b>MP05120</b>
<b>D</b>	<b>ECG MonoLead®, 3-lead, AHA/US, 2 m</b>	<b>MP05121</b>
<b>E</b>	<b>ECG MonoLead®, 5-lead, EUR, 2.5 m</b>	<b>MP05122</b>
<b>F</b>	<b>ECG MonoLead®, 5-lead, AHA/US, 2.5 m</b>	<b>MP05123</b>
	<b>ECG MonoLead®, 3-lead, EUR, 4.1 m</b>	<b>MP05130</b>
	<b>ECG MonoLead®, 3-lead, AHA/US, 4.1 m</b>	<b>MP05131</b>
	<b>ECG MonoLead®, 5-lead, EUR, 5.3 m</b>	<b>MP05132</b>
	<b>ECG MonoLead®, 5-lead, AHA/US, 5.3 m</b>	<b>MP05133</b>




## VISTA 120

### VISTA 120 DUAL-PIN ECG CABLE

<b>A</b>	<b>ECG trunk cable, 5-lead, IEC/AHA colour code</b>	<b>2606496</b>
	<b>ECG trunk cable, 3-lead, IEC/AHA colour code</b>	<b>2606495</b>
<b>B</b>	<b>ECG trunk cable, 3-lead, for neonates, IEC &amp; AHA</b>	<b>2606492</b>
<b>C</b>	<b>ECG limb wires, 5-lead, Grabber, IEC colour code</b>	<b>2606494</b>
	<b>ECG limb wires, 3-lead, Grabber, IEC colour code</b>	<b>2606493</b>
<b>D</b>	<b>ECG limb wires, 5-lead, Grabber, AHA colour code</b>	<b>2606498</b>
	<b>ECG limb wires, 3-lead, Grabber, AHA colour code</b>	<b>2606497</b>
<b>E</b>	<b>ECG electrodes*, adult, disposable, 300 pcs.</b>	<b>2606247</b>
	<b>ECG electrodes*, child, disposable, 500 pcs.</b>	<b>2606248</b>
<b>F</b>	<b>ECG electrodes*, adult/child, disposable, 1,000 pcs.</b>	<b>2606249</b>
	<b>ECG electrodes*, neonate, single-patient use, 300 pcs.</b>	<b>5195024</b>

\*Tradeware



VISTA 120

4.2 PULSE OXIMETRY (SPO<sub>2</sub>)

DRÄGER SPO<sub>2</sub>

Not for use with Vista 120 Nellcor models.

A	SpO <sub>2</sub> finger sensor, adult, 2.5 m, reusable	2606483
B	SpO <sub>2</sub> finger sensor, adult, 1 m, reusable	2606484
C	SpO <sub>2</sub> extension cable, 2 m, reusable	2606487
D	SpO <sub>2</sub> silicone Soft-tip sensor, adult, 1 m, reusable	2606485
	SpO <sub>2</sub> silicone Soft-tip sensor, pediatric, 1 m, reusable	2606486
E	SpO <sub>2</sub> sensor*, adult, 0.5 m, disposable, 25 pcs.	2606208
F	SpO <sub>2</sub> sensor*, pediatric, 0.5 m, disposable, 25 pcs.	2606209
G	SpO <sub>2</sub> sensor*, infant, 0.5 m, disposable, 25 pcs.	2606210
	SpO <sub>2</sub> sensor*, neonate, 0.5 m, disposable, 25 pcs.	2606211

Can be used with Vista 120 SC Model A and Model B.

\*Tradeware

VISTA 120  
VISTA 120 SC



## VISTA 120

### NELLCOR OXIMAX SPO<sub>2</sub>\*

Only for use with Vista 120 Nellcor models.

<b>A</b>	<b>Nellcor® intermediate cable, 1.2 m</b>	<b>MP00748</b>
	<b>Nellcor® intermediate cable, 3 m</b>	<b>MS20979</b>
<b>B</b>	<b>SpO<sub>2</sub> finger sensor Nellcor® DURA DS 100A</b>	<b>7262764</b>
<b>C</b>	<b>SpO<sub>2</sub> multisite sensor Nellcor® DURA-Y™, reusable</b>	<b>MX01004</b>
<b>D</b>	<b>Ear clip for Nellcor® DURA-Y™</b>	<b>MX01005</b>
<b>E</b>	<b>SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-Fast, disposable, application on forehead, 24 pcs.</b>	<b>MX50070</b>

Can be used with Vista 120 SC Model C.

\*Tradeware

VISTA 120  
VISTA 120 SC



VISTA 120

**4.3 NON-INVASIVE BLOOD PRESSURE (NIBP)\***

<b>A</b>	<b>NIBP tube, 3 m</b>	<b>2601195</b>
<b>B</b>	<b>NIBP cuff, infant, 10 cm – 15 cm, reusable, Vista 120</b>	<b>2606151</b>
<b>C</b>	<b>NIBP cuff, small child, 13 cm – 17 cm, reusable, Vista 120</b>	<b>2606152</b>
<b>D</b>	<b>NIBP cuff, child, 16 cm - 21 cm, reusable, Vista 120</b>	<b>2606153</b>
<b>E</b>	<b>NIBP cuff, small adult, 20.5 cm – 28 cm, reusable, Vista 120</b>	<b>2606154</b>
<b>F</b>	<b>NIBP cuff, adult, 27 cm – 35 cm, reusable, Vista 120</b>	<b>2606155</b>
<b>G</b>	<b>NIBP cuff, larger adult, 34 cm – 43 cm, reusable, Vista 120</b>	<b>2606156</b>

Can be used with Vista 120 SC Model A and Model B.

\*Tradeware

VISTA 120  
VISTA 120 SC



**VISTA 120**

<b>A</b>	<b>NIBP cuff, neonatal #1, 3 – 6 cm, disposable, 20 pcs., Vista 120</b>	<b>2607034</b>
<b>B</b>	<b>NIBP cuff, neonatal #2, 4 – 8 cm, disposable, 20 pcs., Vista 120</b>	<b>2607035</b>
<b>C</b>	<b>NIBP cuff, neonatal #3, 6 – 11 cm, disposable, 20 pcs., Vista 120</b>	<b>2607036</b>
<b>D</b>	<b>NIBP cuff, neonatal #4, 7 – 13 cm, disposable, 20 pcs., Vista 120</b>	<b>2607037</b>
<b>E</b>	<b>NIBP cuff, neonatal #5, 8 – 15 cm, disposable, 20 pcs., Vista 120</b>	<b>2607038</b>

VISTA 120  
VISTA 120 SC



VISTA 120

4.4 TEMPERATURE

	Temperature probe skin*, adult, 3 m, reusable	2601197
	Temperature probe*, rectal/oral, adult, 3 m, reusable	2601198
A	Temperature probe skin*, neonate/infant, 3 m, reusable	2601200
B	Temperature probe*, rectal/oral, neonatal/Infant, 3 m, reusable	2601199
C	Protective cover for general-purpose temperature probe, contains latex, 10 pcs.	7014616
	Protective cover* for general-purpose temperature probe, latexfree, 100 pcs.	MS40243

\*Tradeware



## VISTA 120

The following temperature probes from the Infinity® temperature portfolio can be used from software 3.11 with the Vista 120 in combination with the MP00943.

### SINGLE-PATIENT USE TEMPERATURE PROBES

<b>A</b>	<b>General-purpose temperature probe, single-patient use, adult, 7-pin connector, 1.6 m</b>	<b>MP00991</b>
	General-purpose temperature probe, single-patient use, adult, 7-pin connector, 3 m	MP00992
<b>B</b>	<b>General-purpose temperature probe, single-patient use, child, 7-pin connector, 1.6 m</b>	<b>MP00993</b>
	General-purpose temperature probe, single-patient use, child, 7-pin connector, 3 m	MP00994
<b>C</b>	<b>Skin temperature probe, single-patient use, adult, 7-pin connector, 1.6 m</b>	<b>MP00995</b>
	Skin temperature probe, single-patient use, adult, 7-pin connector, 3 m	MP00996
<b>D</b>	<b>Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 1.6 m</b>	<b>MP00997</b>
	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 3 m	MP00998





VISTA 120

REUSABLE TEMPERATURE PROBES

A	General-purpose temperature probe, reusable, adult, 7-pin connector, 1.5 m	4329889
A	General-purpose temperature probe, reusable, adult, 7-pin connector, 3 m	5204644
A	General-purpose temperature probe, reusable, child, 7-pin connector, 1.5 m	4329848
A	General-purpose temperature probe, reusable, child, 7-pin connector, 3 m	5204651
B	Skin temperature probe, reusable, with 7-pin connector, 1.5 m	4329822
B	Skin temperature probe, reusable, with 7-pin connector, 3 m	5204669
C	Protective cover for general-purpose temperature probe, contains latex, 10 pcs.	7014616
	Protective cover* for general-purpose temperature probe, latexfree, 100 pcs.	MS40243

\*Tradeware



## VISTA 120

### 4.5 INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT\* (CO)

\*For supported Vista 120 models only.

<b>A</b>	<b>IBP pressure transducer kit**</b> , BD/Argon, disposable, 5 kits	<b>2606225</b>
<b>B</b>	<b>IBP cable**</b> Becton Dickinson/Argon	<b>2606488</b>
<b>C</b>	<b>IBP cable**</b> Edwards	<b>2606489</b>
<b>D</b>	<b>IBP cable**</b> Abbott, Medex	<b>2606490</b>
<b>E</b>	<b>IBP cable**</b> Utah	<b>2606491</b>
<b>F</b>	<b>IBP cable**</b> 7pin	<b>2607558</b>
<b>G</b>	<b>IBP cable**</b> 10pin	<b>2607559</b>

\*\*Tradeware



**VISTA 120**

<b>A</b>	<b>Cardiac Output cable*, 3 m</b>	<b>2601201</b>
<b>B</b>	<b>CO In-line Injection temperature probe* Becton Dickinson</b>	<b>2601190</b>
	<b>CO In-line Injection temperature probe housing*</b>	<b>2601191</b>
<b>C</b>	<b>CO Control Syringe*</b>	<b>2601192</b>

\*Tradeware






## VISTA 120

### 4.6 CO<sub>2</sub> SIDESTREAM

#### DRÄGER G2 SIDESTREAM\*

<b>A</b>	<b>CO<sub>2</sub> sampling line, disposable, for Vista 120, 100 pcs.</b>	<b>2607550</b>
<b>B</b>	<b>CO<sub>2</sub> nasal cannula, adult, disposable, for Vista 120, 100 pcs.</b>	<b>2607551</b>
<b>C</b>	<b>CO<sub>2</sub> nasal cannula, pediatric, disposable, for Vista 120, 100 pcs.</b>	<b>2607552</b>
<b>D</b>	<b>CO<sub>2</sub> nasal cannula, infant, disposable, for Vista 120, 100 pcs.</b>	<b>2607553</b>
<b>E</b>	<b>CO<sub>2</sub> nasal cannula + O<sub>2</sub>, adult, disposable, for Vista 120, 50 pcs.</b>	<b>2607554</b>
<b>F</b>	<b>CO<sub>2</sub> nasal cannula + O<sub>2</sub>, child, disposable, for Vista 120, 50 pcs.</b>	<b>2607555</b>
<b>G</b>	<b>CO<sub>2</sub> sidestream water trap, for Vista 120, 20 pcs.</b>	<b>2605124</b>

\*Tradeware




VISTA 120

4.7 CO<sub>2</sub> MAINSTREAM

DRÄGER CO<sub>2</sub> MAINSTREAM

Compatible with Vista 120 from software 3.11.

<p><b>A</b> MCable Mainstream CO<sub>2</sub>, for Infinity® M540, Vista 120, Vista 120 S, and Delta VF9.1 and higher</p>	<p><b>6871950</b></p>
<p><b>etCO<sub>2</sub> adapter cable M11.1</b></p>	<p><b>2607032</b></p>
<p><b>B</b> CO<sub>2</sub> cuvette disposable, adult, 10 pcs.</p>	<p><b>MP01062</b></p>
<p><b>C</b> CO<sub>2</sub> cuvette disposable, pediatric, 10 pcs.</p>	<p><b>MP01063</b></p>
<p><b>D</b> CO<sub>2</sub> cuvette reusable, adult</p>	<p><b>6870279</b></p>
<p><b>E</b> CO<sub>2</sub> cuvette reusable, pediatric</p>	<p><b>6870280</b></p>




## VISTA 120

### RESPIRONICS CO<sub>2</sub> MAINSTREAM\*

<b>A</b>	<b>etCO<sub>2</sub> sensor Capnostat 5, reusable</b>	<b>2606226</b>
<b>B</b>	<b>CO<sub>2</sub> airway adapter, adult, disposable, 10 pcs.</b>	<b>2606227</b>
<b>C</b>	<b>CO<sub>2</sub> airway adapter, neonatal (infant/pediatric), disposable, 10 pcs.</b>	<b>2606228</b>

\*Tradeware



## VISTA 120

---

	<u>Vista 120 rechargeable Lithium-Ion battery*</u>	<u>2606229</u>
A	<u>Vista 120 printing paper*, 4 rolls</u>	<u>2606231</u>
	<u>BISx adapter cable Vista 120</u>	<u>2607560</u>
	<u>BISx pod Vista 120</u>	<u>2607561</u>

\*Tradeware



**VISTA 120 SPOTCHECK**

**5. VISTA 120 SPOTCHECK**  
**5.1 PULSE OXIMETRY (SPO<sub>2</sub>)**

**DRÄGER SPO<sub>2</sub>**

<b>A</b>	<b>SpO<sub>2</sub> extension cable, 2 m, reusable</b>	<b>2606487</b>
<b>B</b>	<b>SpO<sub>2</sub> silicone Soft-tip sensor, adult, 1 m, reusable</b>	<b>2606485</b>
	<b>SpO<sub>2</sub> silicone Soft-tip sensor, pediatric, 1 m, reusable</b>	<b>2606486</b>
<b>C</b>	<b>SpO<sub>2</sub> sensor*, adult, 0.5 m, disposable, 25 pcs.</b>	<b>2606208</b>
<b>D</b>	<b>SpO<sub>2</sub> sensor*, pediatric, 0.5 m, disposable, 25 pcs.</b>	<b>2606209</b>
<b>E</b>	<b>SpO<sub>2</sub> sensor*, infant, 0.5 m, disposable, 25 pcs.</b>	<b>2606210</b>
<b>F</b>	<b>SpO<sub>2</sub> sensor*, neonate, 0.5 m, disposable, 25 pcs.</b>	<b>2606211</b>
<b>G</b>	<b>SpO<sub>2</sub> finger sensor, adult, 2.5 m, reusable</b>	<b>2606483</b>
	<b>SpO<sub>2</sub> finger sensor, adult, 1 m, reusable</b>	<b>2606484</b>

Can be used with Vista 120 SC Model A and Model B.

\*Tradeware

VISTA 120  
VISTA 120 SC





## VISTA 120 SPOTCHECK

### NELLCOR® SPO<sub>2</sub>\*

<b>A</b>	<b>Nellcor® intermediate cable, 1.2 m</b>	<b>MP00748</b>
	<b>Nellcor® intermediate cable, 3 m</b>	<b>MS20979</b>
<b>B</b>	<b>SpO<sub>2</sub> finger sensor Nellcor® DURA DS 100A</b>	<b>7262764</b>
<b>C</b>	<b>SpO<sub>2</sub> multisite sensor Nellcor® DURA-Y™, reusable</b>	<b>MX01004</b>
<b>D</b>	<b>Ear clip for Nellcor® DURA-Y™</b>	<b>MX01005</b>
<b>E</b>	<b>SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-Fast, disposable, application on forehead, 24 pcs.</b>	<b>MX50070</b>

Can be used with Vista 120 SC Model C.

\*Tradeware

VISTA 120  
VISTA 120 SC



## VISTA 120 SPOTCHECK

### MASIMO® LNCS CABLES\*

A	<u>SpO<sub>2</sub> intermediate cable Masimo® LNCS, 1.2 m</u>	<u>MP00800</u>
A	<u>SpO<sub>2</sub> intermediate cable Masimo® LNCS, 3 m</u>	<u>MP00797</u>
A	<u>SpO<sub>2</sub> intermediate cable Masimo® LNCS, 4.3 m</u>	<u>MP03194</u>

Can be used with Vista 120 SC Model D and E.

\*Tradeware

VISTA 120  
VISTA 120 SC



**VISTA 120 SPOTCHECK**


**MASIMO® LNCS REUSABLE SENSORS\***

<b>A</b>	<b>SpO<sub>2</sub> finger sensor Masimo® LNCS DCI, reusable, adult</b>	<b>MP00796</b>
<b>B</b>	<b>SpO<sub>2</sub> finger sensor Masimo® LNCS DCIP, reusable, child</b>	<b>MP00795</b>
	<b>SpO<sub>2</sub> Masimo® sensor LNCS-TC-I Ear, reusable, pediatric/adult</b>	<b>MP00788</b>
	<b>SpO<sub>2</sub> Masimo® sensor LNCS-YI Multisite, reusable, neonate/pediatric/adult</b>	<b>MP00789</b>
	<b>SpO<sub>2</sub> Masimo® sensor LNCS-TF-I, reusable, pediatric/adult</b>	<b>MP00799</b>
<b>C</b>	<b>SpO<sub>2</sub> Masimo® sensor LNCS-DBI, reusable, adult</b>	<b>MP02993</b>

Can be used with Vista 120 SC Model D and E.

\*Tradeware

VISTA 120  
VISTA 120 SC



## VISTA 120 SPOTCHECK

### MASIMO® LNCS DISPOSABLE SENSORS\*

<b>A</b>	<b>SpO<sub>2</sub> adhesive sensor Masimo® LNCS Adtx, disposable, adult, 20 pcs.</b>	<b>MP00790</b>
<b>B</b>	<b>SpO<sub>2</sub> adhesive sensor Masimo® LNCS Inf, disposable, baby, 20 pcs.</b>	<b>MP00791</b>
<b>C</b>	<b>SpO<sub>2</sub> adhesive sensor Masimo® LNCS Neo, disposable, neonate, 20 pcs.</b>	<b>MP00792</b>
<b>D</b>	<b>SpO<sub>2</sub> adhesive sensor Masimo® LNCS Pdtx, disposable, child, 20 pcs.</b>	<b>MP00793</b>
<b>E</b>	<b>SpO<sub>2</sub> adhesive sensor Masimo® LNCS NeoPt, disposable, premature baby, 20 pcs.</b>	<b>MP00794</b>

Can be used with Vista 120 SC Model D and E.

\*Tradeware

VISTA 120  
VISTA 120 SC



## VISTA 120 SPOTCHECK




### MASIMO® LNCS TRAUMA SENSORS\*

<b>A</b> Masimo® LNCS Trauma sensor, adult, 20 pcs.	<b>MP03191</b>
<b>B</b> Masimo® LNCS Trauma sensor, infant/pedi, 20 pcs.	<b>MP03193</b>
<b>C</b> Masimo® LNCS Trauma sensor, neonate, 20 pcs.	<b>MP03192</b>

Can be used with Vista 120 SC Model D and E.

\*Tradeware

VISTA 120  
VISTA 120 SC



## VISTA 120 SPOTCHECK

### MASIMO® RD SET CABLES\*

A	RD SET intermediate cable for Masimo® SET Mcable, 1.5 m	<b>MS33736</b>
A	RD SET intermediate cable for Masimo® SET Mcable, 3.6 m	<b>MS33737</b>

Can be used with Vista 120 SC Model D and E.

\*Tradeware

VISTA 120  
VISTA 120 SC

A



D-267-2017

## VISTA 120 SPOTCHECK



### MASIMO® RD SET DISPOSABLE SENSORS\*

<b>A</b>	<b>Masimo® RD SET sensor, adult, disposable</b>	<b>MS33726</b>
<b>B</b>	<b>Masimo® RD SET sensor, pediatric, disposable</b>	<b>MS33727</b>
<b>C</b>	<b>Masimo® RD SET sensor, infant, disposable</b>	<b>MS33728</b>
<b>D</b>	<b>Masimo® RD SET sensor, neonatal, disposable</b>	<b>MS33729</b>
<b>E</b>	<b>Masimo® RD SET sensor, neonatal preterm, disposable</b>	<b>MS33730</b>

Can be used with Vista 120 SC Model D and E.

\*Tradeware

VISTA 120  
VISTA 120 SC



## VISTA 120 SPOTCHECK

### MASIMO® RD SET REUSABLE SENSORS\*

<b>A</b>	<b>Masimo® RD SET DCI sensor, adult, reusable</b>	<b>MS33740</b>
<b>B</b>	<b>Masimo® RD SET DC-IP sensor, pediatric, reusable</b>	<b>MS33741</b>
<b>C</b>	<b>Masimo® RD SET sensor TC-I Ear, pediatric/adult, reusable</b>	<b>MS40067</b>
<b>D</b>	<b>Masimo® RD SET sensor YI Multisite, neonate/pediatric/adult, reusable</b>	<b>MS40070</b>
<b>E</b>	<b>Masimo® RD SET sensor TF-I, pediatric/adult, reusable</b>	<b>MS40073</b>

Can be used with Vista 120 SC Model D and E.

\*Tradeware

VISTA 120  
VISTA 120 SC





## VISTA 120 SPOTCHECK


### MASIMO® RD SET TRAUMA DISPOSABLE SENSORS\*

<b>A</b>	<b>Masimo® Trauma sensor RD SET, adult, disposable</b>	<b>MS40088</b>
<b>B</b>	<b>Masimo® Trauma sensor RD SET, infant/pedi, disposable</b>	<b>MS40091</b>
<b>C</b>	<b>Masimo® Trauma sensor RD SET, neonate, disposable</b>	<b>MS40094</b>

Can be used with Vista 120 SC Model D and E.

\*Tradeware

VISTA 120  
VISTA 120 SC



**VISTA 120 SPOTCHECK**

**5.2 NON-INVASIVE BLOOD PRESSURE (NIBP)\***

<b>A</b>	<b>NIBP tube, 3 m</b>	<b>2601195</b>
<b>B</b>	<b>NIBP cuff, infant, 10 cm – 15 cm, reusable, Vista 120</b>	<b>2606151</b>
<b>C</b>	<b>NIBP cuff, small child, 13 cm – 17 cm, reusable, Vista 120</b>	<b>2606152</b>
<b>D</b>	<b>NIBP cuff, child, 16 cm - 21 cm, reusable, Vista 120</b>	<b>2606153</b>
<b>E</b>	<b>NIBP cuff, small adult, 20.5 cm – 28 cm, reusable, Vista 120</b>	<b>2606154</b>
<b>F</b>	<b>NIBP cuff, adult, 27 cm – 35 cm, reusable, Vista 120</b>	<b>2606155</b>
<b>G</b>	<b>NIBP cuff, larger adult, 34 cm – 43 cm, reusable, Vista 120</b>	<b>2606156</b>

Can be used with Vista 120 SC Model A and Model B.

\*Tradeware

VISTA 120  
VISTA 120 SC



**VISTA 120 SPOTCHECK****SUNTECH NIBP\***

	APC NIBP Cuff, child, 12 cm – 19 cm, reusable, Vista 120 SC	<b>2600930</b>
<b>A</b>	APC NIBP Cuff, small adult, 17 cm – 25 cm, reusable, Vista 120 SC	<b>2600932</b>
	APC NIBP Cuff, adult, 23 cm – 33 cm, reusable, Vista 120 SC	<b>2600933</b>
<b>B</b>	APC NIBP Cuff, large adult, 31 cm – 40 cm, reusable, Vista 120	<b>2600934</b>
	OPC NIBP Cuff, child, 12 cm – 19 cm, reusable, 5 pcs., Vista 120 SC	<b>2600935</b>
	OPC NIBP Cuff, small adult, 17 cm – 25 cm, reusable, 5 pcs., Vista 120 SC	<b>2600936</b>
	OPC NIBP Cuff, adult, 23 cm – 33 cm, reusable, 5 pcs., Vista 120 SC	<b>2600937</b>
	OPC NIBP Cuff, large adult, 31 cm – 40 cm, reusable, 5 pcs., Vista 120 SC	<b>2600938</b>

Can be used with Vista 120 SpotCheck Model C, D and E.  
APC = All Purpose Cuff, OPC= One Piece Cuff

\*Tradeware



## VISTA 120 SPOTCHECK

### 5.3. TEMPERATURE

#### EXERGEN THERMOMETER\*

<b>A</b>	<b>TAT-5000S Temporal Scanner, Vista 120 SC</b>	<b>2600946</b>
<b>B</b>	<b>TAT-5000S Probe Caps, single-use, 1,000 pcs., Vista 120 SC</b>	<b>2600948</b>
	<b>TAT-5000S Sheats, single-use, latexfree, 250 pcs., Vista 120 SC</b>	<b>2600949</b>

Can be used with Vista 120 SpotCheck Model B, C, D and E.

\*Tradeware



**VISTA 120 SPOTCHECK**

**FILAC 3000\***

<b>A</b>	<b>Filac 3000 Probe, oral, reusable, 1.2 m, Vista 120 SC</b>	<b>2600939</b>
	<b>Filac 3000 Probe, oral, reusable, 2.7 m, Vista 120 SC</b>	<b>2600940</b>
	<b>Filac 3000 Isolation Chamber, oral, Vista 120 SC</b>	<b>2600941</b>
<b>B</b>	<b>Filac 3000 Probe, rectal, reusable, 1.2 m, Vista 120 SC</b>	<b>2600942</b>
	<b>Filac 3000 Probe, rectal, reusable, 2.7 m, Vista 120 SC</b>	<b>2600943</b>
	<b>Filac 3000 Isolation Chamber, rectal, Vista 120 SC</b>	<b>2600944</b>
<b>C</b>	<b>Filac 3000 Probe Covers, 20 pcs. Vista 120 SC</b>	<b>2600945</b>

Can be used with Vista 120 SpotCheck Model B, C, D and E.

\*Tradeware




## VISTA 120 SPOTCHECK

### 5.4 CAPNOGRAPHY ET<sub>CO</sub><sub>2</sub>

<b>A</b>	etCO <sub>2</sub> Microstr. Intubated Adult/Pediatric - Extended Duration, 25 pcs.	<b>MP15001</b>
	etCO <sub>2</sub> Microstr. Intubated Adult/Pediatric - Short-term use, 25 pcs.	<b>MP15002</b>
<b>B</b>	etCO <sub>2</sub> Microstr. Intubated Infant/Neonatal - Extended Duration, 25 pcs.	<b>MP15003</b>
<b>C</b>	etCO <sub>2</sub> Microstr. Nasal Adult - Extended Duration, 25 pcs.	<b>MP15004</b>
	etCO <sub>2</sub> Microstr. Nasal Adult - Short-term use, 25 pcs.	<b>MP15005</b>
<b>D</b>	etCO <sub>2</sub> Microstr. Nasal Pediatric - Short-term use, 25 pcs.	<b>MP15006</b>
<b>E</b>	etCO <sub>2</sub> Microstr. Nasal Infant/Neonatal - Extended Duration, 25 pcs.	<b>MP15007</b>
<b>F</b>	etCO <sub>2</sub> Microstr. Nasal/Oral Adult - Short-term use, 25 pcs.	<b>MP15008</b>
<b>G</b>	etCO <sub>2</sub> Microstr. Nasal/Oral Pediatric - Short-term use, 25 pcs.	<b>MP15009</b>


Can be used with Vista 120 SC Model E.



**VISTA 120 SPOTCHECK**

<b>A</b> CO <sub>2</sub> Microstr. O <sub>2</sub> Nasal Adult - Extended Duration, 25 pcs.	<b>MP15010</b>
CO <sub>2</sub> Microstr. O <sub>2</sub> Nasal Pediatric - Extended Duration, 25 pcs.	<b>MP15011</b>
CO <sub>2</sub> Microstr. O <sub>2</sub> Nasal/Oral Adult - Short-term use, 25 pcs.	<b>MP15012</b>
<b>B</b> CO <sub>2</sub> Microstr. O <sub>2</sub> Nasal/Oral Pediatric - Short-term use, 25 pcs.	<b>MP15013</b>

Can be used with Vista 120 SC Model E.



## MULTI VENDOR ADAPTER

### 6. MULTI VENDOR ADAPTER

#### Multi Vendor Accessories (MVA)

#### 6.1 ECG ADAPTER\*


<b>A</b>	<b>ECG Adapter, 3 Lead GE</b>	<b>MP04322</b>
	<b>ECG Adapter, 5 Lead GE</b>	<b>MP04320</b>
<b>B</b>	<b>ECG Adapter, 3 Lead Mindray</b>	<b>MP04312</b>
	<b>ECG Adapter, 5 Lead Mindray</b>	<b>MP04310</b>
<b>C</b>	<b>ECG Adapter, 3 Lead NK</b>	<b>MP04316</b>
	<b>ECG Adapter, 6 Lead NK</b>	<b>MP04315</b>
<b>D</b>	<b>ECG Adapter, 3 Lead Philips</b>	<b>MP04325</b>
	<b>ECG Adapter, 5 Lead Philips</b>	<b>MP04326</b>
	<b>ECG Adapter, 6 Lead Philips</b>	<b>MP04327</b>
<b>E</b>	<b>ECG Adapter, 3 Lead Spacelabs</b>	<b>MP04300</b>
	<b>ECG Adapter, 5 Lead Spacelabs</b>	<b>MP04301</b>
<b>F</b>	<b>ECG Adapter, 3 Lead Welch Allyn</b>	<b>MP04305</b>
	<b>ECG Adapter, 5 Lead Welch Allyn</b>	<b>MP04306</b>

\*Tradeware





**MULTI VENDOR ADAPTER**



Not all articles are available worldwide.

## MULTI VENDOR ADAPTER

### 6.2 ECG ADAPTER TELEMETRY\*

<b>A</b>	<b>ECG adapter tel, GE-AP-CH, 3 Lead</b>	<b>MP04350</b>
	<b>ECG adapter tel, GE-AP-CH, 5 Lead</b>	<b>MP04351</b>
	<b>ECG adapter tel, GE-AP-CH, 6 Lead</b>	<b>MP04352</b>
<b>B</b>	<b>ECG adapter tel, GE-AP-FH, 5 Lead</b>	<b>MP04353</b>
<b>C</b>	<b>ECG adapter tel, PH MX40, 3 Lead</b>	<b>MP04355</b>
	<b>ECG adapter tel, PH MX40, 5 Lead</b>	<b>MP04356</b>
	<b>ECG adapter tel, PH MX40, 6 Lead</b>	<b>MP04357</b>
<b>D</b>	<b>ECG adapter tel, PH M, 5 Lead</b>	<b>MP04358</b>
	<b>ECG adapter tel, PH M, 6 Lead</b>	<b>MP04359</b>
<b>E</b>	<b>ECG adapter tel, SL AT, 5 Lead</b>	<b>MP04365</b>
<b>F</b>	<b>ECG adapter tel, SL UV, 5 Lead</b>	<b>MP04366</b>


### 6.3 TEMP ADAPTER

	<b>TEMP Adapter Jack</b>	<b>MP00943</b>
<b>G</b>	<b>TEMP Adapter 2-pin</b>	<b>MP00944</b>

\*Tradeware




**MULTI VENDOR ADAPTER**



Not all articles are available worldwide.

Dräger

Oxett



Dräger

CE  
2M 86207  
max. 134 - 150 °C

300  
200  
100

Vac

Dräger

O<sub>2</sub>

O<sub>2</sub>

# Ward equipment

## Adapting to the needs of your patients

Removing complexities and optimising your hospital's clinical workflows are key elements to ensure both patient and healthcare staff safety. Intelligent, user-friendly ward equipment does just that – promotes ergonomic workstations which reduce stress related to heavy lifting or uncomfortable access between equipment and the patient, thus improving staff satisfaction.

Our tailor-made workstations integrate optimised solutions so as to create a hygienic, healing environment that can help you deliver life-saving therapies to your patients.

### CONTENT WARD EQUIPMENT

<b>1. Oxygen therapy</b>	<b>271</b>
1.1 Flowmeter	271
1.2 Oxymixer	283
1.3 Pressure reducer	285
1.4 Humidifier, adapter and application	293
<b>2. Medical aspiration</b>	<b>295</b>
2.1 Bronchial aspiration	295
2.2 OR aspiration	315
2.3 Continuous and thoracic drainage	319
<b>3. Accessory for gas supply</b>	<b>331</b>
3.1 CS hoses	331
3.1.1 German standard	331
3.1.2 French standard	333
3.1.3 British standard	335
3.1.4 Sweden standard	337
3.1.5 Swiss standard	338
3.1.6 Italian standard	339
3.1.7 Australian standard	340
3.1.8 Japanese standard	341
3.1.9 US american standard	342
3.1.10 Canadian standard	344
3.1.11 Chinese standard	345
3.2 Adapter	346

## FLOWMETER

### 1. OXYGEN THERAPY

#### 1.1 FLOWMETER

These O<sub>2</sub> Flowmeters are plugged directly into a wall terminal unit for oxygen and are used to control the flow of oxygen in inhalation and insufflation. Flow rates can be set with a high degree of accuracy. The large rotary knob makes setting easier.

Accuracy of flow rate at 4.5 bar ± 0.5 bar (1,013 hPa/20 °C)\*\*  
 ± 15% (corresponding to smallest setting value)  
 ± 10% (all other setting values)

\*\* Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D): 160 × 40 × 130 mm  
 (6.3 × 1.6 × 5.1 in)  
 Material: Housing: Aluminium  
 Pressure dome: Polyamide  
 Flow indicator: Glass  
 Weight: Approx. 500 g (1.1 lb)

- |   |                |
|---|----------------|
| <p><b>A</b> O<sub>2</sub> flowmeter, 4 l/min, CS, DIN, ISO and neutral color, M34×1.5 and 9/16" for accessories and sterile water systems</p>                               | <b>MP04551</b> |
| <p><b>B</b> O<sub>2</sub> flowmeter, 16 l/min, CS, DIN, ISO and neutral color, M34×1.5 and 9/16" for accessories and sterile water systems</p>                              | <b>MP04558</b> |
| <p><b>C</b> O<sub>2</sub> flowmeter, 16 l/min, CS, long CS plug (6 cm; 2.4 in), DIN, ISO and neutral color, M34×1.5 and 9/16" for accessories and sterile water systems</p> | <b>MP04561</b> |



## FLOWMETER

<b>A</b>	<b>O<sub>2</sub> flowmeter, 16 l/min, CS, British Standard, ISO, M34×1.5, adapter 9/16"</b>	<b>MP04565</b>
<b>B</b>	<b>O<sub>2</sub> flowmeter, 16 l/min, CS, French Standard, ISO, M34×1.5, adapter 9/16"</b>	<b>MP04566</b>
<b>C</b>	<b>O<sub>2</sub> flowmeter, 10 l/min, CS, CARBA, including adapter to 9/16" for sterile water</b>	<b>MP04554</b>
<b>D</b>	<b>O<sub>2</sub> flowmeter, 16 l/min, CS, CARBA, including adapter to 9/16" for sterile water</b>	<b>MP04563</b>
<b>E</b>	<b>O<sub>2</sub> flowmeter, 32 l/min, CS, DIN, ISO and neutral color, M34×1.5 and 9/16" for accessories and sterile water systems</b>	<b>MP04571</b>
	<b>O<sub>2</sub> flowmeter*, 16 l/min, CS, AGA, M34x1.5 and Adapter 9/16"</b>	<b>MP13040</b>

\*Available from 1st quarter 2022





## FLOWMETER

### TWIN FLOWMETER

The particular advantage of the twin flowmeter is, that two patients can be treated simultaneously and independently of one another, while occupying only one wall terminal.

Accuracy of flow rate at 4.5 bar  $\pm$  0.5 bar (1,013 hPa/20 °C)\*\*  
 $\pm$  15% (corresponding to smallest setting value)  
 $\pm$  10% (all other setting values)

\*\* Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H  $\times$  W  $\times$  D): 160  $\times$  150  $\times$  190 mm  
 (6.3  $\times$  5.9  $\times$  7.15 in)  
 Material: Housing: Aluminium  
 Pressure dome: Polyamide  
 Flow indicator: Glass  
 Weight: Approx. 900 g (1.98 lb)

<b>A</b> O <sub>2</sub> twin flowmeter, 2 $\times$ 16 l/min, CS, DIN, ISO, neutral color, M34 $\times$ 1.5 and 9/16" for accessories and sterile water systems	<b>MP04560</b>
<b>B</b> O <sub>2</sub> twin flowmeter, 2 $\times$ 10 l/min, CS, CARBA, 2 $\times$ M34 $\times$ 1.5, including adapter to 9/16" for sterile water	<b>MP04555</b>
<b>C</b> O <sub>2</sub> twin flowmeter, 2 $\times$ 10 l/min, rail fitting with NIST gas inlet, 2 $\times$ M34 $\times$ 1.5, adapter 9/16"	<b>MP04557</b>
O <sub>2</sub> twin flowmeter, 2 $\times$ 16 l/min, rail fitting with NIST gas inlet, 2 $\times$ M34 $\times$ 1.5, adapter 9/16"	<b>MP04569</b>



## FLOWMETER

These O<sub>2</sub> flowmeters for rail attachment can be used to control the flow of oxygen in inhalation and insufflation. Flow rates up to 4 and 16 l/min can be set with a high degree of accuracy. The large rotay knob makes setting easier. Using the rail clamp, the flowmeter can be quickly and safely attached to all rail profiles. The connection to the gas supply can be ensured by a CS hose with NIST coupling nut.

Accuracy of flow rate at 4.5 bar  $\pm$  0.5 bar (1,013 hPa/20 °C)\*\*  
 $\pm$  15% (corresponding to smallest setting value)  
 $\pm$  10% (all other setting values)

\*\* Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D):	160 × 40 × 130 mm (6.3 × 1.6 × 5.1 in)
Material:	Housing: Aluminium Pressure dome: Polyamide Flow indicator: Glass
Weight:	Approx. 950 g (2.09 lbs)

**A** O<sub>2</sub> flowmeter, 4 l/min,  
 rail with NIST gas inlet,  
 M34×1.5 and 9/16" for accessories  
 and sterile water systems

**MP04552**

**B** O<sub>2</sub> flowmeter, 16 l/min,  
 rail NIST, packed with hose 1.5 m,  
 DIN, ISO, M34×1.5 and 9/16" for accessories  
 and sterile water systems

**MP04573**


**C** O<sub>2</sub> flowmeter, 16 l/min,  
 rail NIST, packed with hose 1.5 m,  
 DIN, neutral color, M34×1.5 and 9/16" for accessories  
 and sterile water systems

**MP04575**



## FLOWMETER


- A** O<sub>2</sub> flowmeter, 4 l/min, rail, 90°, NIST gas inlet,  
 M34×1.5 and 9/16" for accessories  
**MP04553**
- B** O<sub>2</sub> flowmeter, 16 l/min, rail, 90°, NIST gas inlet,  
 M34×1.5 and 9/16" for accessories  
 and sterile water systems  
**MP04570**
- C** O<sub>2</sub> flowmeter, 32 l/min,  
 rail, NIST, M34×1.5 and adapter 9/16"  
**MP04580**



## FLOWMETER

---

<b>A</b> O <sub>2</sub> flowmeter for anesthesia, 16 l/min, rail, with NIST ISO hose 1.2 m, connector 9/16" UNF to 6 mm	<b>MP04576</b>
<b>B</b> O <sub>2</sub> flowmeter for anesthesia, 16 l/min, rail, with NIST black hose 1 m, connector 9/16-18 UNF to 6 mm	<b>MP04577</b>
<b>C</b> O <sub>2</sub> flowmeter for anesthesia, 16 l/min, 90°, rail, with NIST ISO hose 1.2 m, connector 9/16-18 UNF to 6 mm	<b>MP04578</b>
<b>D</b> O <sub>2</sub> flowmeter for anesthesia, 16 l/min, 90°, rail, with NIST black hose 1 m, connector 9/16-18 UNF to 6 mm	<b>MP04579</b>



## FLOWMETER

---

**A** O<sub>2</sub> flowmeter, 16 l/min, rail, NIST gas inlet,  
M34×1.5, adapter 9/16" **MP04567**

---

**B** O<sub>2</sub> flowmeter, 10 l/min, rail fitting with NIST gas inlet,  
M34×1.5, adapter 9/16" **MP04556**

---

### CS hoses

---

Several hoses to connect flowmeter with the central supply.  
For CS hoses see chapter 4, „Accessory for gas supply“.

---



## FLOWMETER

These flowmeters are plugged directly into a wall terminal unit for medical air and are used to control the flow of medical air for aerosoltherapy. Flow rates of up to 16 or 32 l/min can be set with a high degree of accuracy. The large rotary knob makes setting easier. With integrated sintered filter.

Accuracy of flow rate at 4.5 bar  $\pm$  0.5 bar (1,013 hPa/20 °C)\*\*  
 $\pm$  15% (corresponding to smallest setting value)  
 $\pm$  10% (all other setting values)

\*\* Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H  $\times$  W  $\times$  D): 160  $\times$  40  $\times$  130 mm  
 (6.3  $\times$  1.6  $\times$  5.1 in)  
 Material: Housing: Aluminium  
 Pressure dome: Polyamide  
 Flow indicator: Glass  
 Weight: Approx. 500 g (1.1 lb)

<b>A</b>	<b>AIR flowmeter, 16 l/min, CS, DIN, ISO and neutral color, M32<math>\times</math>1.5</b>	<b>MP04559</b>
<b>B</b>	<b>AIR flowmeter, 16 l/min, CS, long cs plug (6 cm; 2.4 in), DIN, ISO and neutral color, M32<math>\times</math>1.5</b>	<b>MP04562</b>
<b>C</b>	<b>AIR flowmeter, 16 l/min, CS, CARBA, ISO, M32<math>\times</math>1.5</b>	<b>MP04564</b>
<b>D</b>	<b>AIR flowmeter, 32 l/min, CS, DIN, ISO and neutral color, M32<math>\times</math>1.5</b>	<b>MP04572</b>
	<b>AIR flowmeter*, 16 l/min, CS, AGA, M32<math>\times</math>1.5</b>	<b>MP13041</b>

\*Available from 1st quarter 2022



## FLOWMETER

These Flowmeters for rail attachment can be used to control the flow of medical air for aerosol therapy. Flow rates of up to 16 l/min can be set with a high degree of accuracy. The large setting knob makes setting easier. Using the rail clamp, the flowmeter can be quickly and safely attached to standard rail profiles. The connection to the gas supply can be ensured by a CS hose with NIST coupling nut.

Accuracy of flow rate at 4.5 bar ± 0.5 bar (1,013 hPa/20 °C)\*\*  
 ± 15% (corresponding to smallest setting value)  
 ± 10% (all other setting values)

\*\* Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D): 160 × 40 × 130 mm  
 (6.3 × 1.6 × 5.1 in)  
 Material: Housing: Aluminium  
 Pressure dome: Polyamide  
 Flow indicator: Glass  
 Weight: Approx. 950 g (2.09 lbs)

<b>A</b>	<b>AIR flowmeter, 16 l/min, rail, NIST, M32×1.5</b>	<b>MP04568</b>
<b>B</b>	<b>AIR flowmeter, 32 l/min, rail, NIST, M32×1.5</b>	<b>MP04581</b>

### CS hoses

Several hoses to connect flowmeter with the central supply.  
 For CS hoses see chapter 4, „Accessory for gas supply“.



## FLOWMETER

### COMPACT FLOWMETER CLICKFLOW

Input pressure:	4.5 ± 0.5 bar*
Adjustable ranges:	<b>0.1 – 1 l/min</b> (0; 0.1; 0.2; 0.3; 0.4; 0.5; 0.6; 0.7; 0.8; 1 l/min) <b>0.5 – 5 l/min</b> (0; 0.5; 1; 1.5; 2; 2.5; 3; 3.5; 4; 5 l/min) <b>1 – 16 l/min</b> (0; 1; 2; 3; 4; 6; 8; 10; 12; 16 l/min) <b>1 – 32 l/min</b> (0; 1; 5; 8; 12; 16; 20; 25; 28; 32 l/min)
Accuracy (at 4.5 ± 0.5 bar):	0.5 – 5 l/min, 1 – 16 l/min and 1 – 32 l/min: ± 20%; 0 – 1 l/min ± 30%
Gas inlet:	CS plug O <sub>2</sub> or AIR; NIST (rail)
Gas outlet:	6 mm nozzle for application unit, thread 9/16" for sterile water or adapter for reusable humidifier
Weight:	approx. 420 g (CS); approx. 700 g (rail)
Housing material:	nickel-coated brass
Dimensions:	diameter about 38 mm, length about 92 mm (CS version); about 118 mm (rail version)

\*1 bar = 1 kPa × 100



**A Compact flowmeter Clickflow configurator, gives you the option of arranging the compact flowmeter according to your requirements, selectable options for configuration:**

Gas type:	O <sub>2</sub> ; AIR
Mounting:	CS; rail with NIST gas inlet
CS connection:	DIN; Carbamed; BS (England); NF (France); AGA (Sweden)
Version:	single compact flowmeter; double compact flowmeter
Flow:	0.1 – 1 l/min; 0.5 – 5 l/min; 1 – 16 l/min, 1 – 32 l/min
Gas outlet:	6 mm nozzle, thread 9/16" for sterile water

**MP13000**



## FLOWMETER

- |  |                       |
|--|-----------------------|
| <p><b>A</b> O<sub>2</sub> compact flowmeter Clickflow,<br/>DIN CS, 1 – 16 l/min, 9/16"</p>       | <p><b>MP13011</b></p> |
| <p><b>B</b> O<sub>2</sub> compact flowmeter Clickflow,<br/>DIN CS, 1 – 16 l/min, 6 mm nozzle</p> | <p><b>MP13012</b></p> |



## FLOWMETER

<b>A</b>	<b><u>O<sub>2</sub> compact flowmeter Clickflow, rail, NIST, 1 – 16 l/min, 9/16"</u></b>	<b><u>MP13013</u></b>
<b>B</b>	<b><u>O<sub>2</sub> twin compact flowmeter Clickflow, DIN, 2 × 1 – 16 l/min, 9/16"</u></b>	<b><u>MP13014</u></b>
<b>C</b>	<b><u>AIR compact flowmeter Clickflow, DIN, 1 – 16 l/min, 9/16"</u></b>	<b><u>MP13015</u></b>
<b>D</b>	<b><u>AIR compact flowmeter Clickflow, DIN, 1 – 16 l/min, 6 mm nozzle</u></b>	<b><u>MP13016</u></b>
<b>E</b>	<b><u>AIR compact flowmeter Clickflow, rail, 1 – 16 l/min, 9/16"</u></b>	<b><u>MP13017</u></b>
	<b><u>AIR compact flowmeter Clickflow, DIN, 0.1 – 1 l/min, 6 mm nozzle</u></b>	<b><u>MP13019</u></b>

Accessories for Flowmeter in chapter 1.4  
(Humidifier, adapter and application).

Several hoses to connect Clickflow with the central supply.  
For CS hoses see chapter 4, "Accessory for gas supply".



## OXYMIXER

### 1.2 OXYMIXER\*

Oxymixer enables a continuous and individually adjusted mixture of medical air and medical oxygen to be administered to infants, children and adults. The O<sub>2</sub> concentration is easily adjusted to a highly accurate flow – even with flow rates of less than 3 l/min.

<b>Oxymixer configuration</b>	
<b>Configurable Oxymixer</b>	<b>MP04200</b>
<b>A Oxymixer High Flow</b>	<b>MP04201</b>
<b>B Oxymixer High Flow with monitor</b>	<b>MP04202</b>
<b>C Oxymixer Low Flow with monitor</b>	<b>MP04204</b>
<b>D Oxymixer Low Flow with 1 – 15 l flowmeter right</b>	<b>MP04229</b>
<b>E Multi-P trolley* equipped</b>	<b>MP13020</b>
Including base with 5 castors, 38 mm Ø pole, 3 rail clamps, basket.	
<b>F Multi-P trolley*</b>	<b>MP13021</b>
Including base with 5 castors and 38 mm Ø pole for accessories.	

Several hoses to connect Oxymixer with the central supply. For CS hoses see chapter 4, "Accessory for gas supply".

\*Tradeware



**OXYMIXER\***

<b>A</b>	<b>Oxymixer sound damper 9/16"</b>	<b>MP04218</b>
<b>B</b>	<b>Oxymixer sound damper 22 and 15 mm</b>	<b>MP04219</b>
<b>C</b>	<b>Adapter 9/16" to 15/22mm</b>	<b>MP05305</b>
<b>D</b>	<b>Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16" connection</b>	<b>MP00416</b>
	<b>Oxymixer oxygen sensor (spare part)</b>	<b>MP04221</b>

\*Tradeware



## PRESSURE REDUCER

### 1.3 PRESSURE REDUCER

#### A Pressure reducer OxyLine, customized configuration of pressure reducers

MP00100

OxyLine's modular design means you can accurately choose the pressure reducer you need from the following components:

- O<sub>2</sub> or AIR pressure reducer with 200 bar technology
- Manometer, vertical or horizontal
- Flow regulator settings (1, 2, 3, 4, 6, 8, 12 and 15 l/min) and 9/16" sterile water connector
- Flowmeter for up to 16 l/min with connector for Dräger reusable humidifier, sterile water connector and 6 mm (0.2 in) nozzle for an oxygen mask
- Self-closing NIST connector
- Centralized gas supply coupling, e.g. to connect up a mains-operated ventilation device
- Ejector for short-time suction of eg. secret

Type:	Single-stage pre-set pressure reducer
Permissible inlet pressure range:	11 to 200 kPa × 100
Nominal outlet pressure (p2):	non-adjustable, output pressure as per rating plate
Weight:	1.2 kg to 2 kg (depending on connector type)
Material:	Brass with chemical nickel surface



# PRESSURE REDUCER

## OxyLine® Pressure reducer


MP00100

### Order information international


Make your own configuration by setting a cross or a number.

☐ = One position must be chosen

☐☐ = One position can be chosen



# PRESSURE REDUCER



**4 Outlet**

**4.1 Flow O<sub>2</sub>**

**Flowmeter O<sub>2</sub>**

left

right

**Flowregulator O<sub>2</sub> / 4.5 bar**

left

right

**4.2 Central Supply coupling-O<sub>2</sub>**

**DIN13260-2**

left

right

**BS 5682 (British Standard)**

left

right

**NFS90-116 (French Standard)**

left

right

**Carba-Coupling O<sub>2</sub> (Swiss Standard)**

left

right

**4.3 Central Supply coupling-AIR**

**DIN13260-2**

left

right

**Carba-Coupling AIR (Swiss Standard)**

left

right

**4.4 NIST O<sub>2</sub>**

NIST O<sub>2</sub> with ball valve down side

left

right

**4.5 NIST AIR**

NIST AIR with ball valve

down side

left

right

**4.6 Ejector VarioO<sub>2</sub>**

down side

**5 Accessories**

Adapter NIST to DIN CS-Coupling O <sub>2</sub>	M35056	<input type="checkbox"/>
Adapter NIST to DIN CS-Coupling AIR	M35058	<input type="checkbox"/>
Adapter, with 6 mm nozzle, 9/16" connection	MP00416	<input type="checkbox"/>
Humidifier-bubbler, for oxygen humidification	2M85834	<input type="checkbox"/>
Humidifier-nebulizer, for oxygen humidification	2M85835	<input type="checkbox"/>

\* At least one outlet must be selected.  
 \*\* Please check former selection (left/right).  
 \*\*\* Only possible if no NIST O<sub>2</sub> (4.4) or NIST AIR (4.5).

MT-1921-2003  
 MT-1939-2003  
 D-8465-2016  
 MT-1332-2003  
 D-4941-2017

## PRESSURE REDUCER

<b>A</b> Oxett head OxyLine, pressure reducer G $\frac{3}{4}$ " , 200 bar, NIST, flowmeter, DIN-CS, ejector VarioO2	<b>MP01101</b>
<b>B</b> Oxett head OxyLine, pressure reducer G $\frac{3}{4}$ " , 200 bar, NIST, flow regulator, DIN-CS, ejector VarioO2	<b>MP01102</b>
<b>C</b> Oxator head OxyLine, pressure reducer G $\frac{3}{4}$ " , 200 bar, NIST, 2 × DIN-CS, ejector VarioO2	<b>MP01103</b>
<b>D</b> Pressure reducer w/ flowmeter OxyLine, G $\frac{3}{4}$ " , 200 bar, 16 l/min, M34×1.5, 9/16", nozzle	<b>MP01104</b>
<b>E</b> Pressure reducer with NIST OxyLine, G $\frac{3}{4}$ " , for 200 bar, NIST	<b>MP01105</b>





## PRESSURE REDUCER

### Oxett

Oxett is a portable oxygen supply unit for mobile use. Oxett ensures consistent treatment, because the device can be mounted to bed, rail and stretcher. All devices for inhalation, insufflation and suction are available on a solid aluminum plate. Precise O<sub>2</sub> delivery is handled through the pressure compensated flow meter or the compact flowmeter. Manual or automatic short-term ventilation is even possible, because the Oxylog<sup>®</sup> can be connected via the O<sub>2</sub> standard coupling. The portable Oxett unit meets the requirements of daily hospital and emergency medical practice in a simple way. It removes all well-practiced temporary supply solutions.

<b>A Oxett carrying frame, for Oxett head+O<sub>2</sub> cylinder up to 2.5 l, with secretion jar and rail for suction ejector</b>	<b>MP04110</b>
<b>Oxett head, configurable via OxyLine<sup>®</sup></b>	<b>MP00100</b>
<b>B Oxett head OxyLine, pressure reducer G<sup>3</sup>/<sub>4</sub>" , 200 bar, NIST, flowmeter, DIN-CS, ejector VarioO2</b>	<b>MP01101</b>
<b>B Oxett head OxyLine, pressure reducer G<sup>3</sup>/<sub>4</sub>" , 200 bar, NIST, flow regulator, DIN-CS, ejector VarioO2</b>	<b>MP01102</b>
<b>C Oxett adapter plate, to mount Oxett on bed in higher position</b>	<b>2M86205</b>



## PRESSURE REDUCER

### Small Oxator

Space-saving solution for transportation of large gas-cylinder.

The stable trolley can be used flexible.

Set up from components below:

<b>A</b>	<b>Simple cylinder trolley, for one gas cylinders up to a volume of 11 L</b>	<b>MP00038</b>
<b>B</b>	<b>Oxator head, configurable via OxyLine® Oxator head OxyLine, pressure reducer G<math>\frac{3}{4}</math>" , 200 bar, NIST, 2 × DIN-CS, ejector VarioO2</b>	<b>MP00100 MP01103</b>
<b>C</b>	<b>Ejector VarioO2® B/OR Rail, for bronchial and OR suction, gas connection NIST O<sub>2</sub></b>	<b>MP00552</b>
<b>C</b>	<b>NIST-NIST Connecting hose 1.2 m</b>	<b>M36053</b>



## PRESSURE REDUCER

- A Compact rail,**  
for 38 mm tube, standard rail profile 25 × 10 mm,  
each side 10 cm, weight: 0.9 kg, max. load: 30 kg 2M85337
- B Secretion jar set, with 700 ml secretion jars (2 pcs.)**  
and 1.5 m suction hose,  
maximum capacity up to the overflow safeguard 2 × 1000 ml,  
scale in steps of 10 ml up to max. 700 ml 2M85056
- C Rail clamp lever type,**  
for attachment of devices to 25 × 10 mm standard rail,  
for compact suction unit and secretion jar set M26842

For CS hoses please refer to chapter „Accessory for gas supply“.



## PRESSURE REDUCER

---

<b>A</b>	<b>Simple cylinder trolley, for one gas cylinders up to a volume of 11 L</b>	<b>MP00038</b>
<b>B</b>	<b>Rail holder, for 38 mm tube, standard rail profile 25 × 10 mm, 40 cm, length: 40 cm, weight: 0.9 kg, max. load: 5 kg</b>	<b>2M86185</b>
<b>C</b>	<b>Adapter NIST to DIN CS-Coupling O<sub>2</sub></b>	<b>M35056</b>
<b>D</b>	<b>Adapter NIST to DIN CS-Coupling AIR</b>	<b>M35058</b>



## HUMIDIFIER, ADAPTER AND APPLICATION

### 1.4 HUMIDIFIER, ADAPTER AND APPLICATION

<b>A</b>	<b>Humidifier-bubbler, for oxygen humidification up to appr. 60% relative humidity and flows up to 5 l/min</b>	<b>2M85834</b>
<b>B</b>	<b>Humidifier-nebulizer, for oxygen humidification up to 100% relative humidity and flows up to 5 l/min</b>	<b>2M85835</b>
<b>C</b>	<b>Adapter, to connect e.g a tube or nasal cannula to O<sub>2</sub> flowmeter, M34×1.5 to 6 mm nozzle</b>	<b>M06258</b>
<b>C</b>	<b>Adapter, to connect e.g a tube or nasal cannula to AIR flowmeter, M32×1.5 to 6 mm nozzle</b>	<b>2M85575</b>
<b>D</b>	<b>Adapter, to connect Dräger humidifier to mixing block, M15×1 to M34×1.5</b>	<b>2M85853</b>
<b>E</b>	<b>Adapter 9/16" to M34×1.5 for Dräger reusable humidifier</b>	<b>MP03325</b>



## HUMIDIFIER, ADAPTER AND APPLICATION

---

<b>A</b> Adapter, for disposable sterilized water systems to O <sub>2</sub> flowmeters, M34×1.5 to 9/16"	<u>2M86680</u>
<b>A</b> Adapter, for disposable sterilized water systems to AIR flowmeter, M32×1.5 to 9/16"	<u>MP03366</u>
<b>B</b> Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16" connection	<u>MP00416</u>

Oxygen and aerosol therapy masks, venturi mask kids, nasal cannulas and accessories in chapter 5.3, breathing accessories.




## MEDICAL ASPIRATION

### 2.1 Bronchial aspiration

Dräger offers an extensive line of bronchial aspirators, while also providing individual solutions to meet your specific needs in the ICU and OR. Generally you have the choice between vacuum, medical air or oxygen as the drive gas. We differ by the driving units between

the ejectors and the vacuum regulators. In addition, we can supply the attachments and hose brackets you need to ensure an ergonomically efficient workplace. You could also choose the connection you require and the fitting jar system. We offer reusable solutions as well as disposables.



1	MP00501	VarioVac® B DIN	MP00533	VarioAir® B AGA	11	M26859	Wall holder	
	MP00502	VarioVac® B BS	MP00534	VarioAir® B UNI	12	M26842	Rail clamp lever type	
	MP00503	VarioVac® B NF	MP00548	VarioAir® B CARBA	13	2M85119	Ceiling holder	
	MP00504	VarioVac® B AGA	5	MP00535	VarioAir® B/OR Rail	14	2M86207	Secretion jar, 300 ml
	MP00514	VarioVac® B CARBA		MP00545	VarioAir® P Rail		2M85594	Secretion jar, 700 ml
2	MP00505	VarioVac® B/OR Rail		MP03220	VarioAir® MRI B/OR Rail	15	2M86758	Protection jar
	MP00660	VarioVac® P Rail		MP03221	VarioAir® MRI P Rail	16	2M85446	CS connection hose holder
	MP00516	Dual VarioVac® B/OR Rail	6	MP00550	VarioO2® B DIN	17	2M85239	Suction hose holder
	MP03222	VarioVac® MRI B/OR Rail		MP00551	VarioO2® B CARBA	18	MX23023	Secretion jar VacuSmart®, 700 ml
	MP03223	VarioVac® MRI P Rail	7	MP00552	VarioO2® B/OR Rail		MX23025	Secretion jar VacuSmart® Gel, 700 ml
3	MP00506	VarioVac® B compact	8	MP00536	VarioAir® B compact	19	MX23026	Suction tube VacuSmart® Tube
	MP00661	VarioVac® P compact		MP00547	VarioAir® P compact	20	MP00570	Shut-off valve for VarioVac®
4	MP00530	VarioAir® B DIN	9	2M85056	Secretion jar set			
	MP00531	VarioAir® B BS	10	2M85607	Secretion jar set, with protection jar			
	MP00532	VarioAir® B NF						

Not all articles are available worldwide.

## BRONCHIAL ASPIRATION

### 2. MEDICAL ASPIRATION

#### 2.1 BRONCHIAL ASPIRATION

The vacuum regulator is connected directly to a central vacuum supply system or to rails. The vacuum is infinitely variable up to max. -90 kPa (-900 mbar) and is shown on a turnable, manually adjustable pressure gauge. Shut-off valve is included.

You can use the VarioSafe® disposable filter system to reliably protect the **VarioVac®** series and the central vacuum system against contamination. A VarioSafe® filter system is included with every VarioVac® vacuum regulator.

#### Technical data:

Maximum vacuum: -90 to 0 kPa (-900 to 0 mbar)

Maximum suction flow: 55 l/min

Weight: 600 to 800 g

800 g for rail version

1,700 g for dual version

(MP00516)

Dimensions (W/H/D) in mm: 80 × 210 × 160 (without VarioSafe)

80 × 340 × 160 (with VarioSafe)

MP00516 for dual version:

200 × 210 × 210 (without VarioSafe)

200 × 340 × 210 (with VarioSafe)

Maximum sound level: 43 dB(A)

Hose nozzle: Ø 6 mm

#### Additional Information for Filter:

Aerosole and Fluid retention: 100% (with VarioSafe)\*

Bacterial retention: 99.99997% (with VarioSafe)\*\*

Viral retention: 99.99922% (with VarioSafe)\*\*

NaCl retention: 99.8900% (with VarioSafe)\*\*\*

\* Test has been performed by Drägerwerk AG & Co. KGaA, Dec 2020, Lübeck, Germany

\*\* Test has been performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA

\*\*\* Test has been performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1

<b>A</b>	<b>Vacuum regulator VarioVac® B DIN, for bronchial suction, gas connection VAC</b>	<b>MP00501</b>
<b>B</b>	<b>Vacuum regulator VarioVac® B BS, for bronchial suction, gas connection VAC</b>	<b>MP00502</b>
<b>C</b>	<b>Vacuum regulator VarioVac® B NF, for bronchial suction, gas connection VAC</b>	<b>MP00503</b>
<b>D</b>	<b>Vacuum regulator VarioVac® B AGA, for bronchial suction, gas connection VAC, Swedish standard</b>	<b>MP00504</b>
<b>E</b>	<b>Vacuum regulator VarioVac® B CARBA, for bronchial suction, gas connection VAC</b>	<b>MP00514</b>

For CS hoses please refer to chapter „Accessory for gas supply“.





## BRONCHIAL ASPIRATION

### VarioVac® vacuum regulator for rail.

#### Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Maximum suction flow:	55 l/min
Weight:	800 g for rail version 1,700 g for dual version (MP00516)

Dimensions (W/H/D) in mm:	for rail version 80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe) for dual version (MP00516): 200 × 210 × 210 (without VarioSafe) 200 × 340 × 210 (with VarioSafe)
---------------------------	---

Maximum sound level: 43 dB(A)

Hose nozzle: Ø 6 mm

#### Additional Information for Filter:

Aerosole and Fluid retention:	100% (with VarioSafe)*
Bacterial retention:	99.99997% (with VarioSafe)**
Viral retention:	99.99922% (with VarioSafe)**
NaCl retention:	99.8900% (with VarioSafe)***

\* Test has been performed by Drägerwerk AG & Co. KGaA, Dec 2020, Lübeck, Germany

\*\* Test has been performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA

\*\*\* Test has been performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1



<b>A</b>	<b>Vacuum regulator VarioVac® B/OR Rail, for bronchial and OR suction, gas connection NIST VAC</b>	<b>MP00505</b>
<b>B</b>	<b>Vacuum regulator dual VarioVac® B/OR Rail, for bronchial and OR suction, gas connection NIST VAC</b>	<b>MP00516</b>
<b>C</b>	<b>Vacuum regulator VarioVac® B/OR Rail DISS, for bronchial and OR suction, gas connection DISS VAC</b>	<b>MP00631</b>

For CS hoses please refer to chapter „Accessory for gas supply“.

## BRONCHIAL ASPIRATION

### VarioVac® vacuum regulator for rail.

The gas supply is ensured by VAC connection hose.

This rail version can be connected to all standard wall rails (10 mm width and 25 mm height).

You can use the VarioSafe® disposable filter system to reliably protect the VarioVac® series and the central vacuum system against contamination.

A VarioSafe® filter system is included with every VarioVac® vacuum regulator.

Technical data:	VarioVac P (MP00660, MP03223)
Maximum vacuum:	-55 to 0 kPa (-550 to 0 mbar)
Maximum suction flow:	20 l/min
Maximum sound level:	40 dB(A)

	VarioVac B/OP (MP03222)
Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Maximum suction flow:	55 l/min
Maximum sound level:	43 dB(A)

Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe)
	80 × 340 × 160 (with VarioSafe)
Hose nozzle:	Ø 6 mm

#### Additional Information for Filter:

Aerosole and Fluid retention:	100% (with VarioSafe)*
Bacterial retention:	99.99997% (with VarioSafe)**
Viral retention:	99.99922% (with VarioSafe)**
NaCl retention:	99.8900% (with VarioSafe)***

\* Test has been performed by Drägerwerk AG & Co. KGaA, Dec 2020, Lübeck, Germany

\*\* Test has been performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA

\*\*\* Test has been performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1



**A Vacuum regulator VarioVac® P Rail, for bronchial suction, gas connection NIST VAC, for connection to all standard wall rails** MP00660

**A Vacuum regulator VarioVac® P Rail DISS, for bronchial suction, gas connection DISS VAC, for connection to all standard wall rails** MP00632

These bronchial aspirators are suited for use in MRI.

The bronchial aspirators can be used in magnets with static magnetic fields of 1.5 tesla and 3 tesla.

Minimum distance from the center of the magnetic field:

Magnetic flux density of 40 millitesla (400 gauss).

**B Vacuum regulator VarioVac® MRI P Rail, for bronchial suction, gas connection NIST VAC, for connection to all standard wall rails** MP03223

**C Vacuum regulator VarioVac® MRI B/OR Rail, for bronchial and OR suction, gas connection NIST VAC, for connection to all standard wall rails** MP03222

For CS hoses please refer to chapter „Accessory for gas supply“.

Not all articles are available worldwide.

## BRONCHIAL ASPIRATION

### VACUUM SUCTION

For connecting via CS vacuum connecting hose.

This rail version can be connected to all standard wall rails (10 mm width and 25 mm height). The gas supply is ensured by VAC connection hose.

You can use the bacterial filter MK00514 to reliably protect the central vacuum system against contamination. Two bacterial filters are included within the scope of delivery. These bronchial aspirators are suited for use in MRI.

The bronchial aspirators can be used in magnets with static magnetic fields of 1.5 tesla and 3 tesla. Minimum distance from the center of the magnetic field: Magnetic flux density of 40 millitesla (400 gauss).

Technical data:


Maximum vacuum: -95 to 0 kPa (-950 to 0 mbar)  
 Maximum suction flow: 50 l/min  
 Dimensions (W/H/D) in mm: 130 × 190 × 120  
 Maximum sound level: 55 dB(A)  
 Hose nozzle: Ø 6 mm

Additional Information for Filter:

Bacterial retention: 99.99997%\*  
 Viral retention: 99.99997%\*  
 NaCl retention: 99.9982%\*\*

\* Test has been performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA

\*\* Test has been performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1



<b>A</b>	<b>Vacuum suction NIST, for bronchial suction, gas connection VAC</b>	<b>MK01422</b>
<b>A</b>	<b>Vacuum suction DISS, for bronchial suction, gas connection VAC</b>	<b>MK03140</b>
<b>A</b>	<b>Vacuum suction DISS Canada, for bronchial suction, gas connection VAC</b>	<b>MK03320</b>
<b>B</b>	<b>Vacuum aspirator DISS, version for Atlan® A300/A350 and Perseus® A500</b>	<b>MP00686</b>
	<b>Vacuum aspirator DISS Canada, version for Atlan® A300/A350 and Perseus® A500</b>	<b>MP00687</b>
	<b>Vacuum aspirator NIST, version for Atlan® A300/A350 and Perseus® A500</b>	<b>MP00689</b>

For CS hoses please refer to chapter „Accessory for gas supply“.

## BRONCHIAL ASPIRATION

The **VarioAir®** ejector is connected directly to a medical air supply system or to rails. The low-noise ejector generates a vacuum up to max. -90 kPa (-900 mbar) and shows the vacuum level on a turnable, manually adjustable pressure gauge.

All devices offer a pressure relief valve (ex 0.1 kPa) to avoid pressure increase at the patient side.

The vacuum adjusting knob is also the on/off switch to interrupt the suction without reset the values.

A new VarioSafe® disposable filter system reliably protects the VarioAir® series and the patient environment against contamination. One piece of the new VarioSafe® filter system is always included.

### Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Minimum suction flow:	40 l/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	55 l/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe) 80 × 330 × 160 (with VarioSafe)
Maximum sound level:	57 dB(A)
Hose nozzle:	Ø 6 mm
Pressure relief valve:	Ex 0.1 kPa (1 mbar)

### Additional Information for Filter:

Aerosole and Fluid retention:	100% (with VarioSafe)*
Bacterial retention:	99.99997% (with VarioSafe)**
Viral retention:	99.99922% (with VarioSafe)**
NaCl retention:	99.8900% (with VarioSafe)***

\* Test has been performed by Drägerwerk AG & Co. KGaA, Dec 2020, Lübeck, Germany

\*\* Test has been performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA

\*\*\* Test has been performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1

<b>A</b>	<b>Ejector VarioAir® B DIN, for bronchial suction, gas connection AIR</b>	<b>MP00530</b>
<b>B</b>	<b>Ejector VarioAir® B BS, for bronchial suction, gas connection AIR</b>	<b>MP00531</b>
<b>C</b>	<b>Ejector VarioAir® B NF, for bronchial suction, gas connection AIR</b>	<b>MP00532</b>
<b>D</b>	<b>Ejector VarioAir® B AGA, for bronchial suction, gas connection AIR, Swedish standard</b>	<b>MP00533</b>
<b>E</b>	<b>Ejector VarioAir® B UNI, for bronchial suction, gas connection AIR</b>	<b>MP00534</b>
<b>F</b>	<b>Ejector VarioAir® B CARBA, for bronchial suction, gas connection AIR</b>	<b>MP00548</b>

For CS hoses please refer to chapter „Accessory for gas supply“.

Not all articles are available worldwide.



## BRONCHIAL ASPIRATION

### VarioAir® ejector for rail.

#### Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Minimum suction flow:	40 l/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	55 l/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe) 80 × 330 × 160 (with VarioSafe)
Maximum sound level:	57 dB(A)
Hose nozzle:	Ø 6 mm
Pressure relief valve:	Ex 0.1 kPa (1 mbar)


#### Additional Information for Filter:

Aerosole and Fluid retention:	100% (with VarioSafe)*
Bacterial retention:	99.99997% (with VarioSafe)**
Viral retention:	99.99922% (with VarioSafe)**
NaCl retention:	99.8900% (with VarioSafe)***

\* Test has been performed by Drägerwerk AG & Co. KGaA, Dec 2020, Lübeck, Germany

\*\* Test has been performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA

\*\*\* Test has been performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1



<b>A</b>	<b>Ejector VarioAir® B/OR Rail, for bronchial and OR suction, gas connection NIST AIR</b>	<b>MP00535</b>
<b>A</b>	<b>Ejector VarioAir® B/OR Rail DISS, for bronchial and OR suction, gas connection DISS AIR</b>	<b>MP00638</b>
<b>B</b>	<b>Ejector VarioO2® B DIN, for bronchial suction, gas connection O<sub>2</sub></b>	<b>MP00550</b>
<b>B</b>	<b>Ejector VarioO2® B CARBA, for bronchial suction, gas connection O<sub>2</sub></b>	<b>MP00551</b>
<b>C</b>	<b>Ejector VarioO2® B/OR Rail, for bronchial and OR suction, gas connection NIST O<sub>2</sub></b>	<b>MP00552</b>

For CS hoses please refer to chapter „Accessory for gas supply“.

## BRONCHIAL ASPIRATION

### VarioAir® ejector for rail.

The gas supply is ensured by AIR connection hose.

This rail version can be connected to all standard wall rails (10 mm width and 25 mm height).

You can use the VarioSafe® disposable filter system to reliably protect the VarioAir® series and the central vacuum system against contamination.

Technical data: VarioAir P (MP00545, MP03221)

Maximum vacuum: -48 to 0 kPa (-480 to 0 mbar)

Maximum suction flow: 20 l/min

Maximum gas consumption: 40 l/min

Maximum sound level: 47 dB(A)

VarioAir B/OP (MP03220)

Maximum vacuum: -90 to 0 kPa (-900 to 0 mbar)

Maximum suction flow: 40 l/min

Maximum gas consumption: 55 l/min

Maximum sound level: 57 dB(A)

Inlet pressure range: 4 to 5.5 bar

Weight: 800 g

Dimensions (W/H/D) in mm: 80 × 200 × 160 (without VarioSafe)

80 × 330 × 160 (with VarioSafe)

Hose nozzle: Ø 6 mm

Pressure relief valve: from 0.1 kPa on (1 mbar)

#### Additional Information for Filter:

Aerosole and Fluid retention: 100% (with VarioSafe)\*

Bacterial retention: 99.99997% (with VarioSafe)\*\*

Viral retention: 99.99922% (with VarioSafe)\*\*

NaCl retention: 99.8900% (with VarioSafe)\*\*\*

\* Test has been performed by Drägerwerk AG & Co. KGaA, Dec 2020, Lübeck, Germany

\*\* Test has been performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA

\*\*\* Test has been performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1



**A Ejector VarioAir® P Rail,  
for bronchial suction, gas connection NIST AIR,  
for connection to all standard wall rails** MP00545

**A Ejector VarioAir® P Rail DISS,  
for bronchial suction, gas connection DISS AIR,  
for connection to all standard wall rails** MP00639

These bronchial aspirators are suited for use in MRI.

The bronchial aspirators can be used in magnets with static magnetic fields of 1.5 tesla and 3 tesla. Minimum distance from the center of the magnetic field: Magnetic flux density of 40 millitesla (400 gauss).

**A Ejector VarioAir® MRI B/OR Rail,  
for bronchial suction, gas connection NIST AIR,  
for connection to all standard wall rails** MP03220

**A Ejector VarioAir® MRI P Rail,  
for bronchial suction, gas connection NIST AIR,  
for connection to all standard wall rails** MP03221

For CS hoses please refer to chapter „Accessory for gas supply“.

Not all articles are available worldwide.

## BRONCHIAL ASPIRATION

### EJECTOR SUCTION

For connecting via CS vacuum connecting hose.  
The gas supply is ensured by AIR connection hose.  
You can use the bacterial filter MK00514 to reliably protect the central vacuum system against contamination.  
Two bacterial filters are included within the scope of delivery.  
These bronchial aspirators are suited for use in MRI.  
The bronchial aspirators can be used in magnets with static magnetic fields of 1.5 tesla and 3 tesla. Minimum distance from the center of the magnetic field: Magnetic flux density of 40 millitesla (400 gauss).

#### Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Maximum suction flow:	30 l/min
Pressure range:	2.7 to 6.9 bar
Maximal gas consumption:	60 l/min
Dimensions (W/H/D) in mm:	130 × 190 × 120
Maximum sound level:	55 dB(A)
Pressure relief valve:	ex 1 kPa (10 mbar)
Hose nozzle:	Ø 6 mm

#### Additional Information for Filter:

Bacterial retention:	99.99997%*
Viral retention:	99.99997%*
NaCl retention:	99.9982%**

\* Test has been performed by Nelson Laboratories Inc.,  
Dec 2020, Salt Lake City, USA

\*\* Test has been performed by Dräger Safety AG & Co. KGaA,  
March 2021, Lübeck, Germany, according to EN ISO 23328-1



<b>A</b>	<b>Ejector suction NIST AIR O<sub>2</sub> for bronchial suction, gas connection AIR/O<sub>2</sub>, for connection to all standard wall rails</b>	<b><u>MK01418</u></b>
<b>A</b>	<b>Ejector suction NIST for bronchial suction, gas connection AIR, for connection to all standard wall rails</b>	<b><u>MK01420</u></b>
<b>A</b>	<b>Ejector suction NIST, for bronchial suction, gas connection AIR, version for Atlan® A300/A350 and Perseus® A500</b>	<b><u>MP00688</u></b>

For CS hoses please refer to chapter „Accessory for gas supply“.

## BRONCHIAL ASPIRATION

Drive unit (VarioVac® or VarioAir®) and jar set are joined together, so that you have a complete, convenient and easy solution. The ergonomically shaped handle is positioned exactly at the units centre of gravity, making it easy to transport the aspirator quickly. The gas supply is ensured by CS connection hose. You can use the VarioSafe® disposable filter system to reliably protect the device and the patient environment against contamination. This rail version can be connected to all standard wall rails (10 mm width and 25 mm height).

### Technical data:

Weight: 1,600 g (empty)  
 Dimensions (W/H/D) in mm: 300 × 440 × 160  
 Hose nozzle: Ø 6 mm

### Additional Information for Filter:

Aerosole and Fluid retention: 100% (with VarioSafe)\*  
 Bacterial retention: 99.99997% (with VarioSafe)\*\*  
 Viral retention: 99.99922% (with VarioSafe)\*\*  
 NaCl retention: 99.8900% (with VarioSafe)\*\*\*

\* Test has been performed by Drägerwerk AG & Co. KGaA, Dec 2020, Lübeck, Germany

\*\* Test has been performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA

\*\*\* Test has been performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1



**A Vacuum regulator VarioVac® B compact, for bronchial suction, gas connection NIST VAC, including secretion jar set and integrated vacuum regulator** **MP00506**

### Technical data:

Maximum vacuum: -90 to 0 kPa (-900 to 0 mbar)  
 Maximum suction flow: 55 l/min  
 Maximum sound level: 43 dB(A)

**A Vacuum regulator VarioVac® P compact, for bronchial suction, gas connection NIST VAC, including secretion jar set and integrated vacuum regulator** **MP00661**

### Technical data:

Maximum vacuum: -55 to 0 kPa (-550 to 0 mbar)  
 Maximum suction flow: 20 l/min  
 Maximum sound level: 40 dB(A)

For CS hoses please refer to chapter „Accessory for gas supply“.



## BRONCHIAL ASPIRATION

**A Ejector VarioAir® B compact,  
for bronchial suction, gas connection NIST AIR,  
including secretion jar set and integrated ejector** **MP00536**

Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Minimum suction flow:	40 l/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	55 l/min
Maximum sound level:	57 dB(A)
Pressure relief valve:	Ex 0.1 kPa (1 mbar)



**A Ejector VarioAir® P compact,  
for bronchial suction, gas connection NIST AIR,  
including secretion jar set and integrated ejector** **MP00547**

Technical data:

Maximum vacuum:	-48 to 0 kPa (-480 to 0 mbar)
Maximum suction flow:	20 l/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	40 l/min
Maximum sound level:	47 dB(A)
Pressure relief valve:	Ex 0.1 kPa (1 mbar)

For CS hoses please refer to chapter „Accessory for gas supply“.

## BRONCHIAL ASPIRATION

Extra lightweight portable secretion jar set for bronchial aspiration. The set is made of high quality and extremely robust plastic and can be autoclaved at up to 134 °C. The two 700 ml jars, which are used as secretion and rinsing jars, are identical, making hospital logistics considerably easier. The jars are made of high quality polysulfone, are reusable, extremely robust and implosion proof. The long service lives makes the jars both environmentally friendly and cost effective.

An automatic overflow safeguard is fitted in the secretion jar cap to prevent secretion from entering the drive unit and the piped medical gas supply. The ergonomically shaped handle is positioned exactly at the units centre of gravity, making it easy to transport the secretion jar set quickly.

- A** **Secretion jar set, with 700 ml secretion jars (2 pcs.) and 1.5 m suction hose, maximum capacity up to the overflow safeguard 2 × 1,000 ml, scale in steps of 10 ml up to max. 700 ml**

**2M85056**

- B** **Secretion jar set, with protection jar and 700 ml secretion jars (2 pcs.), maximum capacity up to the overflow safeguard 2 × 1,000 ml, scale in steps of 10 ml up to max. 700 ml, with additional protection jar 300 ml**

**2M85607**



## BRONCHIAL ASPIRATION

<b>A</b> <u>Secretion jar set with clamp</u>	<b>MP00646</b>
<b>B</b> <u>Carrier rack CD</u>	<b>2M85380</b>
<b>C</b> <u>Carrying rack bronchial suction</u>	<b>2M85381</b>



## BRONCHIAL ASPIRATION

Holders for attaching a compact bronchial aspirator or a secretion jar set to the wall/rail or to a rail on a ceiling supply unit. The devices are only latched and can be detached and moved easily if this is required.

- |  |                       |
|--|-----------------------|
| <b>A</b> <u>Wall holder, with fixing screws, for compact suction unit and secretion jar set</u>  | <u><b>M26859</b></u>  |
| <b>B</b> <u>Rail clamp lever type, for attachment of devices to 25 × 10 mm standard rail, for compact suction unit and secretion jar set</u> | <u><b>M26842</b></u>  |
| <b>C</b> <u>Ceiling holder, rail holder for compact suction systems and secretion jar sets</u>   | <u><b>2M85119</b></u> |
| Holders for holding a central supply connecting hose or an aspiration hose. For attachment to an intensive care rail or compact rail.        |                       |
| <b>D</b> <u>CS connection hose holder</u>  | <u><b>2M85446</b></u> |
| <b>E</b> <u>Suction hose holder, suitable for various diameters</u>  | <u><b>2M85239</b></u> |



## BRONCHIAL ASPIRATION

### VacuSmart® disposable cartridge for bronchial suction


VacuSmart® is a disposable cartridge for 700 ml secretion jars. This product has been specifically designed and thoroughly tested to work with Dräger suction units. Therefore there is absolutely no need to modify the installed base. An integrated hydrophobic filter acts as an overflow safeguard by stopping suction of secretion once maximum capacity has been reached. The closed and leakproof system, optional with an integrated gelling agent, reduces the risk of cross contamination to a minimum. The optional gelling agent prevent leakages e.g. during the waste disposal in a waste press. The gelling agent is secured in a water soluble bag.

Technical data:

Maximum capacity:	700 ml
Maximum capacity up to the overflow safeguard:	1,000 ml
Overflow safeguard:	Integrated, hydrophobic filter
Recommended duration of use:	24 h
Gelling agent:	Sodium polyacrylate

<b>A</b>	<b>Secretion jar VacuSmart®, PE (Polyethylene), disposable, 700 ml, 25 pcs.</b>	<b><u>MX23023</u></b>
<b>B</b>	<b>Secretion jar VacuSmart® Gel, PE (Polyethylene), disposable, 700 ml, 25 pcs.</b>	<b><u>MX23025</u></b>
<b>C</b>	<b>Suction tube VacuSmart® Tube, PE (Polyethylene), disposable, 2 m, w/ finger tip, 25 pcs.</b>	<b><u>MX23026</u></b>
<b>D</b>	<b>Suction set, disposable, VacuSmart®, 700 ml and VacuSmart® Tube, 25 pcs. each</b>	<b><u>MP00061</u></b>
<b>D</b>	<b>Set VacuSmart® Gel and Tube, 25 pcs.</b>	<b><u>MP03211</u></b>

You can also enjoy some smart savings by choosing any of the following packing unit 25 pieces sets:



## BRONCHIAL ASPIRATION

### A Bacterial filter 767, 5 pcs. 6723976

### A Bacterial filter 767, disposable, for ejectors (model range until 2010) CH00102

The filter 767 reliably protects the ejector and the patient environment against contamination.

Technical data:

Material: PS (polystyrol)

Recommended duration of use: 7 days

Additional Information for Filter:

Bacterial retention: 99.992%\*\*\*\*

Viral retention: 99.99%\*\*\*\*

\*\*\*\*According to EN 1822-1:1998 Filter for suspended particles (HEPA and ULPA)

### B Bacterial filter disposable, 20 pcs. MK00514

You can use the bacterial filter to reliably protect the suction devices against contamination.

Technical data:

Material: Acryl

Recommended duration of use: 7 days

Additional Information for Filter:

Bacterial retention: 99.99997%\*

Viral retention: 99.99997%\*

NaCl retention: 99.9982%\*\*

\* Test has been performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA

\*\* Test has been performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1

### C Bacterial and viral filter system VarioSafe, for VarioAir®, VarioVac®, VarioO2, disposable, 10 pcs. MP00555

The new VarioSafe® disposable filter system reliably protects the VarioAir®, VarioVac® and VarioO2 series and the patient environment against contamination.

Technical data:

Material: PS (polystyrol)

Recommended duration of use: 7 days

Maximum capacity: 90 ml

Additional Information for Filter:

Aerosole and Fluid retention: 100% (with VarioSafe)\*

Bacterial retention: 99.99997% (with VarioSafe)\*\*

Viral retention: 99.99922% (with VarioSafe)\*\*

NaCl retention: 99.8900% (with VarioSafe)\*\*\*

\* Test has been performed by Drägerwerk AG & Co. KGaA, Dec 2020, Lübeck, Germany


\*\* Test has been performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA

\*\*\* Test has been performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1



## BRONCHIAL ASPIRATION

<b>A</b>	<b>Suction hose, silicone, reusable, 1.5 m, for medical suction</b>	<b>M25780</b>
<b>B</b>	<b>Connection hose, silicone, reusable, ID 5 mm, wall thickness 2 mm, by meter</b>	<b>1203606</b>
	<b>Silicone hose 6 × 2.5, 2 m</b>	<b>5001330</b>
<b>C</b>	<b>Cap, for 700 ml secretion jar, with overflow safeguard</b>	<b>2M85011</b>
<b>D</b>	<b>Cap, for secretion jar, for fistula indicator for continuous and thoracic drainage</b>	<b>2M85013</b>
<b>E</b>	<b>Cap, for secretion jar, w/ overflow safeguard and pressure relief valve (≥ 0.1 kPa)</b>	<b>2M85012</b>



## BRONCHIAL ASPIRATION

---

<b>A</b> Secretion jar, PSU (Polysulfone), reusable, 300 ml, autoclavable up to 134°C	<u>2M86207</u>
<b>B</b> Secretion jar, PSU (Polysulfone), reusable, 700 ml, autoclavable up to 134°C	<u>2M85594</u>
<b>C</b> Elbow, angled hose connection for secretion jar caps	<u>2M19063</u>
<b>D</b> Shut-off valve for VarioVac®, for temporary opening and closing of suction flow	<u>MP00570</u>
<b>E</b> Secretion control glass	<u>M07582</u>





## BRONCHIAL ASPIRATION

<b>A</b> Pressure gauge for VarioVac® + VarioAir®, double scale kPa/mmHg, -100 kPa (-1000 mbar)	<b>MP00578</b>
<b>B</b> Pressure gauge for VarioVac® + VarioAir®, double scale kPa/mmHg, -60 kPa (-600 mbar)	<b>MP00580</b>
<b>C</b> Pressure gauge -100 kPa MRI, double scale kPa/mmHg, -100 kPa (-1000 mbar)	<b>MP03589</b>
<b>D</b> Pressure gauge -60 kPa MRI, double scale kPa/mmHg, -60 kPa (-600 mbar)	<b>MP03587</b>



## BRONCHIAL ASPIRATION

---

<p><b>A</b> <u>Universal holder with groove 25 × 5 for wall rails 25 × 8 to 35 × 10 mm, for compact suction system and secretion jar set</u></p>	<p><u>2M86757</u></p>
<p><b>B</b> <u>Universal holder profile 30 × 5 for wall rails 25 × 8 to 35 × 10 mm</u></p>	<p><u>MP00634</u></p>
<p><b>C</b> <u>Universal holder for wall rails 25 × 8 to 35 × 10 mm with M5 drill hole 15 mm distance</u></p>	<p><u>MP00635</u></p>
<p><b>D</b> <u>Universal holder for wall rails 25 × 8 to 35 × 10 mm with M5 drill hole 22 mm distance</u></p>	<p><u>MP00636</u></p>
<p><b>E</b> <u>Universal holder flex 15 for wall rails 25 × 8 to 35 × 10 mm with bottle screw</u></p>	<p><u>MP00637</u></p>




## MEDICAL ASPIRATION

### 2.2 OR aspiration

During surgical, endoscopic and minimally invasive procedures you do not have to abandon the easy use of these products. A modular design facilitates the easy replacement of components and allows the system to be upgraded with any of Dräger's rail-mounted accessories. The negative pressure can be generated either by a vacuum regulator or an ejector.

An overflow safeguard in the secretion jar and an additional protection jar reduce the risk of contamination of the drive element and the pressure or vacuum generating system.

The OR aspirators can be connected either to the central vacuum system or, when used with an ejector drive unit, to the piped oxygen or medical air supply system.



1	MP00505	VarioVac® B/OR Rail
	MP00516	Dual VarioVac® B/OR Rail
2	MP00535	VarioAir® B/OR Rail
3	MP00552	VarioO2® B/OR Rail
4	2M85441	Trolley, for OR suction unit
5	MP03231	Cap secretion jar Medela
6	MP03230	Secretion jar 3 L Medela

7	MP03233	Connection hose Medela
8	MP03232	Switchover valve Medela
9	MP00634	Universal holder profile 30 × 5
10	2M86758	Protection jar
11	2M85446	CS connection hose holder
12	2M85239	Suction hose holder
13	MX37021	Bacterial filter, disposable, for Evac 40

## OR ASPIRATION

### 2.2 OR ASPIRATION

<b>A</b>	<b>Vacuum regulator VarioVac® B/OR Rail, for bronchial and OR suction, gas connection NIST VAC</b>	<b>MP00505</b>
Technical data:		
Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)	
Maximum suction flow:	55 l/min	
Weight:	600 to 800 g (800 g for rail versions)	
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe) 80 × 330 × 160 (with VarioSafe)	
Maximum sound level:	43 dB(A)	
Hose nozzle:	Ø 6 mm	
<u>Additional Information for Filter:</u>		
Aerosole and Fluid retention:	100% (with VarioSafe)*	
Bacterial retention:	99.99997% (with VarioSafe)**	
Viral retention:	99.99922% (with VarioSafe)**	
NaCl retention:	99.8900% (with VarioSafe)***	
* Test has been performed by Drägerwerk AG & Co. KGaA, Dec 2020, Lübeck, Germany		
** Test has been performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA		
*** Test has been performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1		
<b>B</b>	<b>Vacuum regulator dual VarioVac® B/OR Rail, for bronchial and OR suction, gas connection NIST VAC</b>	<b>MP00516</b>
Weight: 1,700 g		
Dimensions (W/H/D) in mm: 200 × 210 × 210 (without VarioSafe) 200 × 340 × 210 (with VarioSafe)		
<b>C</b>	<b>Ejector VarioAir® B/OR Rail, for bronchial and OR suction, gas connection NIST AIR</b>	<b>MP00535</b>
<b>C</b>	<b>Ejector VarioO2® B/OR Rail, for bronchial and OR suction, gas connection NIST O<sub>2</sub></b>	<b>MP00552</b>
Technical data:		
Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)	
Minimum suction flow:	40 l/min	
Inlet pressure range:	4 to 5.5 bar	
Maximum gas consumption:	55 l/min	
Weight:	800 g	
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe)	
Maximum sound level:	57 dB(A)	
Hose nozzle:	Ø 6 mm	
Pressure relief valve:	Ex 0.1 kPa (1 mbar)	
<u>Additional Information for Filter:</u>		
Aerosole and Fluid retention:	100% (with VarioSafe)*	
Bacterial retention:	99.99997% (with VarioSafe)**	
Viral retention:	99.99922% (with VarioSafe)**	
NaCl retention:	99.8900% (with VarioSafe)***	
* Test has been performed by Drägerwerk AG & Co. KGaA, Dec 2020, Lübeck, Germany		
** Test has been performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA		
*** Test has been performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1		



For CS hoses please refer to chapter „Accessory for gas supply“.

Not all articles are available worldwide.

## OR ASPIRATION

<b>A</b>	<b>Trolley, for OR suction unit, with protection jar, w/o 4 L secretion jars</b>	<b>2M85441</b>
<b>B</b>	<b>Secretion jar 3 L Medela*</b>	<b>MP03230</b>
<b>C</b>	<b>Cap secretion jar Medela*</b>	<b>MP03231</b>
<b>D</b>	<b>Switchover valve Medela*</b>	<b>MP03232</b>
	<b>Connection hose Medela*</b>	<b>MP03233</b>

\*Made by Medela AG, Schweiz



## OR ASPIRATION

---

<b>A</b>	<b>Universal holder with groove 25 × 5 for wall rails 25 × 8 to 35 × 10 mm, for compact suction system and secretion jar set</b>	<b><u>2M86757</u></b>
<b>B</b>	<b>Universal holder profile 30 × 5 for wall rails 25 × 8 to 35 × 10 mm</b>	<b><u>MP00634</u></b>
<b>C</b>	<b>Bacterial filter, disposable, for Evac 40, 10 pcs.</b>	<b><u>MX37021</u></b>
<b>D</b>	<b>CS connection hose holder</b>	<b><u>2M85446</u></b>
<b>E</b>	<b>Suction hose holder, suitable for various diameters</b>	<b><u>2M85239</u></b>




## MEDICAL ASPIRATION

### 2.3 Continuous and thoracic drainages

Continuous drainages are used for drainage of secretion, blood and/or air from body cavities over long periods, following operations, particularly after open-thorax surgery.

All of Dräger's continuous drainages are made from high-quality materials and are designed with space in mind.

Individual solutions allows you to choose between pneumatic or electrical driven drainages, while also assisting you in optimizing your specific needs and requirements.



1	MP00507	VarioVac® D DIN
	MP00508	VarioVac® D BS
	MP00509	VarioVac® D NF
	MP00510	VarioVac® D AGA
	MP00515	VarioVac® D CARBA
2	MP00511	VarioVac® D Rail
	MP00663	VarioVac® T Rail
3	MP00512	VarioVac® T Rail WV
4	MP00537	VarioAir® D DIN
	MP00538	VarioAir® D BS
	MP00539	VarioAir® D NF
	MP00540	VarioAir® D AGA
	MP00541	VarioAir® D UNI
	MP00549	VarioAir® D CARBA
	MP00553	VarioAir® T DIN
	5	MP00542
	MP00543	VarioAir® T Rail

6	MP00544	VarioAir® T Rail WV
7	2M85153	Continuous drainage 3
	2M85151	Continuous drainage 1
9	2M85056	Secretion jar set
10	2M85607	Secretion jar set, with protection jar
11	2M85163	Secretion jar set, with rail holder and secretion jar 700 ml
12	MP00518	Water vacuum gauge
13	M26859	Wall holder
14	M26842	Rail clamp lever type
15	2M85119	Ceiling holder
16	2M85446	CS connection hose holder
17	2M85239	Suction hose holder
18	6723976	Bacterial filter 767

## CONTINUOUS AND THORACIC DRAINAGES

### 2.3 CONTINUOUS AND THORACIC DRAINAGES

The vacuum regulator is directly connected to a central vacuum supply, or mounted on a rail. The smoothly adjustable vacuum, up to max. -160 mbar (-16 kPa), is displayed on a rotating manometer, legible from all sides.

All vacuum regulators include a shut-off valve.

You can use the VarioSafe® disposable filter system to reliably protect the **VarioVac®** series and the central vacuum system against contamination. A VarioSafe® filter system is included with every VarioVac® vacuum regulator.

Technical data:

Maximum vacuum: -16 to 0 kPa (-160 to 0 mbar)

Maximum suction flow: 18 l/min

Weight: 600 to 800 g

(800 g for rail versions)

Dimensions (W/H/D) in mm: 80 × 210 × 160 (without VarioSafe)

80 × 340 × 160 (with VarioSafe)

Maximum sound level: 50 dB(A)

Hose nozzle: Ø 6 mm

**Additional Information for Filter:**

Aerosole and Fluid retention: 100% (with VarioSafe)\*

Bacterial retention: 99.99997% (with VarioSafe)\*\*

Viral retention: 99.99922% (with VarioSafe)\*\*

NaCl retention: 99.8900% (with VarioSafe)\*\*\*

\* Test has been performed by Drägerwerk AG & Co. KGaA,  
Dec 2020, Lübeck, Germany

\*\* Test has been performed by Nelson Laboratories Inc.,  
Dec 2020, Salt Lake City, USA

\*\*\* Test has been performed by Dräger Safety AG & Co. KGaA,  
March 2021, Lübeck, Germany, according to EN ISO 23328-1

<b>A</b>	<b>Vacuum regulator VarioVac® D DIN, for continuous and wound drainage, gas connection VAC</b>	<b>MP00507</b>
<b>B</b>	<b>Vacuum regulator VarioVac® D BS, for continuous and wound drainage, gas connection VAC</b>	<b>MP00508</b>
<b>C</b>	<b>Vacuum regulator VarioVac® D NF, for continuous and wound drainage, gas connection VAC</b>	<b>MP00509</b>
<b>D</b>	<b>Vacuum regulator VarioVac® D AGA, for continuous and wound drainage, gas connection VAC</b>	<b>MP00510</b>
<b>E</b>	<b>Vacuum regulator VarioVac® D CARBA, for continuous and wound drainage, gas connection VAC</b>	<b>MP00515</b>
<b>F</b>	<b>Vacuum regulator VarioVac® D Rail, for continuous and wound drainage, gas connection VAC</b>	<b>MP00511</b>

For CS hoses please refer to chapter „Accessory for gas supply“.





## CONTINUOUS AND THORACIC DRAINAGES

### A Vacuum regulator VarioVac® T Rail, for thoracic drainage, gas connection VAC, for connection to all standard wall rails

**MP00663**

For connecting via CS vacuum connecting hose.  
The gas supply is ensured by VAC connection hose.

**Technical data:**

Maximum vacuum:	-7 to 0 kPa (-70 to 0 mbar)
Minimum Flow:	15 l/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe)
Maximum sound level:	50 dB(A)
Hose nozzle:	Ø 6 mm

**Additional Information for Filter:**

Aerosole and Fluid retention:	100% (with VarioSafe)*
Bacterial retention:	99.99997% (with VarioSafe)**
Viral retention:	99.99922% (with VarioSafe)**
NaCl retention:	99.8900% (with VarioSafe)***

\* Test has been performed by Drägerwerk AG & Co. KGaA,  
Dec 2020, Lübeck, Germany

\*\* Test has been performed by Nelson Laboratories Inc.,  
Dec 2020, Salt Lake City, USA

\*\*\* Test has been performed by Dräger Safety AG & Co. KGaA,  
March 2021, Lübeck, Germany, according to EN ISO 23328-1



### B Vacuum regulator VarioVac® T DIN, for thoracic drainage, gas connection VAC, for connecting to the central vacuum supply

**MP00664**

**Technical data:**

Maximum vacuum:	-7 to 0 kPa (-70 to 0 mbar)
Minimum Flow:	15 l/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe)
Maximum sound level:	50 dB(A)
Hose nozzle:	Ø 6 mm

**Additional Information for Filter:**

Aerosole and Fluid retention:	100% (with VarioSafe)*
Bacterial retention:	99.99997% (with VarioSafe)**
Viral retention:	99.99922% (with VarioSafe)**
NaCl retention:	99.8900% (with VarioSafe)***

\* Test has been performed by Drägerwerk AG & Co. KGaA,  
Dec 2020, Lübeck, Germany

\*\* Test has been performed by Nelson Laboratories Inc.,  
Dec 2020, Salt Lake City, USA

\*\*\* Test has been performed by Dräger Safety AG & Co. KGaA,  
March 2021, Lübeck, Germany, according to EN ISO 23328-1

For CS hoses please refer to chapter „Accessory for gas supply“.

## CONTINUOUS AND THORACIC DRAINAGES

**A Vacuum regulator VarioVac® T Rail WV,  
for thoracic drainage, gas connection VAC,  
water vacuum gauge included,  
for connection to all standard wall rails,  
double-scaled immersion pipe (kPa and cmH<sub>2</sub>O)**

**MP00512**

For connecting via CS vacuum connection hose.  
The filter MK00514 protects the product and the  
central vacuum supply against contamination.  
Two filters are included in the scope of delivery.

**Technical data:**

Maximum vacuum:	-5 to 0 kPa (-50 to 0 mbar)
Minimum suction flow:	15 l/min
Weight:	1,100 g
Dimensions (W/H/D) in mm:	80 × 860 × 160
Maximum sound level:	40 dB(A)
Hose nozzle:	Ø 6 mm

**Additional Information for Filter:**

Bacterial retention:	99.99997%*
Viral retention:	99.99997%*
NaCl retention:	99.9982%**

\* Test has been performed by Nelson Laboratories Inc.,  
Dec 2020, Salt Lake City, USA

\*\* Test has been performed by Dräger Safety AG & Co. KGaA,  
March 2021, Lübeck, Germany, according to EN ISO 23328-1



For CS hoses please refer to chapter „Accessory for gas supply“.

## CONTINUOUS AND THORACIC DRAINAGES

The **VarioAir®** ejector is connected directly to a medical air supply system or to rails. The low-noise ejector generates a vacuum up to max. -16 kPa (-160 mbar) and shows the vacuum level on a turnable, manually adjustable pressure gauge. All devices offer a pressure relief valve (ex 0.1 kPa) to avoid pressure increase at the patient side.

A new **VarioSafe®** disposable filter system reliably protects the **VarioAir®** series and the patient environment against contamination. One piece of the new **VarioSafe®** filter system is always included.

### Technical data:

Maximum vacuum:	-16 to 0 kPa (-160 to 0 mbar)
Maximum suction flow:	18 l/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	25 l/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe) 80 × 330 × 160 (with VarioSafe)

Maximum sound level:	45 dB(A)
Hose nozzle:	Ø 6 mm
Pressure relief valve:	Ex 0.1 kPa (1 mbar)

### Additional Information for Filter:

Aerosole and Fluid retention:	100% (with VarioSafe)*
Bacterial retention:	99.99997% (with VarioSafe)**
Viral retention:	99.99922% (with VarioSafe)**
NaCl retention:	99.8900% (with VarioSafe)***

\* Test has been performed by Drägerwerk AG & Co. KGaA, Dec 2020, Lübeck, Germany

\*\* Test has been performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA

\*\*\* Test has been performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1

<b>A</b>	<b>Ejector VarioAir® D DIN, for continuous and wound drainage, gas connection AIR</b>	<b>MP00537</b>
<b>B</b>	<b>Ejector VarioAir® D BS, for continuous and wound drainage, gas connection AIR</b>	<b>MP00538</b>
<b>C</b>	<b>Ejector VarioAir® D NF, for continuous and wound drainage, gas connection AIR</b>	<b>MP00539</b>
<b>D</b>	<b>Ejector VarioAir® D AGA, for continuous and wound drainage, gas connection AIR</b>	<b>MP00540</b>
<b>E</b>	<b>Ejector VarioAir® D UNI, for continuous and wound drainage, gas connection AIR</b>	<b>MP00541</b>
<b>F</b>	<b>Ejector VarioAir® D CARBA, for continuous and wound drainage, gas connection AIR</b>	<b>MP00549</b>
<b>G</b>	<b>Ejector VarioAir® D Rail, for continuous and wound drainage, gas connection AIR, for connection to all standard wall rails</b>	<b>MP00542</b>
	For gas supply via CS vacuum connection hose. Connection thread: NIST.	

For CS hoses please refer to chapter „Accessory for gas supply“.

Not all articles are available worldwide.



## CONTINUOUS AND THORACIC DRAINAGES

### A Ejector VarioAir® T Rail, for thoracic drainage, gas connection NIST AIR, for connection to all standard wall rails

**MP00543**

The gas supply is ensured by AIR connection hose.

**Technical data:**

Maximum vacuum:	-7 to 0 kPa (-70 to 0 mbar)
Minimum suction flow:	15 l/min
Maximum gas consumption:	30 l/min
Maximum sound level:	40 dB(A)

**Additional Information for Filter:**

Aerosole and Fluid retention:	100% (with VarioSafe)*
Bacterial retention:	99.99997% (with VarioSafe)**
Viral retention:	99.99922% (with VarioSafe)**
NaCl retention:	99.8900% (with VarioSafe)***

\* Test has been performed by Drägerwerk AG & Co. KGaA,  
Dec 2020, Lübeck, Germany

\*\* Test has been performed by Nelson Laboratories Inc.,  
Dec 2020, Salt Lake City, USA

\*\*\* Test has been performed by Dräger Safety AG & Co. KGaA,  
March 2021, Lübeck, Germany, according to EN ISO 23328-1



### B Ejector VarioAir® T DIN, for thoracic drainage, gas connection DIN, for connecting to the central AIR supply according to DIN standard

**MP00553**

**Technical data:**

Maximum vacuum:	-7 to 0 kPa (-70 to 0 mbar)
Minimum suction flow:	15 l/min
Maximum gas consumption:	30 l/min
Maximum sound level:	40 dB(A)

**Additional Information for Filter:**

Aerosole and Fluid retention:	100% (with VarioSafe)*
Bacterial retention:	99.99997% (with VarioSafe)**
Viral retention:	99.99922% (with VarioSafe)**
NaCl retention:	99.8900% (with VarioSafe)***

\* Test has been performed by Drägerwerk AG & Co. KGaA,  
Dec 2020, Lübeck, Germany

\*\* Test has been performed by Nelson Laboratories Inc.,  
Dec 2020, Salt Lake City, USA

\*\*\* Test has been performed by Dräger Safety AG & Co. KGaA,  
March 2021, Lübeck, Germany, according to EN ISO 23328-1

For CS hoses please refer to chapter „Accessory for gas supply“.

## CONTINUOUS AND THORACIC DRAINAGES

### A Ejector VarioAir® T Rail WV, for thoracic drainage, with water vacuum gauge, for connection to all standard wall rails

**MP00544**

For gas supply via CS vacuum connection hose.

Connection thread: NIST.

Double-scaled immersion pipe (kPa and cmH<sub>2</sub>O).

The filter MK00514 protects the product and the central vacuum supply against contamination.

Two filters are included in the scope of delivery.

#### Technical data:

Maximum vacuum:	-5 to 0 kPa (-50 to 0 mbar)
Minimum suction flow:	15 l/min
Maximum gas consumption:	30 l/min
Weight:	1,100 g
Dimensions (W/H/D) in mm:	80 × 860 × 160
Maximum sound level:	50 dB(A)
Hose nozzle:	Ø 6 mm

#### Additional Information for Filter:

Bacterial retention:	99.99997%*
Viral retention:	99.99997%*
NaCl retention:	99.9982%**

\* Test has been performed by Nelson Laboratories Inc.,  
Dec 2020, Salt Lake City, USA

\*\* Test has been performed by Dräger Safety AG & Co. KGaA,  
March 2021, Lübeck, Germany, according to EN ISO 23328-1



D-28535-2009

For CS hoses please refer to chapter „Accessory for gas supply“.

## CONTINUOUS AND THORACIC DRAINAGES

The vacuum can either be generated by an ejector or via a vacuum regulator. When used with the ejector, a bacterial filter reliably protects against contamination of the environment. All these pneumatic continuous drainages can be used in potentially explosive areas.

All parts which may become contaminated can be autoclaved at up to 134 °C.

The continuous drainage systems 1 and 3 can be used for continuous- and wound drainage as well as for thoracic drainage in the combination with a regulator from the VarioVac® D and VarioAir® D series. An additional precision regulator make it easy to adjust lowest vacuum levels.

- A Continuous drainage 1,  
for continuous and wound drainage,  
precision regulator, fistula indicator  
and bacterial filter 767 included, capacity 700 ml,  
maximum capacity up to the overflow safeguard 1,000 ml,  
scale in steps of 10 ml up to max. 700 ml** **2M85151**

Technical data:

Maximum vacuum:	-10 to 0 kPa (-100 to 0 mbar)
Maximum suction flow:	14 l/min
Weight:	3 kg (empty)
Dimensions (W/H/D) in mm:	285 × 340 × 160

- B Continuous drainage 3,  
for continuous, wound, and thoracic drainage,  
precision regulator, water vacuummeter, fistula indicator  
and bacterial filter 767 included, capacity 700 ml,  
maximum capacity up to the overflow safeguard 1,000 ml,  
scale in steps of 10 ml up to max. 700 ml** **2M85153**

Technical data:

Maximum vacuum:	-5 to 0 kPa (-50 to 0 mbar)
Maximum suction flow:	14 l/min
Weight:	5.5 kg (empty)
Dimensions (W/H/D) in mm:	260 × 800 × 180



## CONTINUOUS AND THORACIC DRAINAGES

- A Vacuum regulator VarioVac® T Rail WV, for thoracic drainage, gas connection VAC, water vacuum gauge included, for connection to all standard wall rails, double-scaled immersion pipe (kPa and cmH<sub>2</sub>O)** MP00512

For connecting via CS vacuum connection hose.  
The filter MK00514 protects the product and the central vacuum supply against contamination.  
Two filters are included in the scope of delivery.

## Technical data:

Maximum vacuum:	-5 to 0 kPa (-50 to 0 mbar)
Minimum suction flow:	15 l/min
Weight:	1,100 g
Dimensions (W/H/D) in mm:	80 × 860 × 160
Maximum sound level:	40 dB(A)
Hose nozzle:	Ø 6 mm

Additional Information for Filter:

Bacterial retention:	99.99997%*
Viral retention:	99.99997%*
NaCl retention:	99.9982%**

\* Test has been performed by Nelson Laboratories Inc.,  
Dec 2020, Salt Lake City, USA

\*\* Test has been performed by Dräger Safety AG & Co. KGaA,  
March 2021, Lübeck, Germany, according to EN ISO 23328-1  
For CS hoses please refer to chapter „Accessory for gas supply“.

- B Water vacuum gauge, for thoracic drainage, combination w/ VarioVac® D and VarioAir® D, for connection to all standard wall rails, double-scaled immersion pipe (kPa and cmH<sub>2</sub>O)** MP00518

## Technical data:

Maximum vacuum:	-5 to 0 kPa (-50 to 0 mbar)
Maximum suction flow:	10 l/min
Pressure relief valve:	from 0.1 kPa on (1 mbar)
Hose nozzle:	2 × Ø 6 mm
Weight:	1 kg (empty)
Dimensions (W/H/D) in mm:	80 × 860 × 160

- C Secretion jar set, with rail holder and secretion jar 700 ml, for continuous drainage units** 2M85163

- D Cylinder support** 2M85180



## CONTINUOUS AND THORACIC DRAINAGES


<b>A Bacterial filter 767, 5 pcs.</b>	<b>6723976</b>
<b>A Bacterial filter 767, disposable, for ejectors (model range until 2010)</b>	<b>CH00102</b>
The filter 767 reliably protects the ejector and the patient environment against contamination.	
Technical data:	
Material:	PS (polystyrol)
Recommended duration of use:	7 days
<u>Additional Information for Filter:</u>	
Bacterial retention:	99.992%****
Viral retention:	99.99%****
****According to EN 1822-1:1998 Filter for suspended particles (HEPA and ULP A)	
<b>B Bacterial filter disposable, 20 pcs.</b>	<b>MK00514</b>
You can use the bacterial filter to reliably protect the suction devices against contamination.	
Technical data:	
Material:	Acryl
Recommended duration of use:	7 days
<u>Additional Information for Filter:</u>	
Bacterial retention:	99.99997%*
Viral retention:	99.99997%*
NaCl retention:	99.9982%**
* Test has been performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA	
** Test has been performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1	
<b>C Bacterial and viral filter system VarioSafe, for VarioAir®, VarioVac®, VarioO2, disposable, 10 pcs.</b>	<b>MP00555</b>
The new VarioSafe® disposable filter system reliably protects the VarioAir®, VarioVac® and VarioO2 series and the patient environment against contamination.	
Technical data:	
Material:	PS (polystyrol)
Recommended duration of use:	7 days
Maximum capacity:	90 ml
<u>Additional Information for Filter:</u>	
Aerosole and Fluid retention:	100% (with VarioSafe)*
Bacterial retention:	99.99997% (with VarioSafe)**
Viral retention:	99.99922% (with VarioSafe)**
NaCl retention:	99.8900% (with VarioSafe)***
* Test has been performed by Drägerwerk AG & Co. KGaA, Dec 2020, Lübeck, Germany	
** Test has been performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA	
*** Test has been performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1	






## CONTINUOUS AND THORACIC DRAINAGES

<b>A</b>	<b>Immersion tube, for continuous drainages, not scaled</b>	<b>M16395</b>
	<b>Rubber plug, for immersion tube of water vacuum gauge</b>	<b>2M85139</b>
<b>B</b>	<b>Water container, for continuous drainage system 2 – 4, w/o screw thread</b>	<b>M20668</b>
<b>C</b>	<b>Pressure gauge for VarioVac® + VarioAir®, double scale kPa/mmHg, -16 kPa (-160 mbar)</b>	<b>MP00579</b>
<b>D</b>	<b>Pressure gauge for VarioVac® + VarioAir®, double scale kPa/mmHg, -8 kPa (-80 mbar)</b>	<b>MP03597</b>



## CONTINUOUS AND THORACIC DRAINAGES

<b>A</b> Immersion tube, for water vacuum gauge of for VarioVac® T + VarioAir® T, scaled	<b>MP00569</b>
<b>B</b> Locking screw, for immersion tube, with gaskets, for VarioVac® T Rail WV (MP00512), VarioAir® T Rail WV (MP00544) and water vacuum gauge (MP00518)	<b>MP00596</b>
<b>C</b> Water container with screw thread + gaskets, for VarioVac® T Rail WV (MP00512), VarioAir® T Rail WV (MP00544) and water vacuum gauge (MP00518)	<b>MP00565</b>
<b>D</b> Cap for water vacuum gauge, for VarioVac® T Rail WV (MP00512), VarioAir® T Rail WV (MP00544) and water vacuum gauge (MP00518), including gaskets, combination possible with filter MK00514 and plug nozzle MP00566	<b>MP00595</b>
<b>E</b> Plug nozzle water vacuum gauge, for VarioVac® T Rail WV (MP00512), VarioAir® T Rail WV (MP00544) and water vacuum gauge (MP00518)	<b>MP00566</b>
<b>E</b> Hose nozzle 8 mm small, connection nozzle double sided 8 mm	<b>5000833</b>



**ACCESSORY FOR GAS SUPPLY**

**3. ACCESSORY FOR GAS SUPPLY**

**3.1 CS HOSES**

CS hoses,  
several hoses to connect flowmeter  
with the central supply

**8601697**

**3.1.1 GERMAN STANDARD**

<b>A</b>	<b>O<sub>2</sub> CS hose 0.9 m (2.95 ft) NIST EN DIN</b>	<b>M36729</b>
	<b>O<sub>2</sub> CS hose 1.5 m (4.9 ft) NIST EN DIN</b>	<b>M35489</b>
	<b>O<sub>2</sub> CS hose 3 m (9.8 ft) NIST EN DIN</b>	<b>M35490</b>
	<b>O<sub>2</sub> CS hose 5 m (16.4 ft) NIST EN DIN</b>	<b>M35491</b>
<b>B</b>	<b>AIR CS hose 0.9 m (2.95 ft) NIST EN DIN</b>	<b>M36730</b>
	<b>AIR CS hose 1.5 m (4.9 ft) NIST EN DIN</b>	<b>M35495</b>
	<b>AIR CS hose 3 m (9.8 ft) NIST EN DIN</b>	<b>M35496</b>
	<b>AIR CS hose 5 m (16.4 ft) NIST EN DIN</b>	<b>M35497</b>
<b>C</b>	<b>VAC CS hose 1.5 m (4.9 ft) NIST EN DIN</b>	<b>M35498</b>
	<b>VAC CS hose 3 m (9.8 ft) NIST EN DIN</b>	<b>M35499</b>
	<b>VAC CS hose 5 m (16.4 ft) NIST EN DIN</b>	<b>M36000</b>
<b>D</b>	<b>AIR/O<sub>2</sub> CS hose 1.5 m (4.9 ft) NIST EN DIN</b>	<b>M36001</b>
	<b>AIR/O<sub>2</sub> CS hose 3 m (9.8 ft) NIST EN DIN</b>	<b>M36002</b>
	<b>AIR/O<sub>2</sub> CS hose 5 m (16.4 ft) NIST EN DIN</b>	<b>M36003</b>
<b>E</b>	<b>N<sub>2</sub>O CS hose 0.9 m (2.95 ft) NIST EN DIN</b>	<b>M36731</b>
	<b>N<sub>2</sub>O CS hose 1.5 m (4.9 ft) NIST EN DIN</b>	<b>M35492</b>
	<b>N<sub>2</sub>O CS hose 3 m (9.8 ft) NIST EN DIN</b>	<b>M35493</b>
	<b>N<sub>2</sub>O CS hose 5 m (16.4 ft) NIST EN DIN</b>	<b>M35494</b>



## ACCESSORY FOR GAS SUPPLY

A	<b>O<sub>2</sub> CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN</b>	<b>M36004</b>
	<b>O<sub>2</sub> CS hose 3 m (9.8 ft) NIST NEUTRAL DIN</b>	<b>M36005</b>
	<b>O<sub>2</sub> CS hose 5 m (16.4 ft) NIST NEUTRAL DIN</b>	<b>M36006</b>
B	<b>AIR CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN</b>	<b>M36010</b>
	<b>AIR CS hose 3 m (9.8 ft) NIST NEUTRAL DIN</b>	<b>M36011</b>
	<b>AIR CS hose 5 m (16.4 ft) NIST NEUTRAL DIN</b>	<b>M36012</b>
C	<b>VAC CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN</b>	<b>M36013</b>
	<b>VAC CS hose 3 m (9.8 ft) NIST NEUTRAL DIN</b>	<b>M36014</b>
	<b>VAC CS hose 5 m (16.4 ft) NIST NEUTRAL DIN</b>	<b>M36015</b>
D	<b>AIR/O<sub>2</sub> CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN</b>	<b>M36016</b>
	<b>AIR/O<sub>2</sub> CS hose 3 m (9.8 ft) NIST NEUTRAL DIN</b>	<b>M36017</b>
	<b>AIR/O<sub>2</sub> CS hose 5 m (16.4 ft) NIST NEUTRAL DIN</b>	<b>M36018</b>
E	<b>N<sub>2</sub>O CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN</b>	<b>M36007</b>
	<b>N<sub>2</sub>O CS hose 3 m (9.8 ft) NIST NEUTRAL DIN</b>	<b>M36008</b>
	<b>N<sub>2</sub>O CS hose 5 m (16.4 ft) NIST NEUTRAL DIN</b>	<b>M36009</b>



## ACCESSORY FOR GAS SUPPLY

## 3.1.2 FRENCH STANDARD

A	O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST EN NF	M35416
	O <sub>2</sub> CS hose 3 m (9.8 ft) NIST EN NF	M35417
	O <sub>2</sub> CS hose 5 m (16.4 ft) NIST EN NF	M35330
B	AIR CS hose 1.5 m (4.9 ft) NIST EN NF	M35420
	AIR CS hose 3 m (9.8 ft) NIST EN NF	M35421
	AIR CS hose 5 m (16.4 ft) NIST EN NF	M35332
C	VAC CS hose 1.5 m (4.9 ft) NIST EN NF	M35422
	VAC CS hose 3 m (9.8 ft) NIST EN NF	M35423
	VAC CS hose 5 m (16.4 ft) NIST EN NF	M35424
D	N <sub>2</sub> O CS hose 1.5 m (4.9 ft) NIST EN NF	M35418
	N <sub>2</sub> O CS hose 3 m (9.8 ft) NIST EN NF	M35419
	N <sub>2</sub> O CS hose 5 m (16.4 ft) NIST EN NF	M35331
E	O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35434
	O <sub>2</sub> CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35435
	O <sub>2</sub> CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35436
F	AIR CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35452
	AIR CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35453
	AIR CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35454
G	VAC CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35455
	VAC CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35456
	VAC CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35457



## ACCESSORY FOR GAS SUPPLY

A	<u>N<sub>2</sub>O CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF</u>	<u>M35437</u>
	<u>N<sub>2</sub>O CS hose 3 m (9.8 ft) NIST NEUTRAL NF</u>	<u>M35438</u>
	<u>N<sub>2</sub>O CS hose 5 m (16.4 ft) NIST NEUTRAL NF</u>	<u>M35439</u>
B	<u>O<sub>2</sub> CS hose 0.9 m (2.95 ft) NF EN NF</u>	<u>M36723</u>
	<u>O<sub>2</sub> CS hose 1.5 m (4.9 ft) NF EN NF</u>	<u>M35425</u>
	<u>O<sub>2</sub> CS hose 3 m (9.8 ft) NF EN NF</u>	<u>M35426</u>
	<u>O<sub>2</sub> CS hose 5 m (16.4 ft) NF EN NF</u>	<u>M35342</u>
C	<u>AIR CS hose 0.9 m (2.95 ft) NF EN NF</u>	<u>M36724</u>
	<u>AIR CS hose 1.5 m (4.9 ft) NF EN NF</u>	<u>M35429</u>
	<u>AIR CS hose 3 m (9.8 ft) NF EN NF</u>	<u>M35430</u>
	<u>AIR CS hose 5 m (16.4 ft) NF EN NF</u>	<u>M35343</u>
D	<u>VAC CS hose 1.5 m (4.9 ft) NF EN NF</u>	<u>M35431</u>
	<u>VAC CS hose 3 m (9.8 ft) NF EN NF</u>	<u>M35432</u>
	<u>VAC CS hose 5 m (16.4 ft) NF EN NF</u>	<u>M35433</u>
E	<u>N<sub>2</sub>O CS hose 0.9 m (2.95 ft) NF EN NF</u>	<u>M36725</u>
	<u>N<sub>2</sub>O CS hose 1.5 m (4.9 ft) NF EN NF</u>	<u>M35427</u>
	<u>N<sub>2</sub>O CS hose 3 m (9.8 ft) NF EN NF</u>	<u>M35428</u>
	<u>N<sub>2</sub>O CS hose 5 m (16.4 ft) NF EN NF</u>	<u>M35344</u>



## ACCESSORY FOR GAS SUPPLY

### 3.1.3 BRITISH STANDARD

A	O <sub>2</sub> CS hose 0.9 m (2.95 ft) NIST EN BS	M36726
	O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST EN BS	M35389
	O <sub>2</sub> CS hose 3 m (9.8 ft) NIST EN BS	M35390
	O <sub>2</sub> CS hose 5 m (16.4 ft) NIST EN BS	M35333
B	AIR CS hose 0.9 m (2.95 ft) NIST EN BS	M36727
	AIR CS hose 1.5 m (4.9 ft) NIST EN BS	M35393
	AIR CS hose 3 m (9.8 ft) NIST EN BS	M35394
	AIR CS hose 5 m (16.4 ft) NIST EN BS	M35335
C	VAC CS hose 1.5 m (4.9 ft) NIST EN BS	M35395
	VAC CS hose 3 m (9.8 ft) NIST EN BS	M35396
	VAC CS hose 5 m (16.4 ft) NIST EN BS	M35397
D	N <sub>2</sub> O CS hose 0.9 m (2.95 ft) NIST EN BS	M36728
	N <sub>2</sub> O CS hose 1.5 m (4.9 ft) NIST EN BS	M35391
	N <sub>2</sub> O CS hose 3 m (9.8 ft) NIST EN BS	M35392
	N <sub>2</sub> O CS hose 5 m (16.4 ft) NIST EN BS	M35334



## ACCESSORY FOR GAS SUPPLY

A	<u>O<sub>2</sub> CS hose 1.5 m (4.9 ft) NIST EN BS straight</u>	<u>M35398</u>
	<u>O<sub>2</sub> CS hose 3 m (9.8 ft) NIST EN BS straight</u>	<u>M35399</u>
	<u>O<sub>2</sub> CS hose 5 m (16.4 ft) NIST EN BS straight</u>	<u>M35339</u>
B	<u>AIR CS hose 1.5 m (4.9 ft) NIST BS straight</u>	<u>M35402</u>
	<u>AIR CS hose 3 m (9.8 ft) NIST BS straight</u>	<u>M35403</u>
	<u>AIR CS hose 5 m (16.4 ft) NIST BS straight</u>	<u>M35340</u>
C	<u>VAC CS hose 1.5 m (4.9 ft) NIST BS straight</u>	<u>M35404</u>
	<u>VAC CS hose 3 m (9.8 ft) NIST BS straight</u>	<u>M35405</u>
	<u>VAC CS hose 5 m (16.4 ft) NIST BS straight</u>	<u>M35406</u>
D	<u>N<sub>2</sub>O CS hose 1.5 m (4.9 ft) NIST EN BS straight</u>	<u>M35400</u>
	<u>N<sub>2</sub>O CS hose 3 m (9.8 ft) NIST EN BS straight</u>	<u>M35401</u>
	<u>N<sub>2</sub>O CS hose 5 m (16.4 ft) NIST EN BS straight</u>	<u>M35341</u>





## ACCESSORY FOR GAS SUPPLY

### 3.1.4 SWEDEN STANDARD

A	O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST EN SS	M35375
	O <sub>2</sub> CS hose 3 m (9.8 ft) NIST EN SS	M35376
	O <sub>2</sub> CS hose 5 m (16.4 ft) NIST EN SS	M35377
B	AIR CS hose 1.5 m (4.9 ft) NIST EN SS	M35383
	AIR CS hose 3 m (9.8 ft) NIST EN SS	M35384
	AIR CS hose 5 m (16.4 ft) NIST EN SS	M35385
C	VAC CS hose 1.5 m (4.9 ft) NIST EN SS	M35386
	VAC CS hose 3 m (9.8 ft) NIST EN SS	M35387
	VAC CS hose 5 m (16.4 ft) NIST EN SS	M35388
D	N <sub>2</sub> O CS hose 1.5 m (4.9 ft) NIST EN SS	M35378
	N <sub>2</sub> O CS hose 3 m (9.8 ft) NIST EN SS	M35379
	N <sub>2</sub> O CS hose 5 m (16.4 ft) NIST EN SS	M35382



## ACCESSORY FOR GAS SUPPLY

### 3.1.5 SWISS STANDARD

A	<u>O<sub>2</sub> CS hose 1.5 m (4.9 ft) NIST EN Carba</u>	<u>M35469</u>
	<u>O<sub>2</sub> CS hose 3 m (9.8 ft) NIST EN Carba</u>	<u>M35472</u>
	<u>O<sub>2</sub> CS hose 5 m (16.4 ft) NIST EN Carba</u>	<u>M35345</u>
B	<u>AIR CS hose 1.5 m (4.9 ft) NIST EN Carba</u>	<u>M35475</u>
	<u>AIR CS hose 3 m (9.8 ft) NIST EN Carba</u>	<u>M35476</u>
	<u>AIR CS hose 5 m (16.4 ft) NIST EN Carba</u>	<u>M35346</u>
C	<u>VAC CS hose 1.5 m (4.9 ft) NIST EN Carba</u>	<u>M35477</u>
	<u>VAC CS hose 3 m (9.8 ft) NIST EN Carba</u>	<u>M35478</u>
	<u>VAC CS hose 5 m (16.4 ft) NIST EN Carba</u>	<u>M35479</u>
D	<u>N<sub>2</sub>O CS hose 1.5 m (4.9 ft) NIST EN Carba</u>	<u>M35473</u>
	<u>N<sub>2</sub>O CS hose 3 m (9.8 ft) NIST EN Carba</u>	<u>M35474</u>
	<u>N<sub>2</sub>O CS hose 5 m (16.4 ft) NIST EN Carba</u>	<u>M35347</u>



## ACCESSORY FOR GAS SUPPLY

### 3.1.6 ITALIAN STANDARD


A	<b>O<sub>2</sub> CS hose 1.5 m (4.9 ft) NIST EN UNI</b>	<b>M35407</b>
	<b>O<sub>2</sub> CS hose 3 m (9.8 ft) NIST EN UNI</b>	<b>M35408</b>
	<b>O<sub>2</sub> CS hose 5 m (16.4 ft) NIST EN UNI</b>	<b>M35357</b>
B	<b>AIR CS hose 1.5 m (4.9 ft) NIST EN UNI</b>	<b>M35411</b>
	<b>AIR CS hose 3 m (9.8 ft) NIST EN UNI</b>	<b>M35412</b>
	<b>AIR CS hose 5 m (16.4 ft) NIST EN UNI</b>	<b>M35358</b>
C	<b>VAC CS hose 1.5 m (4.9 ft) NIST EN UNI</b>	<b>M35413</b>
	<b>VAC CS hose 3 m (9.8 ft) NIST EN UNI</b>	<b>M35414</b>
	<b>VAC CS hose 5 m (16.4 ft) NIST EN UNI</b>	<b>M35415</b>
D	<b>N<sub>2</sub>O CS hose 1.5 m (4.9 ft) NIST EN UNI</b>	<b>M35409</b>
	<b>N<sub>2</sub>O CS hose 3 m (9.8 ft) NIST EN UNI</b>	<b>M35410</b>
	<b>N<sub>2</sub>O CS hose 5 m (16.4 ft) NIST EN UNI</b>	<b>M35359</b>



## ACCESSORY FOR GAS SUPPLY

### 3.1.7 AUSTRALIAN STANDARD

A	<b>O<sub>2</sub> CS hose 1.5 m (4.9 ft) NIST EN AS</b>	<b>M36153</b>
	<b>O<sub>2</sub> CS hose 3 m (9.8 ft) NIST EN AS</b>	<b>M36152</b>
	<b>O<sub>2</sub> CS hose 5 m (16.4 ft) NIST EN AS</b>	<b>M36151</b>
B	<b>AIR CS hose 1.5 m (4.9 ft) NIST EN AS</b>	<b>M36150</b>
	<b>AIR CS hose 3 m (9.8 ft) NIST EN AS</b>	<b>M36149</b>
	<b>AIR CS hose 5 m (16.4 ft) NIST EN AS</b>	<b>M36148</b>
C	<b>N<sub>2</sub>O CS hose 1.5 m (4.9 ft) NIST EN AS</b>	<b>M36156</b>
	<b>N<sub>2</sub>O CS hose 3 m (9.8 ft) NIST EN AS</b>	<b>M36155</b>
	<b>N<sub>2</sub>O CS hose 5 m (16.4 ft) NIST EN AS</b>	<b>M36154</b>
D	<b>VAC CS hose 1.5 m (4.9 ft) NIST EN AS</b>	<b>M36826</b>
	<b>VAC CS hose 3 m (9.8 ft) NIST EN AS</b>	<b>M36827</b>
	<b>VAC CS hose 5 m (16.4 ft) NIST EN AS</b>	<b>M36828</b>



## ACCESSORY FOR GAS SUPPLY

### 3.1.8 JAPANESE STANDARD

A	<u>O<sub>2</sub> CS hose 1.5 m (4.9 ft) DISS US KAWA</u>	<u>M35806</u>
	<u>O<sub>2</sub> CS hose 3 m (9.8 ft) DISS US KAWA</u>	<u>M35805</u>
	<u>O<sub>2</sub> CS hose 5 m (16.4 ft) DISS US KAWA</u>	<u>M35804</u>
	<u>O<sub>2</sub> CS hose 8 m (26,25 ft) DISS US KAWA</u>	<u>M35866</u>
B	<u>AIR CS hose 1.5 m (4.9 ft) DISS US KAWA</u>	<u>M35803</u>
	<u>AIR CS hose 3 m (9.8 ft) DISS US KAWA</u>	<u>M35802</u>
	<u>AIR CS hose 5 m (16.4 ft) DISS US KAWA</u>	<u>M35801</u>
	<u>AIR CS hose 8 m (26,25 ft) DISS US KAWA</u>	<u>M35865</u>
C	<u>N<sub>2</sub>O CS hose 1.5 m (4.9 ft) DISS US KAWA</u>	<u>M35809</u>
	<u>N<sub>2</sub>O CS hose 3 m (9.8 ft) DISS US KAWA</u>	<u>M35808</u>
	<u>N<sub>2</sub>O CS hose 5 m (16.4 ft) DISS US KAWA</u>	<u>M35807</u>
	<u>N<sub>2</sub>O CS hose 8 m (26,25 ft) DISS US KAWA</u>	<u>M35867</u>
D	<u>VAC CS hose 5 m (16.4 ft) DISS JIS KAWA</u>	<u>M35820</u>



## ACCESSORY FOR GAS SUPPLY

### 3.1.9 US AMERICAN STANDARD

A	<u>O<sub>2</sub> CS hose DISS N/DISS N 10L</u>	<u>4185140</u>
	<u>O<sub>2</sub> CS hose DISS N/DISS N 15L</u>	<u>4185141</u>
	<u>O<sub>2</sub> CS hose DISS N/DISS N 20L</u>	<u>4199714</u>
B	<u>O<sub>2</sub> CS hose DISS Hand 10L</u>	<u>4199592</u>
	<u>O<sub>2</sub> CS hose DISS Hand 15L</u>	<u>4199591</u>
C	<u>AIR CS hose DISS N/DISS N 10L</u>	<u>4199605</u>
	<u>AIR CS hose DISS N/DISS N 15L</u>	<u>4199604</u>
	<u>AIR CS hose DISS N/DISS N 20L</u>	<u>4199712</u>
D	<u>AIR CS hose DISS Hand 10L</u>	<u>4199594</u>
	<u>AIR CS hose DISS Hand 15L</u>	<u>4199593</u>
E	<u>VAC CS hose DISS N/DISS N 10L</u>	<u>4199602</u>
	<u>VAC CS hose DISS N/DISS N 15L</u>	<u>4199601</u>
	<u>VAC CS hose DISS N/DISS N 20L</u>	<u>4199600</u>
F	<u>VAC CS hose DISS Hand 10L</u>	<u>4199590</u>
	<u>VAC CS hose DISS Hand 15L</u>	<u>4199589</u>



## ACCESSORY FOR GAS SUPPLY

A	<u>N<sub>2</sub>O CS hose DISS N/DISS N 10L</u>	<u>4185142</u>
	<u>N<sub>2</sub>O CS hose DISS N/DISS N 15L</u>	<u>4185143</u>
	<u>N<sub>2</sub>O CS hose DISS N/DISS N 20L</u>	<u>4199713</u>
B	<u>N<sub>2</sub>O CS hose DISS Hand 10L</u>	<u>4199596</u>
	<u>N<sub>2</sub>O CS hose DISS Hand 15L</u>	<u>4199595</u>
C	<u>Hose ASM-WAGD DISS N/ DISS N 10L</u>	<u>MP20022</u>
	<u>Hose ASM-WAGD DISS N/ DISS N 15L</u>	<u>MP20023</u>
	<u>Hose ASM-WAGD DISS N/ DISS N 20L</u>	<u>MP20024</u>
D	<u>Hose ASM-WAGD HAND DISS N 10L</u>	<u>MP20029</u>
	<u>Hose ASM-WAGD HAND DISS N 15L</u>	<u>MP20030</u>



## ACCESSORY FOR GAS SUPPLY

### 3.1.10 CANADIAN STANDARD

Now with check valve as standard.

A	<u>O<sub>2</sub> CS hose 1.5 m (4.9 ft) DISSB EN HAND</u>	<u>M36290</u>
	<u>O<sub>2</sub> CS hose 3 m (9.8 ft) DISSB EN HAND</u>	<u>M36291</u>
	<u>O<sub>2</sub> CS hose 5 m (16.4 ft) DISSB EN HAND</u>	<u>M36292</u>
B	<u>AIR CS hose 1.5 m (4.9 ft) DISSB EN HAND</u>	<u>M36296</u>
	<u>AIR CS hose 3 m (9.8 ft) DISSB EN HAND</u>	<u>M36297</u>
	<u>AIR CS hose 5 m (16.4 ft) DISSB EN HAND</u>	<u>M36298</u>
C	<u>VAC CS hose 1.5 m (4.9 ft) DISSB EN HAND</u>	<u>M36299</u>
	<u>VAC CS hose 3 m (9.8 ft) DISSB EN HAND</u>	<u>M36300</u>
	<u>VAC CS hose 5 m (16.4 ft) DISSB EN HAND</u>	<u>M36301</u>
D	<u>N<sub>2</sub>O CS hose 1.5 m (4.9 ft) DISSB EN HAND</u>	<u>M36293</u>
	<u>N<sub>2</sub>O CS hose 3 m (9.8 ft) DISSB EN HAND</u>	<u>M36294</u>
	<u>N<sub>2</sub>O CS hose 5 m (16.4 ft) DISSB EN HAND</u>	<u>M36295</u>
E	<u>Hose ASM-WAGD HAND DISS N 10L</u>	<u>MP20029</u>
	<u>Hose ASM-WAGD HAND DISS N 15L</u>	<u>MP20030</u>





## ACCESSORY FOR GAS SUPPLY

### 3.1.11 CHINESE STANDARD

	<u>O<sub>2</sub> CS hose 3 m (9.8 ft) NIST GB BS</u>	<u>M36732</u>
	<u>O<sub>2</sub> CS hose 5 m (16.4 ft) NIST GB BS</u>	<u>M36733</u>
	<u>AIR CS hose 3 m (9.8 ft) NIST GB BS</u>	<u>M36736</u>
	<u>AIR CS hose 5 m (16.4 ft) NIST GB BS</u>	<u>M36737</u>
	<u>N<sub>2</sub>O CS hose 3 m (9.8 ft) NIST GB BS</u>	<u>M36734</u>
	<u>N<sub>2</sub>O CS hose 5 m (16.4 ft) NIST GB BS</u>	<u>M36735</u>
	<u>O<sub>2</sub> CS hose 0.9 m (2.95 ft) NIST GB DIN</u>	<u>M36784</u>
	<u>O<sub>2</sub> CS hose 1.5 m (4.9 ft) NIST GB DIN</u>	<u>M36785</u>
	<u>O<sub>2</sub> CS hose 3 m (9.8 ft) NIST GB DIN</u>	<u>M36738</u>
A	<u>O<sub>2</sub> CS hose 5 m (16.4 ft) NIST GB DIN</u>	<u>M36739</u>
	<u>N<sub>2</sub>O CS hose 0.9 m (2.95 ft) NIST GB DIN</u>	<u>M36788</u>
	<u>N<sub>2</sub>O CS hose 1.5 m (4.9 ft) NIST GB DIN</u>	<u>M36789</u>
	<u>N<sub>2</sub>O CS hose 3 m (9.8 ft) NIST GB DIN</u>	<u>M36740</u>
B	<u>N<sub>2</sub>O CS hose 5 m (16.4 ft) NIST GB DIN</u>	<u>M36741</u>
	<u>AIR CS hose 0.9 m (2.95 ft) NIST GB DIN</u>	<u>M36786</u>
	<u>AIR CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN</u>	<u>M36010</u>
	<u>AIR CS hose 3 m (9.8 ft) NIST NEUTRAL DIN</u>	<u>M36011</u>
	<u>AIR CS hose 5 m (16.4 ft) NIST NEUTRAL DIN</u>	<u>M36012</u>



## ACCESSORY FOR GAS SUPPLY

### 3.2 ADAPTER

<b>A</b>	<b>Adapter DISS M/QC-N<sub>2</sub>O-Chemetron</b>	<b>4119065</b>
	<b>Adapter DISS M/QC-AIR-Chemetron</b>	<b>4119066</b>
	<b>Adapter DISS M/QC-VAC-Chemetron</b>	<b>4119067</b>
	<b>Adapter DISS M/QC-O<sub>2</sub>-Chemetron</b>	<b>4119068</b>
	<b>Adapter DISS M/QC-EVAC-Chemetron</b>	<b>4119069</b>
<b>B</b>	<b>Adapter DISS M/QC-N<sub>2</sub>O-Ohmeda</b>	<b>4119070</b>
	<b>Adapter DISS M/QC-AIR-Ohmeda</b>	<b>4119071</b>
	<b>Adapter DISS M/QC-VAC-Ohmeda</b>	<b>4119072</b>
	<b>Adapter DISS M/QC-O<sub>2</sub>-Ohmeda</b>	<b>4119073</b>
	<b>Adapter DISS M/QC-EVAC-Ohmeda</b>	<b>4119074</b>
<b>C</b>	<b>Adapter DISS M/QC-N<sub>2</sub>O-Pur Ben</b>	<b>4119075</b>
	<b>Adapter DISS M/QC-AIR-Pur Ben</b>	<b>4119076</b>
	<b>Adapter DISS M/QC-VAC-Pur Ben</b>	<b>4119077</b>
	<b>Adapter DISS M/QC-O<sub>2</sub>-Pur Ben</b>	<b>4119078</b>
	<b>Adapter DISS M/QC-EVAC-Pur Ben</b>	<b>4119079</b>
	<b>Adapter DISS M/QC-N<sub>2</sub>O-Schrader</b>	<b>4119080</b>
	<b>Adapter DISS M/QC-AIR-Schrader</b>	<b>4119081</b>
	<b>Adapter DISS M/QC-VAC-Schrader</b>	<b>4119082</b>
	<b>Adapter DISS M/QC-O<sub>2</sub>-Schrader</b>	<b>4119083</b>
<b>D</b>	<b>Double-Plug coupling AIR</b>	<b>G01166</b>
	<b>Double-Plug coupling O<sub>2</sub></b>	<b>G01168</b>
	<b>Double-Plug coupling VAC</b>	<b>G01169</b>



## ACCESSORY FOR GAS SUPPLY

<b>A</b>	<b>Adapter O<sub>2</sub> NIST/DIN</b>	<b>M32493</b>
	<b>Adapter N<sub>2</sub>O NIST/DIN</b>	<b>M32494</b>
	<b>Adapter AIR NIST/DIN</b>	<b>M32495</b>
	<b>Adapter VAC NIST/DIN</b>	<b>M32496</b>
	<b>Adapter AIR/O<sub>2</sub> NIST/DIN</b>	<b>M32497</b>
<b>B</b>	<b>Adapter O<sub>2</sub>, DISS-NIST</b>	<b>M34875</b>
	<b>Adapter N<sub>2</sub>O, DISS-NIST</b>	<b>M34876</b>
	<b>Adapter AIR, DISS-NIST</b>	<b>M34877</b>
	<b>Adapter VAC, DISS-NIST</b>	<b>M34878</b>
<b>C</b>	<b>Adapter NIST to DIN CS-Coupling O<sub>2</sub></b>	<b>M35056</b>
	<b>Adapter N<sub>2</sub>O NIST/DIN</b>	<b>M35057</b>
	<b>Adapter NIST to DIN CS-Coupling AIR</b>	<b>M35058</b>
	<b>Adapter AIR-O<sub>2</sub>/O<sub>2</sub> NIST/DIN</b>	<b>M36042</b>
<b>D</b>	<b>T-piece AIR NIST</b>	<b>M36056</b>
<b>E</b>	<b>Adapter O<sub>2</sub> NF/NIST</b>	<b>M35336</b>
	<b>Adapter N<sub>2</sub>O NF/NIST</b>	<b>M35337</b>
	<b>Adapter AIR NF/NIST</b>	<b>M35338</b>





# Rail accessories and examination lights

## Workstations designed with healing in mind

Hospital lighting has a vital impact on the health and well-being of your patients. Our smart solutions equip you with ideally suited lightning, giving you excellent illumination and working conditions.

Sophisticated without being complicated, our Quickstop hinged arms are easy to handle, allowing you more flexibility for improved patient care.

We can help you conceptualise your hospital installations with intelligent workstations integrated with complementing accessory products for safer and more optimised patient care.



**CONTENT RAIL ACCESSORIES  
AND EXAMINATION LIGHT**

<b>1. Rail accessories</b>	<b>351</b>
<b>2. Examination light</b>	<b>354</b>
<b>3. Hinged arms</b>	<b>356</b>
<b>4. Device related accessories</b>	<b>357</b>

## RAIL ACCESSORIES AND EXAMINATION LIGHT

### 1. RAIL ACCESSORIES

<b>A</b> Rail clamp, for attachment to poles of different diameters, rotatable by 90° to left and right, length of standard rail (profile 25 × 10 mm): 20 cm	<b>2M85274</b>
<b>B</b> Rail clamp lever type, for attachment of devices to 25 × 10 mm standard rail, for compact suction unit and secretion jar set	<b>M26842</b>
<b>C</b> CS connection hose holder	<b>2M85446</b>
<b>D</b> Suction hose holder, suitable for various diameters	<b>2M85239</b>



## RAIL ACCESSORIES AND EXAMINATION LIGHT

<b>A Ceiling holder, rail holder for compact suction systems and secretion jar sets</b>	<b>2M85119</b>
<b>Wire baskets*</b>	
<p>The wire baskets are used for storage of disposable catheters or dispoables gloves. The catheters can be simply stored in bundles and are then easy to take out one by one. The baskets are chromeplated and are thus easy to clean and can be autoclaved at up to 134 °C. The amount of space for a basket on the rails is around 150 mm (5.9 in).</p>	
<b>B Basket 150, 15 × 20 × 10 cm, e.g., for disposable gloves</b>	<b>M26146</b>
<b>B Basket 300, 15 × 28 × 10 cm, e.g., for 300 mm catheters</b>	<b>M26145</b>
<b>B Basket 600, 15 × 48 × 10 cm, e.g., for 600 mm catheters</b>	<b>M25121</b>
<b>C Litter bag holder, stainless steel, with base plate and litter bags (100 pcs.)</b>	<b>M24695</b>
<b>Litter bags, disposable, for litter bag holder, 100 pcs.</b>	<b>M26240</b>


\*Tradeware





## RAIL ACCESSORIES AND EXAMINATION LIGHT

<b>A</b> Cable holder for rail, 10 pcs., cable holder set for guiding cables and hoses along standard rails (25 × 10 mm), consisting of 10 plastic rail clips	<b>G15225</b>
<b>A</b> Cable holder for support pole, 4 pcs., cable holder set for guiding cables and hoses along support tubes with a diameter of 38 mm (1.5 in), consisting of 4 two-part plastic clamps and screws	<b>G13171</b>
<b>B</b> Compact rail, for 38 mm tube, standard rail profile 25 × 10 mm, each side 10 cm, weight: 0.9 kg, max. load: 30 kg	<b>2M85337</b>
<b>C</b> Extension arm set, for cables and hoses, with cable/hose guide channels	<b>G13040</b>



## RAIL ACCESSORIES AND EXAMINATION LIGHT

### 2. EXAMINATION LIGHT

The Dräger **VarioLux®** offers cool, highly efficient, and variable intensity examination light and was specially designed for use in neonatology and pediatric settings. Made for single-handed operation, it features adjustable color temperature settings as well as a dimmer function.


Operating mode:	Continuous operation
Weight:	1.5 kg (3.3 lbs)
Electrical values:	100 – 240 V, 50/60 Hz
Max. illumination intensity $E_c$ at 0.5 m:	30,000 lx
Dimming levels:	30,000 lx, 24,000 lx, 18,000 lx, 12,000 lx, 7,000 lx
Light field diameter $d_{10}$ at 0.5 m:	20 cm (7.9 in)
Light field diameter $d_{50}$ at 0.5 m:	9 cm (3.5 in)
Color temperature adjustable:	Cool white (blue) 4,700 K, Neutral white (white) 4,100 K, Warm white (red) 3,500 K
Min. service life of bulb (LEDs):	> 50,000 h
Color reproduction index:	$R_a \geq 96$ (at 3,500 K) $R_9 = 89$ (at 3,500 K)
Max. radiant power at 0.5 m:	105 W/m <sup>2</sup>

<b>A</b>	<b>Medical examination light VarioLux® with LED technology, EU</b>	<b>MP00601</b>
	<b>Medical examination light VarioLux® with LED technology, US</b>	<b>MP00602</b>
	<b>Medical examination light VarioLux® with LED technology, GB</b>	<b>MP00603</b>
	<b>Medical examination light VarioLux® with LED technology, AUS</b>	<b>MP00606</b>
	<b>Medical examination light VarioLux® with LED technology, JPN</b>	<b>MP00608</b>
	<b>Power cable EU, 1.8 m, 2 pin</b>	<b>MP00591</b>
	<b>Power cable US/JPN, 1.8 m, 2 pin</b>	<b>MP00592</b>
	<b>Power cable GB, 1.8 m, 2 pin</b>	<b>MP00593</b>
	<b>Power cable AUS, 1.8 m, 2 pin</b>	<b>MP00626</b>



## RAIL ACCESSORIES AND EXAMINATION LIGHT

<b>A</b>	<b>Rail claw for lamp</b>	<b>MP00615</b>
<b>B</b>	<b>Turn knob, compl.</b>	<b>MP00587</b>
<b>C</b>	<b>Control panel</b>	<b>MP00589</b>
<b>D</b>	<b>Rail clamp, for attachment to poles of different diameters, rotatable by 90° to left and right, length of standard rail (profile 25 × 10 mm): 20 cm</b>	<b>2M85274</b>
<b>E</b>	<b>Compact rail, for 38 mm tube, standard rail profile 25 × 10 mm, each side 10 cm, weight: 0.9 kg, max. load: 30 kg</b>	<b>2M85337</b>



## RAIL ACCESSORIES AND EXAMINATION LIGHT

### 3. HINGED ARMS

Keeping everything close at hand. To leave your hands free to care for the patient, all the joints can be fixed into place and released with just one quick hand movement. All cables, lines and hose systems can be arranged in such a way as to more or less completely prevent accidental disconnection.

- |  |                |
|--|----------------|
| <p><b>A Hinged arm Infinity® ACS, for positioning and fixation of breathing hoses, this arm can be fixed into place without a hand movement through a patent registered friction torque-breaking system, length 1,080 mm, max. load 0.5 kg, includes hose clamps: MP00693 (1×), 8417396 (2×)</b></p> | <b>MP00690</b> |
| <p><b>B Hinged arm 240°, 3 hinges, fixable, ball holder system, length 1,155 mm, max. load 0.3 kg, includes hose clamps: MP00493 (1×), 8409841 (1×), 8409746 (1×)</b></p>  | <b>8409609</b> |
| <p><b>C Hinged arm Quickstop 2, with universal ball holder system for optional accessories length 858 mm, max. load 0.4 kg, includes hose clamps: MP00493 (1×), 8404761 (2×), 8409841 (1×)</b></p>   | <b>2M85706</b> |
| <p><b>D Hinged arm Quickstop short, with mounted universal tube holder plate, for various tube dimensions/coaxial hoses, specifically designed for OR tables, length 323 mm, max. load 1 kg</b></p>  | <b>2M86463</b> |



## DEVICE RELATED ACCESSORIES

### 4. DEVICE RELATED ACCESSORIES

A Disposable Handle Polaris®, Dual, for Polaris® 100/200, 600 and Multimedia, adapter required, 60 pcs.	<b>MP05700</b>
A Disposable Handle Polaris®, Single, for Polaris® 100/200, 600 and Multimedia, adapter required, 120 pcs.	<b>MP05701</b>



### CONVERSION KITS

Polaris® 100 with sterilizable handle (G92099), 1 pc.	<b>G35332</b>
Polaris® 200 with sterilizable handle (G92099), 1 pc.	<b>G35614</b>
Polaris® 100/200 with sterilizable handle E (G36993), 1 pc.	<b>G35325</b>
Polaris® 600 with sterilizable handles (G92099 or G36993), 1 pc.	<b>G35324</b>
Polaris® Multimedia (display adapter) with sterilizable handles (G92099 or G36993), 1 pc.	<b>G35333</b>



# Neonatal care and thermoregulation

## Improving care for your smallest of patients

The majority of all neonatal deaths (75%) occurs during the first week of life<sup>1)</sup>. This sobering reality drives us to develop gentle and efficient solutions for improving acute care in neonatal intensive care units. Together with you, our goal is to lower morbidity and mortality rates while reducing stress for newborns and clinical staff.

We understand that “small” doesn’t mean less important. And that’s why we give our accessories and consumables the highest level of attention – so that when you need to give your tiniest patients the best possible care, you can rely on our smallest products for:

- Thermoregulation,
- neonatal respiratory support,
- vital sign monitoring,
- jaundice treatment,
- and so much more.

To help you do just that – save lives.

<sup>1)</sup><https://www.who.int/news-room/fact-sheets/detail/newborns-reducing-mortality>

### CONTENT NEONATAL CARE AND THERMOREGULATION

<b>1. Warming therapy</b>	<b>361</b>
Babyleo® TN500	361
Caleo®	363
Isolette® 8000/8000 plus	365
Air-Shields® Isolette® C2000/8000	367
Babytherm® 8000 WB/8004/8010/4200	369
Air-Shields® Resuscitaire®	372
Globe-Trotter GT5400	375
Air-Shields® TI 500 Globe-Trotter	378
Air-Shields® Isolette® TI 500	381
Photo Therapy	383
Developmental Care	384
Miscellaneous	386
<b>2. Ventilation accessories</b>	<b>387</b>
<b>3. Sensors</b>	<b>422</b>
<b>4. Monitoring accessories</b>	<b>423</b>
<b>5. Ward equipment</b>	<b>432</b>
<b>6. Rail accessories and examination light</b>	<b>477</b>



**BABYLEO® TN500****1. WARMING THERAPY**

<b>A</b>	<b>Skin temperature probe ThermoTrace, disposable, yellow, central, 5 pcs.</b>	<b>MX11000</b>
<b>B</b>	<b>Skin temperature probe ThermoTrace, disposable, white, peripheral, 5 pcs.</b>	<b>MX11001</b>
<b>C</b>	<b>Mattress SoftBed, for Babyleo® TN500, reusable, mattress cover: 100% polyurethane, fabric: 100% polyester; Cold Foam Mattress</b>	<b>2M60390</b>
<b>D</b>	<b>Incubator cover for Babyleo® TN500, reusable, outer fabric: 100% polyester, inner fabric: 100% polyester</b>	<b>MP03730</b>
<b>E</b>	<b>Cuddling toy Babyleo® TN500*, lion, orange</b>	<b>MP03737</b>
<b>F</b>	<b>O<sub>2</sub> sensor Oxycell, for Babyleo® TN500</b>	<b>6873065</b>

\*Tradeware



**BABYLEO® TN500**

<b>A</b>	<b>Ventilation hose holder, reusable, 40 cm</b>	<b>8411075</b>
<b>B</b>	<b>Air intake filter for Caleo® and Babyleo® TN500, reusable, 20 pcs.</b>	<b>MX17015</b>
<b>C</b>	<b>Water transfer hose for Caleo® and Babyleo® TN500, disposable, 20 pcs.</b>	<b>MX17018</b>
<b>D</b>	<b>Gastroschisis arm, complete</b>	<b>2M60180</b>
<b>E</b>	<b>Holder for cylinder packet for GCX profile</b>	<b>4118453</b>
<b>F</b>	<b>Rail, 100 mm for GCX profile</b>	<b>4118555</b>
	<b>Clamp for GCX rail, 5 pcs.</b>	<b>2M60401</b>



**CALEO®**

<b>A</b>	<b>Skin temperature probe ThermoTrace, disposable, yellow, central, 5 pcs.</b>	<b>MX11000</b>
<b>B</b>	<b>Skin temperature probe ThermoTrace, disposable, white, peripheral, 5 pcs.</b>	<b>MX11001</b>
<b>C</b>	<b>Mattress SoftBed, for Caleo®, reusable, mattress cover: 100% polyurethane, fabric: 100% polyester; Cold Foam Mattress</b>	<b>MX17012</b>
<b>D</b>	<b>Incubator cover for Caleo®, reusable, outer fabric: 100% polyester, inner fabric: 100% polyester</b>	<b>MP01423</b>
<b>E</b>	<b>Tubing grommet for Caleo®, reusable, angle</b>	<b>2M50385</b>
<b>F</b>	<b>Tubing grommet for Caleo®, reusable, flap</b>	<b>2M50412</b>



**CALEO®**

<b>A</b>	<b>Ventilation hose holder, reusable, 40 cm</b>	<b>8411075</b>
<b>B</b>	<b>O<sub>2</sub> sensor OxyTrace INCU, for Caleo®</b>	<b>MX01050</b>
<b>C</b>	<b>Air intake filter for Caleo® and Babyleo® TN500, reusable, 20 pcs.</b>	<b>MX17015</b>
<b>D</b>	<b>Water transfer hose for Caleo® and Babyleo® TN500, disposable, 20 pcs.</b>	<b>MX17018</b>
<b>E</b>	<b>Water tank and water transfer hose, for Caleo®, reusable</b>	<b>2M50040</b>
<b>F</b>	<b>Infusion holder, reusable, 3 hooks, for poles with Ø 38 mm</b>	<b>2M21514</b>
<b>G</b>	<b>Swivel table, reusable, for poles with Ø 38 mm</b>	<b>2M21186</b>




## ISOLETTE® 8000/8000 PLUS

A Skin temperature probe Premi-Probe® for Isolette® 8000 plus, disposable, yellow, central, 10 pcs.	<b>MU26041</b>
B Skin temperature probe Premi-Probe® for Isolette® 8000 plus, disposable, white, peripheral, 10 pcs.	<b>MU26042</b>
C Mattress SoftBed, for Isolette® C2000, 8000 and 8000 plus, reusable, mattress cover: 100% polyurethane, fabric: 100% polyester; Cold Foam Mattress	<b>MP01401</b>
D Incubator cover for Isolette® C2000, 8000 and 8000 plus, reusable, outer fabric: 100% polyester, inner fabric: 100% polyester	<b>MP01424</b>



**ISOLETTE® 8000/8000 PLUS**

<b>A</b>	<b>Tubing grommet for Isolette® C2000, 8000 and 8000 plus, reusable</b>	<b>MU12609</b>
<b>B</b>	<b>O<sub>2</sub> sensor for Isolette® C2000, 8000 and 8000 plus, reusable, 2 pcs.</b>	<b>MU24903</b>
<b>C</b>	<b>Air intake filter for Isolette® C2000, 8000 and 8000 plus, reusable, 4 pcs.</b>	<b>MU12504</b>
<b>D</b>	<b>Condensate management hoses for Isolette® 8000 and 8000 plus, disposable, 20 pcs.</b>	<b>MU21120</b>
<b>E</b>	<b>Suction bottle with filter and tube for Isolette® 8000, disposable, 800 ml, 20 pcs.</b>	<b>MU10918</b>
<b>F</b>	<b>Iris port sleeve, disposable, 100 pcs.</b>	<b>MU03876</b>




**AIR-SHIELDS® ISOLETTE® C2000/8000**

<b>A</b>	<b>Skin temperature probe Premi-Probe® 5, reusable</b>	<b>MU12533</b>
<b>B</b>	<b>Skin temperature probe Premi-Probe® 5, disposable, 10 pcs.</b>	<b>MU12551</b>
<b>C</b>	<b>Mattress SoftBed, for Isolette® C2000, 8000 and 8000 plus, reusable, mattress cover: 100% polyurethane, fabric: 100% polyester; Cold Foam Mattress</b>	<b>MP01401</b>
<b>D</b>	<b>Incubator cover for Isolette® C2000, 8000 and 8000 plus, reusable, outer fabric: 100% polyester, inner fabric: 100% polyester</b>	<b>MP01424</b>



## AIR-SHIELDS® ISOLETTE® C2000/8000

<b>A</b>	<b>Tubing grommet for Isolette® C2000, 8000 and 8000 plus, reusable</b>	<b>MU12609</b>
<b>B</b>	<b>O<sub>2</sub> sensor for Isolette® C2000, 8000 and 8000 plus, reusable, 2 pcs.</b>	<b>MU24903</b>
<b>C</b>	<b>Air intake filter for Isolette® C2000, 8000 and 8000 plus, reusable, 4 pcs.</b>	<b>MU12504</b>
	<b>Humidifier chamber for Isolette® C2000, reusable</b>	<b>MU17191</b>
<b>D</b>	<b>Condensate management hoses for Isolette® 8000 and 8000 plus, disposable, 20 pcs.</b>	<b>MU21120</b>
<b>E</b>	<b>Suction bottle with filter and tube for Isolette® 8000, disposable, 800 ml, 20 pcs.</b>	<b>MU10918</b>
<b>F</b>	<b>Iris port sleeve, disposable, 100 pcs.</b>	<b>MU03876</b>
<b>G</b>	<b>Hand port cuff, disposable, oval, 100 pcs.</b>	<b>MU06570</b>





**BABYTHERM® 8000 WB/8004/8010/4200**

<b>A</b>	<b>Skin temperature probe ThermoTrace, disposable, yellow, central, 5 pcs.</b>	<b><u>MX11000</u></b>
<b>B</b>	<b>Skin temperature probe ThermoTrace, disposable, white, peripheral, 5 pcs.</b>	<b><u>MX11001</u></b>
<b>C</b>	<b>Gel mattress for Babytherm® 8000 / 8010 and TN300, reusable</b>	<b><u>2M20827</u></b>
<b>D</b>	<b>Mattress SoftBed, for Babytherm®, reusable, mattress cover: 100% polyurethane, fabric: 100% polyester; Cold Foam Mattress</b>	<b><u>2M21012</u></b>



**BABYTHERM® 8000 WB/8004/8010/4200**

<b>A</b>	<b>Holder for hinged hood for Babytherm® 8000 WB, 8004 and 8010, reusable, neonatal, mounts to hand rail</b>	<b>2M21342</b>
<b>B</b>	<b>Deposit plate for Babytherm® 8000</b>	<b>2M21158</b>
<b>C</b>	<b>Handle, complete for Babytherm® 8000</b>	<b>2M21161</b>
<b>D</b>	<b>Breathing hose holder for Babytherm®, neonatal, for 10 mm breathing hose</b>	<b>2M21191</b>
	<b>Tubing grommet, reusable</b>	<b>2M20434</b>



**BABYTHERM® 8000 WB/8004/8010/4200**

<b>A</b> <u>Infusion holder, reusable, 3 hooks, for poles with Ø 38 mm</u>	<u>2M21514</u>
<b>B</b> <u>Infusion bottle holder for Babytherm®, reusable, neonatal</u>	<u>2M16520</u>
<b>C</b> <u>Swivel table, reusable, for poles with Ø 38 mm</u>	<u>2M21186</u>



## AIR-SHIELDS® RESUSCITAIRE®

<b>A</b> <u>Skin temperature probe Premi-Probe® 3, reusable</u>	<u>MU11225</u>
<b>B</b> <u>Skin temperature probe Premi-Probe® 3, disposable, 10 pcs.</u>	<u>MU11228</u>
<b>C</b> <u>Mattress SoftBed, for Resuscitaire®, reusable, with scale, mattress cover: 100% polyurethane, fabric: 100% polyester; Cold Foam Mattress</u>	<u>MP01404</u>
<b>C</b> <u>Mattress SoftBed, for Resuscitaire®, reusable, without scale, mattress cover: 100% polyurethane, fabric: 100% polyester; Cold Foam Mattress</u>	<u>MP01402</u>



## AIR-SHIELDS® RESUSCITAIRE®

<b>A</b>	<b>VentStar® Autobreath N Breathing circuit for Resuscitaire® and TN300, disposable, 25 pcs.</b>	<b>MU10841</b>
<b>B</b>	<b>Breathing hose for breathing bag, disposable, 15 mm, 25 pcs.</b>	<b>MU10900</b>
<b>C</b>	<b>VentStar® Resus Neo, disposable, N, 1 m, 25 pcs., not made with natural rubber latex</b>	<b>MP00310</b>
<b>D</b>	<b>Breathing circuit for Resuscitaire® VentStar®, disposable, N, press. meas. line, 1 m, 25 pcs., not made with natural rubber latex</b>	<b>MP00311</b>
<b>E</b>	<b>T-piece adapter for MX 300/MX 300i and Resuscitaire® breathing circuit, disposable, 20 pcs.</b>	<b>MP01880</b>
<b>F</b>	<b>Silicone mask, reusable, size 00, premature baby</b>	<b>MP02900</b>
<b>F</b>	<b>Silicone mask, reusable, size 0, small neonate</b>	<b>MP01910</b>
<b>F</b>	<b>Silicone mask, reusable, size 1, large neonate</b>	<b>MP01911</b>



## AIR-SHIELDS® RESUSCITAIRE®

<b>A</b>	<b>T-connector, disposable, Ø 15 mm, 25 pcs.</b>	<b>MU10902</b>
<b>B</b>	<b>Suction bottle with holder for Resuscitaire, disposable, 40 ml</b>	<b>MU10916</b>
<b>C</b>	<b>Suction bottle, disposable, 40 ml, 10 pcs.</b>	<b>MU10917</b>
<b>D</b>	<b>Filter for suction bottle 40 ml for Resuscitaire®, disposable, 10 pcs.</b>	<b>MU10915</b>
<b>E</b>	<b>Suction bottle with filter and tube, disposable, 800 ml, 20 pcs.</b>	<b>MU10918</b>



**GLOBE-TROTTER GT5400**


<b>A</b>	<b>Skin temperature probe Premi-Probe® 1, disposable, 10 pcs.</b>	<b>MU06933</b>
<b>B</b>	<b>Skin temperature probe Premi-Probe® 1, reusable</b>	<b>MU06951</b>
<b>C</b>	<b>Mattress SoftBed for TI 500 and TI 500 Globe-Trotter, reusable, lining: 100% polyurethane, fabric: 100% polyester</b>	<b>MP01419</b>
<b>D</b>	<b>Restraining strap, disposable, 10 pcs.</b>	<b>MU06011</b>
	<b>Tubing grommet for TI 500 and TI 500 Globe-Trotter, reusable</b>	<b>MU04366</b>
<b>E</b>	<b>Iris port sleeve, disposable, 100 pcs.</b>	<b>MU03876</b>
<b>F</b>	<b>Hand port cuff, disposable, oval, 100 pcs.</b>	<b>MU06570</b>



## GLOBE-TROTTER GT5400

<b>A</b> <u>Air intake filter for TI 500 and TI 500 Globe-Trotter, disposable, 6 pcs.</u>	<u>MU04472</u>
<b>B</b> <u>Humidity pad, disposable, antibacterial, 25 pcs.</u>	<u>MU06008</u>
<b>C</b> <u>O<sub>2</sub> sensor* for Crossvent 2i+</u>	<u>MU24402</u>
<b>D</b> <u>Flow sensor* for Crossvent 2i+, disposable, infant, 10 pcs.</u>	<u>MU24401</u>
<b>E</b> <u>Breathing circuit* for active humidification, disposable, neonate, 20 pcs., not made with natural rubber latex</u>	<u>MU24409</u>

\*Tradeware





## GLOBE-TROTTER GT5400

- |   |                |
|---|----------------|
| A SpO <sub>2</sub> adhesive sensor* Masimo® LNCS Neo, disposable, neonate, 20 pcs.          | <b>MP00792</b> |
| B SpO <sub>2</sub> adhesive sensor* Masimo® LNCS NeoPt, disposable, premature baby, 20 pcs. | <b>MP00794</b> |

\*Tradeware



## AIR-SHIELDS® TI 500 GLOBE-TROTTER

<b>A</b>	<b>Skin temperature probe Premi-Probe® 1, disposable, 10 pcs.</b>	<b>MU06933</b>
<b>B</b>	<b>Skin temperature probe Premi-Probe® 1, reusable</b>	<b>MU06951</b>
<b>C</b>	<b>Mattress SoftBed for TI 500 and TI 500 Globe-Trotter, reusable, lining: 100% polyurethane, fabric: 100% polyester</b>	<b>MP01419</b>
	<b>Tubing grommet for TI 500 and TI 500 Globe-Trotter, reusable</b>	<b>MU04366</b>
	<b>Breathing hose for TI 500 Globe-Trotter, disposable, 20 pcs.</b>	<b>MU04771</b>
	<b>O<sub>2</sub> sensor for TI 500 Globe-Trotter, reusable</b>	<b>MU04804</b>



**AIR-SHIELDS® TI 500 GLOBE-TROTTER**

<b>A</b> Air intake filter for TI 500 and TI 500 Globe-Trotter, disposable, 6 pcs.	<b>MU04472</b>
<b>B</b> Iris port sleeve, disposable, 100 pcs.	<b>MU03876</b>
<b>C</b> Hand port cuff, disposable, oval, 100 pcs.	<b>MU06570</b>



## AIR-SHIELDS® TI 500 GLOBE-TROTTER

---

- A Humidity pad, disposable, antibacterial, 25 pcs. MU06008
- B Restraining strap, disposable, 10 pcs. MU06011



**AIR-SHIELDS® ISOLETTE® TI 500**

<b>A</b>	<b>Skin temperature probe Premi-Probe® 1, disposable, 10 pcs.</b>	<b>MU06933</b>
<b>B</b>	<b>Skin temperature probe Premi-Probe® 1, reusable</b>	<b>MU06951</b>
<b>C</b>	<b>Mattress SoftBed for TI 500 and TI 500 Globe-Trotter, reusable, lining: 100% polyurethane, fabric: 100% polyester</b>	<b>MP01419</b>
	<b>Tubing grommet for TI 500 and TI 500 Globe-Trotter, reusable</b>	<b>MU04366</b>
<b>D</b>	<b>Air intake filter for TI 500 and TI 500 Globe-Trotter, disposable, 6 pcs.</b>	<b>MU04472</b>
<b>E</b>	<b>Iris port sleeve, disposable, 100 pcs.</b>	<b>MU03876</b>
<b>F</b>	<b>Hand port cuff, disposable, oval, 100 pcs.</b>	<b>MU06570</b>



## AIR-SHIELDS® ISOLETTE® TI 500

---

- A Humidity pad, disposable, antibacterial, 25 pcs. MU06008
- B Restraining strap, disposable, 10 pcs. MU06011



## PHOTO THERAPY

<b>A</b>	<b>Light shield curtain for BiliLux, reusable, woven fabric: 100% cotton, miscellaneous: Polyester (PES)</b>	<b>MP03760</b>
<b>B</b>	<b>Phototherapy mask Eyemax 2*, disposable, micro, head circumference 20-25 cm, 20 pcs.</b>	<b>MP03770</b>
<b>C</b>	<b>Phototherapy mask Eyemax 2*, disposable, preemie, head circumference 26-32 cm, 20 pcs.</b>	<b>MP03771</b>
<b>D</b>	<b>Phototherapy mask Eyemax 2*, disposable, regular, head circumference 33-38 cm, 20 pcs.</b>	<b>MP03772</b>
<b>E</b>	<b>Light for Photo Therapy 4000*, fluorescent bulb, white</b>	<b>2M21009</b>
<b>E</b>	<b>Light for Photo Therapy 4000*, fluorescent bulb, blue</b>	<b>2M21010</b>

\*Tradeware



## DEVELOPMENTAL CARE

---

- A Cuddling toy Cally\*, reusable, light blue or pink 2M30462
- B Cuddling toy Babyleo® TN500\*, lion, orange MP03737
- C Cuddling toy Isi\*, deer green MP03738

\*Tradeware





## DEVELOPMENTAL CARE

- |  |                       |
|--|-----------------------|
| <p><b>A</b> Incubator cover for Babyleo® TN500, reusable,<br/> <u>outer fabric: 100% polyester, inner fabric: 100% polyester</u></p>                                   | <p><b>MP03730</b></p> |
| <p><b>B</b> Incubator cover for Caleo®, reusable,<br/> <u>outer fabric: 100% polyester, inner fabric: 100% polyester</u></p>   | <p><b>MP01423</b></p> |
| <p><b>C</b> Incubator cover<br/>         for Isolette® C2000, 8000 and 8000 plus, reusable,<br/> <u>outer fabric: 100% polyester, inner fabric: 100% polyester</u></p> | <p><b>MP01424</b></p> |



**MISCELLANEOUS**

---

- A** Warming mattress TransWarmer®\*, disposable, self warming for approx. 2 h, 6 pcs. MP01414
- B** Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, small, 100 pcs. MU06944
- C** Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, large, 100 pcs. MU06943

\*Tradeware



## VENTILATION ACCESSORIES

### 2. VENTILATION ACCESSORIES

#### MX 300-i

A	<u>O<sub>2</sub> analyzer MX 300-i*</u>	<u>MP01440</u>
B	<u>O<sub>2</sub> sensor* for MX 300 and MX 300-i, reusable</u>	<u>MP01442</u>
C	<u>Holder* for MX 300 and MX 300-i</u>	<u>MP01443</u>
D	<u>Connection cable* for MX 300 and MX 300-i</u>	<u>MP01444</u>
E	<u>T-piece adapter* for MX 300 and MX 300-i, reusable</u>	<u>MP01445</u>
F	<u>T-piece adapter for MX 300/MX 300i and Resuscitaire® breathing circuit, disposable, 20 pcs.</u>	<u>MP01880</u>

\*Tradeware



## VENTILATION ACCESSORIES

### SEATTLE PAP PLUS – BUBBLE CPAP SYSTEM

Helping infants with respiratory distress breathe easier. The Seattle-Positive Airway Pressure (PAP) system is an innovation, which uses the proven advantages of Bubble CPAP therapy, such as oscillatory effects similar to high frequency ventilation and combines it with an unique design.

Seattle-PAP plus is safe, effective and easy to use. It was designed to:

- Promote infant safety with a uniquely designed pressure manifold with pressure relief valve.
- Safety tube lock to avoid unintended changes of the PEEP level.
- Provide comfort and optimum CPAP support to the infant due to disposable BabyFlow® plus interfaces complementing the system.
- Include funnel with the filling tube which minimises spillages.
- The swivel connector to the expiratory limb prevents unnecessary disconnections and pressure loss.
- The water trap in the expiratory limb prevents unwanted pressure peaks due to condensation in the expiratory limb.

It requires only oxygen and compressed air, both to be administered by an O<sub>2</sub> blender like the Oxymixer from Dräger and a humidification source for the circuit.

<b>A</b>	<b>Seattle PAP plus</b>	<b>MP02260</b>
	<b>Trolley</b>	<b>5790148</b>
<b>B</b>	<b>Multi-P trolley* equipped</b>	<b>MP13020</b>
	Including base with 5 castors, 38 mm Ø pole, 3 rail clamps, basket.	
<b>C</b>	<b>Multi-P trolley*</b>	<b>MP13021</b>
	Including base with 5 castors and 38 mm Ø pole for accessories.	


\*Tradeware



## VENTILATION ACCESSORIES

<b>A Compact rail,</b> for 38 mm tube, standard rail profile 25 × 10 mm, each side 10 cm, weight: 0.9 kg, max. load: 30 kg	<b>2M85337</b>
<b>B Universal holder profile 30 × 5</b> for wall rails 25 × 8 to 35 × 10 mm	<b>MP00634</b>
<b>C Adapter, with 6 mm nozzle,</b> e.g., for disposable breathing masks, 9/16" connection	<b>MP00416</b>
<b>D Rail clamp for F&amp;P humidifier</b> and Seattle PAP bubble box*	<b>8411074</b>
<b>E Rail clamp,</b> for attachment to poles of different diameters, rotatable by 90° to left and right, length of standard rail (profile 25 × 10 mm): 20 cm	<b>2M85274</b>


\*Produced by Fisher & Paykel



## VENTILATION ACCESSORIES

### ACCESSORIES FOR SEATTLE PAP PLUS

<b>A</b>	<b>BabyFlow® plus, disposable, size S, 20 pcs.</b>	<b>MP03700</b>
	<b>BabyFlow® plus, disposable, size M, 20 pcs.</b>	<b>MP03701</b>
	<b>BabyFlow® plus, disposable, size L, 20 pcs.</b>	<b>MP03702</b>
<b>B</b>	<b>Demo package BabyFlow® plus, disposable, size S</b>	<b>MP03703</b>
	<b>Demo package BabyFlow® plus, disposable, size M</b>	<b>MP03704</b>
<b>C</b>	<b>Soft connector N, disposable, 20 pcs.</b>	<b>MP03826</b>
	<b>Prong BabyFlow®, standard, disposable, size XS, 10 pcs.</b>	<b>8418415</b>
	<b>Prong BabyFlow®, standard, disposable, size S, 10 pcs.</b>	<b>8418605</b>
	<b>Prong BabyFlow®, standard, disposable, size M, 10 pcs.</b>	<b>8418416</b>
<b>D</b>	<b>Prong BabyFlow®, standard, disposable, size L, 10 pcs.</b>	<b>8418531</b>
	<b>Prong BabyFlow®, standard, disposable, size XL, 10 pcs.</b>	<b>8418417</b>
	<b>Prong BabyFlow®, standard, disposable, size XXL, 10 pcs.</b>	<b>8418617</b>
	<b>Prong BabyFlow®, wide, disposable, size 3, 10 pcs.</b>	<b>8418603</b>
	<b>Prong BabyFlow®, wide, disposable, size 4, 10 pcs.</b>	<b>8418607</b>
	<b>Prong BabyFlow®, wide, disposable, size 5, 10 pcs.</b>	<b>8418609</b>
	<b>Prong BabyFlow®, wide, disposable, size 6, 10 pcs.</b>	<b>8418611</b>
<b>E</b>	<b>Neo-mask, silicone, disposable, size S, 10 pcs.</b>	<b>8418491</b>
	<b>Neo-mask, silicone, disposable, size M, 10 pcs.</b>	<b>8418490</b>
	<b>Neo-mask, silicone, disposable, size L, 10 pcs.</b>	<b>8418619</b>
	<b>Neo-mask, TPE, disposable, size 4, 10 pcs.</b>	<b>MP01494</b>
	<b>Neo-mask, TPE, disposable, size 5, 10 pcs.</b>	<b>MP01495</b>
	<b>Neo-mask, TPE, disposable, size 6, 10 pcs.</b>	<b>MP01496</b>



## VENTILATION ACCESSORIES

<b>A</b>	Headgear, disposable, size XXS, 17 – 20 cm (6.7 – 7.9 in) head circumference, 5 pcs.	<b>MP03880</b>
	Headgear, disposable, size XS, 20 – 23 cm (7.9 – 9.1 in) head circumference, 5 pcs.	<b>MP03881</b>
	Headgear, disposable, size S, 23 – 27 cm (9.1 – 10.6 in) head circumference, 5 pcs.	<b>MP03882</b>
	Headgear, disposable, size M, 27 – 31 cm (10.6 – 12.2 in) head circumference, 5 pcs.	<b>MP03883</b>
	Headgear, disposable, size L, 31 – 37 cm (12.2 – 14.6 in) head circumference, 5 pcs.	<b>MP03884</b>
	Headgear, disposable, size XL, 37 – 42 cm (14.6 – 16.5 in) head circumference, 5 pcs.	<b>MP03885</b>
	Cap BabyFlow®, disposable, size XS, white, 18 – 20.5 cm (7.1 – 8.1 in) head circumference, 5 pcs.	<b>8418533</b>
	Cap BabyFlow®, disposable, size S, yellow, 20.5 – 23 cm (8.1 – 9.1 in) head circumference, 5 pcs.	<b>8418534</b>
	Cap BabyFlow®, disposable, size M, red, 23 – 25.5 cm (9.1 – 10 in) head circumference, 5 pcs.	<b>8418535</b>
	Cap BabyFlow®, disposable, size L, green, 25.5 – 28 cm (10 – 11 in) head circumference, 5 pcs.	<b>8418536</b>
	Cap BabyFlow®, disposable, size XL, orange, 28 – 30.5 cm (11 – 12 in) head circumference, 5 pcs.	<b>8418537</b>
	Cap BabyFlow®, disposable, size XXL, blue, 30.5 – 33 cm (12 – 13 in) head circumference, 5 pcs.	<b>8418538</b>
<b>B</b>	Cap BabyFlow®, disposable, size XXL+, white/black, 33 – 36 cm (13 – 14.2 in) head circumference, 5 pcs.	<b>8418539</b>



## VENTILATION ACCESSORIES

### OXYMIXER\*

Oxymixer enables a continuous and individually adjusted mixture of medical air and medical oxygen to be administered to infants, children and adults. The O<sub>2</sub> concentration is easily adjusted to a highly accurate flow – even with flow rates of less than 3 l/min.

#### Oxymixer configuration Configurable Oxymixer

**MP04200**

#### A Oxymixer Low Flow

**MP04203**

#### B Oxymixer Low Flow with monitor

**MP04204**

#### C Oxymixer Low Flow with 1 – 15 l flowmeter right

**MP04229**

Several hoses to connect Oxymixer with the central supply.  
For CS hoses see chapter 4, “Accessory for gas supply”.

\*Tradeware





## VENTILATION ACCESSORIES

### OXYMIXER\*

<b>A</b>	<b>Oxymixer sound damper 9/16"</b>	<b>MP04218</b>
<b>B</b>	<b>Oxymixer sound damper 22 and 15 mm</b>	<b>MP04219</b>
<b>C</b>	<b>Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16" connection</b>	<b>MP00416</b>
	<b>Oxymixer oxygen sensor (spare part)</b>	<b>MP04221</b>

\*Tradeware




## VENTILATION ACCESSORIES

### BABYFLOW® PLUS

BabyFlow® plus – The superior non-invasive respiratory support system, designed to maximise performance and patient comfort.

<b>A</b>	<b>BabyFlow® plus, disposable, size S, 20 pcs.</b>	<b>MP03700</b>
	<b>BabyFlow® plus, disposable, size M, 20 pcs.</b>	<b>MP03701</b>
	<b>BabyFlow® plus, disposable, size L, 20 pcs.</b>	<b>MP03702</b>
<b>B</b>	<b>Demo package BabyFlow® plus, disposable, size S</b>	<b>MP03703</b>
	<b>Demo package BabyFlow® plus, disposable, size M</b>	<b>MP03704</b>
	<b>Demo package BabyFlow® plus, disposable, size L</b>	<b>MP03705</b>
<b>C</b>	<b>Soft connector N, disposable, 20 pcs.</b>	<b>MP03826</b>



## VENTILATION ACCESSORIES



### STANDARD PRONGS

Soft anatomically formed nasale silicone prongs, disposable.

<b>A</b>	<b>1</b> Prong BabyFlow <sup>®</sup> , standard, disposable, size XS, 10 pcs.	<b>8418415</b>
	<b>2</b> Prong BabyFlow <sup>®</sup> , standard, disposable, size S, 10 pcs.	<b>8418605</b>
	<b>3</b> Prong BabyFlow <sup>®</sup> , standard, disposable, size M, 10 pcs.	<b>8418416</b>
	<b>4</b> Prong BabyFlow <sup>®</sup> , standard, disposable, size L, 10 pcs.	<b>8418531</b>
	<b>5</b> Prong BabyFlow <sup>®</sup> , standard, disposable, size XL, 10 pcs.	<b>8418417</b>
<b>B</b>	Prong BabyFlow <sup>®</sup> , standard, disposable, size XXL, 10 pcs.	<b>8418617</b>

### WIDE PRONGS

<b>C</b>	<b>1</b> Prong BabyFlow <sup>®</sup> , wide, disposable, size 3, 10 pcs.	<b>8418603</b>
	<b>2</b> Prong BabyFlow <sup>®</sup> , wide, disposable, size 4, 10 pcs.	<b>8418607</b>
	<b>3</b> Prong BabyFlow <sup>®</sup> , wide, disposable, size 5, 10 pcs.	<b>8418609</b>
	<b>4</b> Prong BabyFlow <sup>®</sup> , wide, disposable, size 6, 10 pcs.	<b>8418611</b>




## VENTILATION ACCESSORIES

### MASKS

Nasal masks of silicone and TPE complete the portfolio and increase the comfort for the patient!

A	① Neo-mask, silicone, disposable, size S, 10 pcs.	8418491
	② Neo-mask, silicone, disposable, size M, 10 pcs.	8418490
	③ Neo-mask, silicone, disposable, size L, 10 pcs.	8418619
B	Neo-mask, TPE, disposable, size 4, 10 pcs.	MP01494
C	Neo-mask, TPE, disposable, size 5, 10 pcs.	MP01495
D	Neo-mask, TPE, disposable, size 6, 10 pcs.	MP01496



## VENTILATION ACCESSORIES

### HEADGEARS

The new headgear enable the customer to choose the most comfortable fit and combination for each of their tiny patients.

<b>A</b>	<b>Headgear, disposable, size XXS, 17 – 20 cm (6.7 – 7.9 in) head circumference, 5 pcs.</b>	<b>MP03880</b>
	<b>Headgear, disposable, size XS, 20 – 23 cm (7.9 – 9.1 in) head circumference, 5 pcs.</b>	<b>MP03881</b>
<b>B</b>	<b>Headgear, disposable, size S, 23 – 27 cm (9.1 – 10.6 in) head circumference, 5 pcs.</b>	<b>MP03882</b>
	<b>Headgear, disposable, size M, 27 – 31 cm (10.6 – 12.2 in) head circumference, 5 pcs.</b>	<b>MP03883</b>
<b>C</b>	<b>Headgear, disposable, size L, 31 – 37 cm (12.2 – 14.6 in) head circumference, 5 pcs.</b>	<b>MP03884</b>
	<b>Headgear, disposable, size XL, 37 – 42 cm (14.6 – 16.5 in) head circumference, 5 pcs.</b>	<b>MP03885</b>



## VENTILATION ACCESSORIES

### CAPS

The disposable and breathable microfiber caps (95% cotton, 5% spandex) are available in seven sizes (color-coded).

<b>A</b>	<b>1</b> Cap BabyFlow <sup>®</sup> , disposable, size XS, white, 18 – 20.5 cm (7.1 – 8.1 in) head circumference, 5 pcs.	<b>8418533</b>
	Cap BabyFlow <sup>®</sup> , disposable, size S, yellow, 20.5 – 23 cm (8.1 – 9.1 in) head circumference, 5 pcs.	<b>8418534</b>
	Cap BabyFlow <sup>®</sup> , disposable, size M, red, 23 – 25.5 cm (9.1 – 10 in) head circumference, 5 pcs.	<b>8418535</b>
	<b>2</b> Cap BabyFlow <sup>®</sup> , disposable, size L, green, 25.5 – 28 cm (10 – 11 in) head circumference, 5 pcs.	<b>8418536</b>
	<b>3</b> Cap BabyFlow <sup>®</sup> , disposable, size XL, orange, 28 – 30.5 cm (11 – 12 in) head circumference, 5 pcs.	<b>8418537</b>
	Cap BabyFlow <sup>®</sup> , disposable, size XXL, blue, 30.5 – 33 cm (12 – 13 in) head circumference, 5 pcs.	<b>8418538</b>
<b>B</b>	Cap BabyFlow <sup>®</sup> , disposable, size XXL+, white/black, 33 – 36 cm (13 – 14.2 in) head circumference, 5 pcs.	<b>8418539</b>



## VENTILATION ACCESSORIES

The **MiniMe2\*** nasal mask is designed for children ages 2 – 12. It features an ergonomic silicone gel cushion and a shapeable shell mask to fit individual needs and thus ensuring an effective seal and a comfortable fit.

<b>A</b>	<b>Pediatric nasal mask MiniMe2 non vented, disposable, size S</b>	<b>MP01555</b>
	<b>Pediatric nasal mask MiniMe2 non vented, disposable, size L</b>	<b>MP01556</b>
<b>B</b>	<b>Pediatric nasal mask MiniMe2 vented, disposable, size S</b>	<b>MP01553</b>
	<b>Pediatric nasal mask MiniMe2 vented, disposable, size L</b>	<b>MP01554</b>

\*Tradeware



## VENTILATION ACCESSORIES

<b>A</b>	<b>VentStar® Resus Neo, disposable, N, 1 m, 25 pcs., not made with natural rubber latex</b>	<b>MP00310</b>
<b>B</b>	<b>Breathing circuit for Resuscitaire® VentStar®, disposable, N, press. meas. line, 1 m, 25 pcs., not made with natural rubber latex</b>	<b>MP00311</b>
<b>C</b>	<b>Breathing circuit VentStar®, disposable, N, basic, 1.8 m, 25 pcs., not made with natural rubber latex</b>	<b>MP00353</b>
<b>D</b>	<b>Breathing circuit VentStar®, disposable, N, water trap, 1.8 m, 25 pcs., not made with natural rubber latex</b>	<b>MP00363</b>
	<b>Breathing circuit VentStar®, disposable, N, MRI, 3 m, 10 pcs., not made with natural rubber latex</b>	<b>MP04802</b>
<b>E</b>	<b>Breathing bag set VentStar®, disposable, N, 0.5 L, 1.1 m, 25 pcs., not made with natural rubber latex</b>	<b>MP00383</b>
	<b>Breathing bag set VentStar® (Cone 22OD), disposable, N, 0.5 L, 1.1 m, 25 pcs., not made with natural rubber latex</b>	<b>MP16021</b>
<b>F</b>	<b>Anesthesia set VentStar®, disposable, N, 1.8 m/1.1 m, 25 pcs., not made with natural rubber latex</b>	<b>MP00333</b>
	<b>Anesthesia set VentStar®, disposable, N, 1.8 m/1.1 m, Bag cone 22OD, 25 pcs., not made with natural rubber latex</b>	<b>MP16032</b>
<b>G</b>	<b>VentStar® Breathing Bag 0.5 L, 25 pcs.</b>	<b>MP02710</b>





## VENTILATION ACCESSORIES

<b>A</b> Breathing circuit Infinity® ID, disposable, N, basic, 1.8 m, 25 pcs., not made with natural rubber latex	<b>MP01327</b>
Breathing circuit Infinity® ID, disposable, N, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	<b>MP01328</b>
<b>B</b> Breathing bag set Infinity® ID, disposable, N, 0.5 L, 1.1 m, 25 pcs., not made with natural rubber latex	<b>MP01329</b>



## VENTILATION ACCESSORIES

<b>A</b> Breathing circuit VentStar®, disposable, N, heated, 1.2 m, 10 pcs., not made with natural rubber latex	<b>MP00308</b>
<b>B</b> Breathing circuit VentStar®, disposable, N, heated, w/o chamber, 1.2 m, 10 pcs., not made with natural rubber latex	<b>MP00309</b>
<b>C</b> Breathing circuit Infinity® ID, disposable, N, heated, 1.2 m, 10 pcs., not made with natural rubber latex	<b>MP00343</b>
<b>D</b> Breathing circuit VentStar® Helix, disposable, N, dual heated, 1.7 m, 10 pcs., not made with natural rubber latex	<b>MP02650</b>
<b>E</b> Breathing circuit VentStar® Helix, disposable, N, heated, 1.7 m, 10 pcs., not made with natural rubber latex	<b>MP02608</b>
<b>VentStar® Aquapor, dual heated, N plus, 10 pcs.</b>	<b>MP07150</b>
<b>VentStar® Aquapor, heated, N plus, 10 pcs.</b>	<b>MP07151</b>



## VENTILATION ACCESSORIES


A	<u>Humidifier chamber VentStar®, disposable, 10 pcs.</u>	<u>MP00234</u>
B	<u>Humidifier chamber VentStar®, disposable, N, 10 pcs.</u>	<u>MP02590</u>
C	<u>Double connector 11ID/15OD, disposable, 10 pcs.</u>	<u>MP02655</u>



## VENTILATION ACCESSORIES

### REUSABLE BREATHING SYSTEMS: BLUESET VENTILATION


<b>A</b>	<b>BlueSet Ventilation (N)</b>	<b>8412344</b>
	Consists of:	
①	Y-piece, reusable, N, 90°, with suction opening	8403075
②	Corrugated hose, reusable, N/P, 14 cm, connector 10 mm/10 mm, Ø 10 mm	8403333
③	Temperature sensor mount, reusable, N	8403056
④	Water trap with outlet, reusable N/P	8404760
⑤	Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/10 mm, Ø 10 mm	2165848
⑥	Water trap, reusable, N/P	8409627
⑦	Red cap, 7 mm	8401645
⑧	Breathing hose, silicone, reusable, N/P, 40 cm, connector 10 mm/22 mm, Ø 10 mm	2165856
⑨	Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/22 mm, Ø 10 mm	2165821
	Dummy Plug	8410049



## VENTILATION ACCESSORIES

### REUSABLE ANESTHESIA SYSTEMS: BLUESET ANESTHESIA

<b>A</b>	<b>BlueSet Anesthesia (N)</b>	<b>M27542</b>
Consists of:		
<b>1</b>	<b>Breathing hose, silicone, reusable, N/P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm</b>	<b>2165961</b>
<b>2</b>	<b>Breathing hose, silicone, reusable, N/P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm</b>	<b>2165678</b>
<b>3</b>	<b>Breathing bag, silicone, reusable, 0.5 L, not made with natural rubber latex</b>	<b>2166054</b>
<b>4</b>	<b>Adapter, reusable, 22 mm/22 mm</b>	<b>M25647</b>
<b>5</b>	<b>Y-piece, reusable, N, 90°, with suction opening</b>	<b>8403075</b>
<b>6</b>	<b>Elbow, reusable, N/P, metal, Luer Lock</b>	<b>M34568</b>
<b>7</b>	<b>Set of 5 red caps, 7 mm</b>	<b>8402953</b>



## VENTILATION ACCESSORIES

---

Silicone breathing hose (pediatric) with standard sleeves 10 mm (0.4 in) on both sides and 10 mm (0.4 in) inner diameter

---

**A Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/10 mm, Ø 10 mm**


---

**2165848**

---

**A**

D-36216-2011



## VENTILATION ACCESSORIES

Silicone breathing hose (pediatric) with standard sleeves with one 10 mm (0.4 in) and one 22 mm (0.9 in) sleeve and 10 mm (0.4 in) inner diameter

<b>A</b>	<b>Breathing hose, silicone, reusable, N/P, 40 cm, connector 10 mm/22 mm, Ø 10 mm</b>	<b>2165856</b>
<b>B</b>	<b>Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/22 mm, Ø 10 mm</b>	<b>2165821</b>
<b>C</b>	<b>Breathing hose, silicone, reusable, N/P, 1.1 m, connector 10 mm/22 mm, Ø 10 mm</b>	<b>2165651</b>
<b>D</b>	<b>Breathing hose, silicone, reusable, N/P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm</b>	<b>2165961</b>



## VENTILATION ACCESSORIES

<b>A</b> <u>Y-piece straight, reusable, N/P</u>	<u>M27077</u>
<b>B</b> <u>Y-piece, reusable, N, 90°, with suction opening</u>	<u>8403075</u>
<b>C</b> <u>Elbow, reusable, N/P, metal, Luer Lock</u>	<u>M34568</u>





## VENTILATION ACCESSORIES

Transparent breathing bags of silicone elastomer

<b>A</b>	<b>Breathing bag, silicone, reusable, 0.5 L, not made with natural rubber latex</b>	<b>2166054</b>
<b>B</b>	<b>Breathing bag, silicone, reusable, 1.5 L, not made with natural rubber latex</b>	<b>2166127</b>
<b>C</b>	<b>Demo lung to simulate neonatal lungs, with suitcase</b>	<b>8418077</b>
<b>D</b>	<b>Neonatal Test Lung, reusable, 50 ml, not made with natural rubber latex</b>	<b>MP20050</b>



## VENTILATION ACCESSORIES

The TwinStar® Plus filter/HME from Dräger is a combination of an efficient HME and a high-performance breathing system filter, thereby significantly contributing to infection prophylaxis in ventilation treatment.

- Combination of efficient HME and high-performance breathing system filter
- High retention rates for bacteria and viruses
- High return of moisture
- Sampling connector with tethered cap
- Transparent housing for visual control
- Standardized connectors for safe connection to other components

**A Filter + HME TwinStar® 9 Plus\*, disposable, ~9 ml deadspace, 100 pcs. MP05820**

**B Electrostatic filter and HME TwinStar® 8, disposable, 8 ml deadspace, 50 pcs. MP01820**

HumidStar® Plus moisture exchangers from Dräger partially take over the function of the upper airways and efficiently humidify the inspired air.

- High return moisture
- Sampling connector with tethered cap
- Transparent housing for visual control
- Standardized connectors for safe connection to other components

**C HME HumidStar® 10A, disposable, 10 ml deadspace, angled, 50 pcs. MP01740**

**D HME HumidStar® 2 Plus, disposable, 2 ml deadspace, 100 pcs. MP05845**

\* Planned available in the first half of 2022.  
For local availability please get in touch with your local Dräger contact.



## VENTILATION ACCESSORIES

### CO<sub>2</sub> CUVETTES

CO<sub>2</sub> cuvettes are designed for the monitoring of CO<sub>2</sub> concentration during patient ventilation.

<b>A</b>	<b>CO<sub>2</sub> cuvette disposable, pediatric, 10 pcs.</b>	<b>MP01063</b>
<b>B</b>	<b>CO<sub>2</sub> cuvette reusable, pediatric</b>	<b>6870280</b>

### CO<sub>2</sub> CABLES

<b>C</b>	<b>CO<sub>2</sub> mainstream sensor, for Evita® 2 dura, Evita® 4 Edition and Evita® XL</b>	<b>6871500</b>
<b>D</b>	<b>MCable Mainstream CO<sub>2</sub>, for Infinity® M540, Vista 120, Vista 120 S, and Delta VF9.1 and higher</b>	<b>6871950</b>



## VENTILATION ACCESSORIES

### SEDISTAR® ANESTHESIA FACE MASKS

- |          |   |                |
|----------|---|----------------|
| <b>A</b> | <b>SediStar® anesthesia face mask, disposable, w/o hook ring, size 1, small infant, 30 pcs.</b> | <b>MP01701</b> |
| <b>B</b> | <b>SediStar® anesthesia face mask, disposable, w/o hook ring, size 2, large infant, 30 pcs.</b> | <b>MP01702</b> |

### LITESTAR® ANESTHESIA MASKS

- |          |  |                |
|----------|--|----------------|
| <b>C</b> | <b>Anesthesia mask LiteStar®, disposable, w/o hook ring, size 1, infant S, 30 pcs.</b> | <b>MP11001</b> |
| <b>D</b> | <b>Anesthesia mask LiteStar®, disposable, w/o hook ring, size 2, infant L, 30 pcs.</b> | <b>MP11002</b> |



## VENTILATION ACCESSORIES

## COMFORTSTAR® ANESTHESIA MASKS

<b>A</b>	<b>Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 0, premature baby, 20 pcs.</b>	<b>MP01510</b>
<b>B</b>	<b>Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 1, neonatal, 20 pcs.</b>	<b>MP01511</b>
<b>C</b>	<b>Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 2, baby, 20 pcs.</b>	<b>MP01512</b>
<b>D</b>	<b>Anesthesia mask ComfortStar®, disposable, hook ring, strawberry, size 1, neonatal, 20 pcs.</b>	<b>MP01521</b>
<b>E</b>	<b>Anesthesia mask ComfortStar®, disposable, hook ring, strawberry, size 2, baby, 20 pcs.</b>	<b>MP01522</b>
<b>F</b>	<b>Anesthesia mask ComfortStar®, disposable, hook ring, bubble gum, size 1, neonatal, 20 pcs.</b>	<b>MP01531</b>
<b>G</b>	<b>Anesthesia mask ComfortStar®, disposable, hook ring, bubble gum, size 2, baby, 20 pcs.</b>	<b>MP01532</b>

Pumpball as well as different headgears for fixation are available (cf. Mask accessories).



## VENTILATION ACCESSORIES

### SILICONE MASKS

<b>A</b>	<b>Silicone mask, reusable, size 00, premature baby</b>	<b>MP02900</b>
<b>B</b>	<b>Silicone mask, reusable, size 0, small neonate</b>	<b>MP01910</b>
<b>C</b>	<b>Silicone mask, reusable, size 1, large neonate</b>	<b>MP01911</b>
<b>D</b>	<b>Hook ring for silicone masks, reusable, 15 mm OD, for sizes 00 – 1, 10 pcs.</b>	<b>MP01916</b>


Additional mask accessories, e. g. reusable hook rings as well as reusable headgears are available for fixation (cf. Mask accessories).



## VENTILATION ACCESSORIES

### ACCESSORIES FOR ANESTHESIA MASKS


<b>A</b>	<b>Headgear, disposable, soft fabric, small</b>	<b>MP01559</b>
<b>B</b>	<b>Headgear, disposable, soft rubber, small</b>	<b>MP01561</b>
<b>C</b>	<b>Two-sided pump ball for air management</b>	<b>MP01590</b>



## VENTILATION ACCESSORIES

### NASAL CANNULAS

<b>A</b>	<b>O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, size S, 50 pcs.</b>	<b>MP02920</b>
	<b>O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, size M, 50 pcs.</b>	<b>MP02921</b>
<b>B</b>	<b>O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, size S, 50 pcs.</b>	<b>MP02924</b>
	<b>O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, size M, 50 pcs.</b>	<b>MP02925</b>
<b>C</b>	<b>O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, size S, 50 pcs.</b>	<b>MP02928</b>
	<b>O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, size M, 50 pcs.</b>	<b>MP02929</b>
<b>D</b>	<b>O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, size S, 50 pcs.</b>	<b>MP02932</b>
	<b>O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, size M, 50 pcs.</b>	<b>MP02933</b>





## VENTILATION ACCESSORIES

---

### SET2GO

---

With Dräger's Set2go solutions we offer you totally customised sets consisting of an individual selection of single-patient-use accessories. Dräger Set2go makes using and ordering consumables and accessories much simpler for you. You just need one article number to get all the items in a single package and accomplish your specific task.

Please contact your local Dräger sales organisation to create your individual accessory solution.

---

## VENTILATION ACCESSORIES

### TRADEWARE

<b>A</b>	<b>Humidifier chamber for F&amp;P MR 290, disposable, 10 pcs.*</b>	<b>8418282</b>
<b>B</b>	<b>Humidifier chamber for F&amp;P MR 340, reusable, N/P*</b>	<b>8411047</b>
<b>C</b>	<b>Rail clamp for F&amp;P humidifier and Seattle PAP bubble box*</b>	<b>8411074</b>
<b>D</b>	<b>Holder for F&amp;P humidifier U-shaped, for trolley, with rail clamp*</b>	<b>MP01002</b>
<b>E</b>	<b>Hose heater for F&amp;P MR 700/730, 70 cm*</b>	<b>8411154</b>
<b>F</b>	<b>Hose heater for F&amp;P MR 700/730 and MR 850, for reusable breathing circuit, 1.1 m*</b>	<b>8414993</b>

\*Produced by Fisher & Paykel



## VENTILATION ACCESSORIES

### TRADEWARE

<b>A</b>	<b>Temperature probe/flow sensor for F&amp;P MR 850 for all breathing circuits, 1.1 m*</b>	<b>8414989</b>
<b>A</b>	<b>Temperature probe/flow sensor for F&amp;P MR 850, for all breathing circuits, 1.5 m*</b>	<b>8414966</b>
<b>B</b>	<b>Hose heater adapter for F&amp;P MR 850, for reusable breathing circuit*</b>	<b>8414968</b>
<b>C</b>	<b>Draw wire for hose heater 1.5 m, for reusable breathing circuit*</b>	<b>8411050</b>

\*Produced by Fisher & Paykel



## VENTILATION ACCESSORIES

### AEROGEN PRO\*

<b>A</b>	<b>Medication nebulizer Aerogen Pro</b>	<b>MP01010</b>
<b>B</b>	<b>Nebulizer unit with filler cap for Aerogen Pro</b>	<b>MP01030</b>
<b>C</b>	<b>T-piece set with plug for Aerogen Pro, N, 15 mm (0.6 in), w/ adapter 10 mm (0.4 in), 5 pcs.</b>	<b>MP01032</b>
<b>D</b>	<b>T-connector for Aerogen Pro, 12 mm, with plug, 5 pcs.</b>	<b>MP01037</b>

\*Tradeware



## VENTILATION ACCESSORIES

## AEROGEN SOLO\*

<b>A</b>	<b>Aerogen Solo Starter Kit, Int.</b>	<b>MP01071</b>
	<b>Aerogen Solo Starter Kit, FR, NL, IT, GE</b>	<b>MP01072</b>
	<b>Aerogen Solo Starter Kit, ES, IT, PT, GR, TK</b>	<b>MP01073</b>
	<b>Aerogen Solo Starter Kit, SW, NO, FI, DK</b>	<b>MP01074</b>
	<b>Aerogen Solo Starter Kit, UK</b>	<b>MP01075</b>
	<b>Aerogen Solo Starter Kit, US</b>	<b>MP01076</b>
<b>B</b>	<b>Nebulizer head, 5 pcs.</b>	<b>MP01078</b>
<b>C</b>	<b>Nebulizer head, 10 pcs.</b>	<b>MP01079</b>
	<b>T-Adapter, pediatric, 10 pcs.</b>	<b>MP01086</b>
	<b>T-Adapter**, neonate, 10 pcs.</b>	<b>MP02689</b>
	<b>Kit T-Adapter, Pediatric with Neo connectors, 10 pcs.</b>	<b>MP01087</b>
	<b>Aerogen Solo USB Controller Starter Kit NE</b>	<b>MP01089</b>
	<b>Aerogen USB Controller Replacement w/o AC/DC adapter</b>	<b>MP01095</b>
<b>D</b>	<b>T-adapter neonatal for NO therapy, 10 pcs.</b>	<b>8422215</b>

\*Tradeware

\*\*Made by Drägerwerk AG &amp; Co. KGaA



## SENSORS

### 3. SENSORS

A	<b>Neonatal flow sensor ISO 15, PSU, sterilizable</b>	<b>8411130</b>
B	<b>Insert for neonatal flow sensor, PSU, sterilizable, 5 pcs.</b>	<b>8410179</b>
C	<b>Flow sensor cable, for neonatal flow sensor, e.g., Babylog</b>	<b>8409626</b>
D	<b>O<sub>2</sub> sensor capsule, for mainstream measurement</b>	<b>6850645</b>
E	<b>O<sub>2</sub> sensor Oxycell, for Babyleo® TN500</b>	<b>6873065</b>
F	<b>O<sub>2</sub> sensor housing Oxydig, for O<sub>2</sub> sensor capsule, with spiral cable</b>	<b>6850250</b>



**MONITORING ACCESSORIES**

**4. MONITORING ACCESSORIES**

**Infinity® Monitoring:** Gamma, Gamma XL, Gamma X XL, Delta, Delta XL, Kappa, Kappa XLT.

**ELECTROCARDIOGRAPHY (ECG)**

<b>A</b>	<b>Multiparameter cable NeoMed Pod, for ECG, resp., SpO<sub>2</sub>, temp., and FiO<sub>2</sub>, 2.5 m</b>	<b>5590539</b>
	<b>ECG electrodes*, single-patient use, neonate, 300 pcs.</b>	<b>5195024</b>
<b>B</b>	<b>Electrode adapter, to connect neonatal electrodes to MultiMed® pod, 10 pcs.</b>	<b>5194779</b>
<b>C</b>	<b>ECG intermediate cable, 3-lead, for NeoMed Pod, 1.5 m</b>	<b>5592162</b>

\*Tradeware

INFINITY®  
MONITORING



## MONITORING ACCESSORIES

### PULSE OXIMETRY (SPO<sub>2</sub>)

#### DRÄGER/NELLCOR® CABLES

<b>A</b>	<b>SpO<sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 1 m</b>	<b>3368433</b>
	<b>SpO<sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 2 m</b>	<b>3375834</b>
<b>B</b>	<b>SpO<sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 1.2 m</b>	<b>MS18683</b>
<b>C</b>	<b>SpO<sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 3 m</b>	<b>MS17330</b>

INFINITY  
MONITORING  
MICRO<sub>2</sub>+





**MONITORING ACCESSORIES**

**DRÄGER DISPOSABLE SENSORS**

<b>A</b>	<b>SpO<sub>2</sub> adhesive sensor Dräger, cloth, disposable, baby, 24 pcs.</b>	<b>MS16447</b>
<b>B</b>	<b>SpO<sub>2</sub> adhesive sensor Dräger, cloth, disposable, neonate, 24 pcs.</b>	<b>MS16446</b>

**NELLCOR® SENSORS\***


<b>C</b>	<b>SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-I, disposable, child, 24 pcs.</b>	<b>MX50067</b>
<b>D</b>	<b>SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-N, disposable, neonate/adult, 24 pcs.</b>	<b>MX50068</b>

**NELLCOR® ACCESSORIES\***

<b>E</b>	<b>Adhesive wrap, for Nellcor® Oxiband™ A/N, 100 pcs.</b>	<b>8201012</b>
----------	---	----------------

\*Tradeware

INFINITY  
MONITORING  
MICRO<sub>2</sub>+



**MONITORING ACCESSORIES**

INFINITY®  
MONITORING  
MICRO<sub>2</sub>+

**MASIMO® CABLES\***

SpO<sub>2</sub> intermediate cables  
for connection to Masimo® SET Pod.

- A SpO<sub>2</sub> intermediate cable Masimo® LNCS, 3 m MS17522
- A SpO<sub>2</sub> intermediate cable Masimo® LNCS, 1.2 m MS24303

**MASIMO® RD SET ADAPTER CABLES\***

- B Adapter cable RD SET to LNOP,  
for connection of RD SET sensors to  
Masimo® SET Pod via the  
LNOP intermediate cables MS18680  
and MS17041, as well as to MultiMed® 5/6/12,  
NeoMed Pods and MultiMed® Plus/Plus OR  
via the according intermediate cables  
MS13926/7492601 or MS20163\* MS33731
- C Adapter cable RD SET to LNCS,  
for connection of RD SET sensors to  
Masimo® SET Pod via the  
LNCS intermediate cables MS24303  
or MS17522 MS33732
- C Adapter cable RD SET to MultiMed®,  
for connection of RD SET sensors to  
MultiMed® 5/6/12, NeoMed Pods as well as  
MultiMed® Plus/Plus OR via the according  
intermediate cables 3368433/3375834  
or MS18683/MS17330 MS33733

\*Tradeware

\*\*Products are not available any more.

Adapter is to be used to switch from sensors  
to the installed base.



**MONITORING ACCESSORIES**

INFINITY  
MONITORING

**MASIMO® LNCS SENSORS\***

For Masimo® accessories, specific part numbers for USA and Japan apply. Please contact your local Dräger Sales representative for further information.

- A** SpO<sub>2</sub> adhesive sensor Masimo® LNCS Neo, disposable, neonate, 20 pcs. **MP00792**
- B** SpO<sub>2</sub> adhesive sensor Masimo® LNCS NeoPt, disposable, premature baby, 20 pcs. **MP00794**
- SpO<sub>2</sub> Masimo® sensor LNCS-YI Multisite, reusable, neonate/pediatric/adult **MP00789**

**MASIMO® LNCS TRAUMA DISPOSABLE SENSORS\***


Masimo® LNCS Trauma sensors are for use with Masimo® SET technology only.

- C** Masimo® Trauma sensor LNCS, neonate, 20 pcs. **MP03192**

**MASIMO® RD SET DISPOSABLE SENSORS\***

- D** Masimo® RD SET sensor, neonatal, disposable **MS33729**
- E** Masimo® RD SET sensor, neonatal preterm, disposable **MS33730**

\*Tradeware




**MONITORING ACCESSORIES**

INFINITY®  
MONITORING  
MICRO<sub>2</sub>+

**MASIMO® ACCESSORIES\***

<b>A</b>	<b>SpO<sub>2</sub> adhesive wrap Masimo® Posey-Wrap, for NeoPt SpO<sub>2</sub> sensor, 12 pcs.</b>	<b>7496933</b>
<b>B</b>	<b>SpO<sub>2</sub> adhesive wrap Masimo®, for NeoPt SpO<sub>2</sub> sensor, 100 pcs.</b>	<b>7496925</b>
<b>C</b>	<b>SpO<sub>2</sub> adhesive wrap Masimo® Multisite-Wrap, for LNOP YI SpO<sub>2</sub> sensor, 100 pcs.</b>	<b>7496917</b>
<b>D</b>	<b>SpO<sub>2</sub> adhesive wrap Masimo® Petite-Wrap, for LNOP YI SpO<sub>2</sub> sensor, 100 pcs.</b>	<b>7496909</b>
<b>E</b>	<b>SpO<sub>2</sub> foam wrap Masimo® Foam-Wrap, neonate, LNOP YI SpO<sub>2</sub> sensor, 12 pcs.</b>	<b>7496891</b>

\*Tradeware



## MONITORING ACCESSORIES

### TEMPERATURE

#### SINGLE-PATIENT USE TEMPERATURE PROBES

<b>A</b> Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 1.6 m	<b>MP00997</b>
<b>B</b> Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 3 m	<b>MP00998</b>

#### REUSABLE TEMPERATURE PROBES

<b>C</b> Skin temperature probe, reusable, with 7-pin connector, 1.5 m	<b>4329822</b>
<b>C</b> Skin temperature probe, reusable, with 7-pin connector, 3 m	<b>5204669</b>

INFINITY®  
MONITORING



## MONITORING ACCESSORIES

### NON-INVASIVE BLOOD PRESSURE CUFFS (NIBP)

<b>A</b>	<b>NIBP hose, neonate, 2.4 m</b>	<b>2870298</b>
<b>B</b>	<b>NIBP cuff, disposable, neonate, size 1, 3.1 – 5.7 cm, 10 pcs.</b>	<b>2870181</b>
<b>C</b>	<b>NIBP cuff, disposable, neonate, size 2, 4.3 – 8 cm, 10 pcs.</b>	<b>2870199</b>
<b>D</b>	<b>NIBP cuff, disposable, neonate, size 3, 5.8 – 10.9 cm, 10 pcs.</b>	<b>2870207</b>
<b>E</b>	<b>NIBP cuff, disposable, neonate, size 4, 7.1 – 13.1 cm, 10 pcs.</b>	<b>2870215</b>
<b>F</b>	<b>NIBP cuff, disposable, neonate, size 5, 8.3 – 15 cm, 10 pcs.</b>	<b>2870173</b>



**MONITORING ACCESSORIES**

**ETCO<sub>2</sub> AND RESPIRATORY MECHANICS**

For Delta, Delta XL, Kappa, Kappa XLT.

**A etCO<sub>2</sub> Microstr. Intubated Infant/Neonatal - Extended Duration, 25 pcs. MP15003**

**B etCO<sub>2</sub> Microstr. Nasal Infant/Neonatal - Extended Duration, 25 pcs. MP15007**

For Gamma X XL, Delta, Delta XL, Kappa, Kappa XLT.

**C etCO<sub>2</sub> airway adapter, reusable, neonate 4721788**

**D CO<sub>2</sub> airway adapter\*, neonatal (infant/pediatric), disposable, 10 pcs. 2606228**

**RECORDER PAPER**

**E Recording paper for Infinity® R 50, 50 mm, approx. 30 m, 10 rolls 4711201**

\*Tradeware

INFINITY  
MONITORING



## WARD EQUIPMENT

---

### 5. WARD EQUIPMENT

---

Please find more information in chapter 5 „Ward equipment“.

#### FLOWMETER

---

These O<sub>2</sub> Flowmeters are plugged directly into a wall terminal unit for oxygen and are used to control the flow of oxygen in inhalation and insufflation. Flow rates can be set with a high degree of accuracy. The large rotary knob makes setting easier.

Accuracy of flow rate at 4.5 bar  $\pm$  0.5 bar (1,013 hPa/20 °C)\*\*  
 $\pm$  15% (corresponding to smallest setting value)  
 $\pm$  10% (all other setting values)

\*\* Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H x W x D):	160 x 40 x 130 mm (6.3 x 1.6 x 5.1 in)
Material:	Housing: Aluminium Pressure dome: Polyamide Flow indicator: Glass
Weight:	Approx. 500 g (1.1 lb)

---

**A** O<sub>2</sub> flowmeter, 4 l/min, CS,  
 DIN, ISO and neutral color, M34x1.5 and 9/16“ for accessories  
 and sterile water systems

---

**MP04551**





## WARD EQUIPMENT

### TWIN FLOWMETER

The particular advantage of the twin flowmeter is, that two patients can be treated simultaneously and independently of one another, while occupying only one wall terminal.

Accuracy of flow rate at 4.5 bar  $\pm$  0.5 bar (1,013 hPa/20 °C)\*\*  
 $\pm$  15% (corresponding to smallest setting value)  
 $\pm$  10% (all other setting values)

\*\* Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H  $\times$  W  $\times$  D): 160  $\times$  150  $\times$  190 mm  
 (6.3  $\times$  5.9  $\times$  7.15 in)

Material: Housing: Aluminium  
 Pressure dome: Polyamide  
 Flow indicator: Glass

Weight: Approx. 900 g (1.98 lb)



A	<b>O<sub>2</sub> twin flowmeter, CS, 2 <math>\times</math> 16 l/min, CS, DIN, ISO, neutral color, M34<math>\times</math>1.5 and 9/16" for accessories and sterile water systems</b>	<b>MP04560</b>
	<b>O<sub>2</sub> twin flowmeter, 2 <math>\times</math> 16 l/min, rail fitting with NIST gas inlet, 2 <math>\times</math> M34<math>\times</math>1.5, adapter 9/16"</b>	<b>MP04569</b>

## WARD EQUIPMENT

These O<sub>2</sub> flowmeters for rail attachment can be used to control the flow of oxygen in inhalation and insufflation. Flow rates up to 4 and 16 l/min can be set with a high degree of accuracy. The large rotay knob makes setting easier. Using the rail clamp, the flowmeter can be quickly and safely attached to all rail profiles. The connection to the gas supply can be ensured by a CS hose with NIST coupling nut.

Accuracy of flow rate at 4.5 bar ± 0.5 bar (1,013 hPa/20 °C)\*\*  
 ± 15% (corresponding to smallest setting value)  
 ± 10% (all other setting values)

\*\* Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D): 160 × 40 × 130 mm  
 (6.3 × 1.6 × 5.1 in)

Material: Housing: Aluminium  
 Pressure dome: Polyamide  
 Flow indicator: Glass

Weight: Approx. 950 g (2.09 lbs)

- |          |   |                |
|----------|---|----------------|
| <b>A</b> | <b>O<sub>2</sub> flowmeter, 4 l/min, rail with NIST gas inlet, M34×1.5 and 9/16" for accessories and sterile water systems</b>  | <b>MP04552</b> |
| <b>B</b> | <b>O<sub>2</sub> flowmeter, 4 l/min, rail, 90°, NIST gas inlet, M34×1.5 and 9/16" for accessories and sterile water systems</b> | <b>MP04553</b> |
| <b>C</b> | <b>O<sub>2</sub> flowmeter, 16 l/min, rail, NIST gas inlet, M34×1.5, adapter 9/16"</b>  | <b>MP04567</b> |

### CS hoses

Several hoses to connect flowmeter with the central supply.  
 For CS hoses see chapter 5, „Accessory for gas supply“.



## WARD EQUIPMENT

### COMPACT FLOWMETER CLICKFLOW

Input pressure:	4.5 ± 0.5 bar*
Adjustable ranges:	<b>0.1 – 1 l/min</b> (0; 0.1; 0.2; 0.3; 0.4; 0.5; 0.6; 0.7; 0.8; 1 l/min) <b>0.5 – 5 l/min</b> (0; 0.5; 1; 1.5; 2; 2.5; 3; 3.5; 4; 5 l/min) <b>1 – 16 l/min</b> (0; 1; 2; 3; 4; 6; 8; 10; 12; 16 l/min) <b>1 – 32 l/min</b> (0; 1; 5; 8; 12; 16; 20; 25; 28; 32 l/min)
Accuracy (at 4.5 ± 0.5 bar):	0.5 – 5 l/min, 1 – 16 l/min and 1 – 32 l/min: ± 20%; 0 – 1 l/min ± 30%
Gas inlet:	CS plug O <sub>2</sub> or AIR; NIST (rail)
Gas outlet:	6 mm nozzle for application unit, thread 9/16" for sterile water or adapter for reusable humidifier
Weight:	approx. 420 g (CS); approx. 700 g (rail)
Housing material:	nickel-coated brass
Dimensions:	diameter about 38 mm, length about 92 mm (CS version); about 118 mm (rail version)

\*1 bar = 1 kPa × 100



<b>A Compact flowmeter Clickflow configurator, gives you the option of arranging the compact flowmeter according to your requirements, selectable options for configuration:</b>	<b>MP13000</b>
Gas type:	O <sub>2</sub> ; AIR
Mounting:	CS; rail with NIST gas inlet
CS connection:	DIN; Carbamed; BS (England); NF (France); AGA (Sweden)
Version:	single compact flowmeter; double compact flowmeter
Flow:	0.1 – 1 l/min; 0.5 – 5 l/min; 1 – 16 l/min, 1 – 32 l/min
Gas outlet:	6 mm nozzle, thread 9/16" for sterile water
<b>B O<sub>2</sub> compact flowmeter Clickflow, DIN CS, 1 – 16 l/min, 9/16"</b>	<b>MP13011</b>
<b>C O<sub>2</sub> compact flowmeter Clickflow, DIN CS, 1 – 16 l/min, 6 mm nozzle</b>	<b>MP13012</b>

Accessories for flowmeter: See section Ward Equipment, chapter 1.4 (humidifier, adapter and application).

## WARD EQUIPMENT

<b>A</b>	<b>Humidifier-bubbler, for oxygen humidification up to appr. 60% relative humidity and flows up to 5 l/min</b>	<b>2M85834</b>
<b>B</b>	<b>Adapter, to connect e.g a tube or nasal cannula to O<sub>2</sub> flowmeter, M34×1.5 to 6 mm nozzle</b>	<b>M06258</b>
<b>C</b>	<b>Adapter, for disposable sterilized water systems to O<sub>2</sub> flowmeters, M34×1.5 to 9/16"</b>	<b>2M86680</b>
<b>C</b>	<b>Adapter, for disposable sterilized water systems to AIR flowmeter, M32×1.5 to 9/16"</b>	<b>MP03366</b>
<b>D</b>	<b>Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16" connection</b>	<b>MP00416</b>
<b>E</b>	<b>Adapter 9/16" to M34×1.5 for Dräger reusable humidifier</b>	<b>MP03325</b>



## WARD EQUIPMENT

### MEDICAL ASPIRATION

The vacuum regulator is directly connected to a central vacuum supply, or mounted on a rail. The smoothly adjustable vacuum, up to max. -160 mbar (-16 kPa), is displayed on a rotating manometer, legible from all sides.

All vacuum regulators include a shut-off valve.

You can use the VarioSafe® disposable filter system to reliably protect the **VarioVac®** series and the central vacuum system against contamination. A VarioSafe® filter system is included with every VarioVac® vacuum regulator.

#### Technical data:

Maximum vacuum:	-16 to 0 kPa (-160 to 0 mbar)
Maximum suction flow:	18 l/min
Weight:	600 to 800 g (800 g for rail versions)
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe)
Maximum sound level:	50 dB (A)
Hose nozzle:	Ø 6 mm

#### Additional Information for Filter:

Aerosole and Fluid retention:	100% (with VarioSafe)*
Bacterial retention:	99.99997% (with VarioSafe)**
Viral retention:	99.99922% (with VarioSafe)**
NaCl retention:	99.8900% (with VarioSafe)***

\* Test has been performed by Drägerwerk AG & Co. KGaA, Dec 2020, Lübeck, Germany

\*\* Test has been performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA

\*\*\* Test has been performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1



D-10309-2011

#### A Vacuum regulator VarioVac® D Rail, for continuous and wound drainage, gas connection VAC MP00511

For CS hoses please refer to chapter „Accessory for gas supply“.

## WARD EQUIPMENT

### VarioVac® vacuum regulator for rail.

The gas supply is ensured by VAC connection hose.

This rail version can be connected to all standard wall rails (10 mm width and 25 mm height).

You can use the VarioSafe® disposable filter system to reliably protect the VarioVac® series and the central vacuum system against contamination.

A VarioSafe® filter system is included with every VarioVac® vacuum regulator.

#### Technical data:

VarioVac P (MP00660, MP03223)

Maximum vacuum:	-55 to 0 kPa (-550 to 0 mbar)
Maximum suction flow:	20 l/min
Maximum sound level:	40 dB(A)
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe)
Hose nozzle:	Ø 6 mm

#### Additional Information for Filter:

Aerosole and Fluid retention:	100% (with VarioSafe)*
Bacterial retention:	99.99997% (with VarioSafe)**
Viral retention:	99.99922% (with VarioSafe)**
NaCl retention:	99.8900% (with VarioSafe)***

\* Test has been performed by Drägerwerk AG & Co. KGaA, Dec 2020, Lübeck, Germany

\*\* Test has been performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA

\*\*\* Test has been performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1



- A Vacuum regulator VarioVac® P Rail,  
for bronchial suction, gas connection NIST VAC,  
for connection to all standard wall rails**

**MP00660**

The bronchial aspirator can be used in magnets with static magnetic fields of 1.5 tesla and 3 tesla.

Minimum distance from the center of the magnetic field:

Magnetic flux density of 40 millitesla (400 gauss).

- B Vacuum regulator VarioVac® MRI P Rail,  
for bronchial suction, gas connection NIST VAC,  
for connection to all standard wall rails**

**MP03223**

For CS hoses please refer to chapter „Accessory for gas supply“.

## WARD EQUIPMENT

Drive unit VarioVac® and jar set are joined together, so that you have a complete, convenient and easy solution. The ergonomically shaped handle is positioned exactly at the units centre of gravity, making it easy to transport the aspirator quickly. The gas supply is ensured by CS connection hose. You can use the VarioSafe® disposable filter system to reliably protect the device and the patient environment against contamination. This rail version can be connected to all standard wall rails (10 mm width and 25 mm height).

### Technical data:

Weight: 1,600 g (empty)  
 Dimensions (W/H/D) in mm: 300 × 440 × 160  
 Hose nozzle: Ø 6 mm

### Additional Information for Filter:

Aerosole and Fluid retention: 100% (with VarioSafe)\*  
 Bacterial retention: 99.99997% (with VarioSafe)\*\*  
 Viral retention: 99.99922% (with VarioSafe)\*\*  
 NaCl retention: 99.8900% (with VarioSafe)\*\*\*

\* Test has been performed by Drägerwerk AG & Co. KGaA, Dec 2020, Lübeck, Germany

\*\* Test has been performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA

\*\*\* Test has been performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1



### A Vacuum regulator VarioVac® P compact, for bronchial suction, gas connection NIST VAC, including secretion jar set and integrated vacuum regulator **MP00661**

#### Technical data:

Maximum vacuum: -55 to 0 kPa (-550 to 0 mbar)  
 Maximum suction flow: 20 l/min  
 Maximum sound level: 40 dB(A)

For CS hoses please refer to chapter „Accessory for gas supply“.

## WARD EQUIPMENT

The **VarioAir®** ejector is connected directly to a medical air supply system or to rails. The low-noise ejector generates a vacuum up to max. -16 kPa (-160 mbar) and shows the vacuum level on a turnable, manually adjustable pressure gauge. All devices offer a pressure relief valve (ex 0.1 kPa) to avoid pressure increase at the patient side.

A new VarioSafe® disposable filter system reliably protects the VarioAir® series and the patient environment against contamination. One piece of the new VarioSafe® filter system is always included.

### Technical data:

Maximum vacuum:	-16 to 0 kPa (-160 to 0 mbar)
Maximum suction flow:	18 l/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	25 l/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe) 80 × 330 × 160 (with VarioSafe)
Maximum sound level:	45 dB (A)
Hose nozzle:	Ø 6 mm
Pressure relief valve:	Ex 0.1 kPa (1 mbar)

### Additional Information for Filter:

Aerosole and Fluid retention:	100% (with VarioSafe)*
Bacterial retention:	99.99997% (with VarioSafe)**
Viral retention:	99.99922% (with VarioSafe)**
NaCl retention:	99.8900% (with VarioSafe)***

\* Test has been performed by Drägerwerk AG & Co. KGaA, Dec 2020, Lübeck, Germany

\*\* Test has been performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA

\*\*\* Test has been performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1



### A Ejector VarioAir® D Rail, for continuous and wound drainage, gas connection AIR, for connection to all standard wall rails

**MP00542**

For gas supply via CS vacuum connection hose.

Connection thread: NIST.

For CS hoses please refer to chapter „Accessory for gas supply“.



## WARD EQUIPMENT

### VarioAir® ejector for rail.

The gas supply is ensured by AIR connection hose.

This rail version can be connected to all standard wall rails (10 mm width and 25 mm height).

You can use the VarioSafe® disposable filter system to reliably protect the VarioAir® series and the central vacuum system against contamination.

#### Technical data:

VarioAir P (MP00545, MP03221)

Maximum vacuum:	-48 to 0 kPa (-480 to 0 mbar)
Maximum suction flow:	20 l/min
Maximum gas consumption:	40 l/min
Maximum sound level:	47 dB(A)
Inlet pressure range:	4 to 5.5 bar
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe) 80 × 330 × 160 (with VarioSafe)
Hose nozzle:	Ø 6 mm
Pressure relief valve:	from 0.1 kPa on (1 mbar)

#### Additional Information for Filter:

Aerosole and Fluid retention:	100% (with VarioSafe)*
Bacterial retention:	99.99997% (with VarioSafe)**
Viral retention:	99.99922% (with VarioSafe)**
NaCl retention:	99.8900% (with VarioSafe)***

\* Test has been performed by Drägerwerk AG & Co. KGaA, Dec 2020, Lübeck, Germany

\*\* Test has been performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA

\*\*\* Test has been performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1



- A Ejector VarioAir® P Rail,  
for bronchial suction, gas connection NIST AIR,  
for connection to all standard wall rails** MP00545

The bronchial aspirator can be used in magnets with static magnetic fields of 1.5 tesla and 3 tesla.

Minimum distance from the center of the magnetic field:  
Magnetic flux density of 40 millitesla (400 gauss).

- A Ejector VarioAir® MRI P Rail,  
for bronchial suction, gas connection NIST AIR,  
for connection to all standard wall rails** MP03221

For CS hoses please refer to chapter „Accessory for gas supply“.

## WARD EQUIPMENT

Drive unit VarioAir® and jar set are joined together, so that you have a complete, convenient and easy solution. The ergonomically shaped handle is positioned exactly at the units centre of gravity, making it easy to transport the aspirator quickly.

The gas supply is ensured by CS connection hose. You can use the VarioSafe® disposable filter system to reliably protect the device and the patient environment against contamination.

This rail version can be connected to all standard wall rails (10 mm width and 25 mm height).

### Technical data:

Weight:	1,600 g (empty)
Dimensions (W/H/D) in mm:	300 × 440 × 160
Hose nozzle:	Ø 6 mm

### Additional Information for Filter:

Aerosole and Fluid retention:	100% (with VarioSafe)*
Bacterial retention:	99.99997% (with VarioSafe)**
Viral retention:	99.99922% (with VarioSafe)**
NaCl retention:	99.8900% (with VarioSafe)***

\* Test has been performed by Drägerwerk AG & Co. KGaA, Dec 2020, Lübeck, Germany

\*\* Test has been performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA

\*\*\* Test has been performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1



### A Ejector VarioAir® P compact, for bronchial suction, gas connection NIST AIR, including secretion jar set and integrated ejector

**MP00547**

#### Technical data:

Maximum vacuum:	-48 to 0 kPa (-480 to 0 mbar)
Maximum suction flow:	20 l/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	40 l/min
Maximum sound level:	47 dB(A)
Pressure relief valve:	Ex 0.1 kPa (1 mbar)

For CS hoses please refer to chapter „Accessory for gas supply“.

## WARD EQUIPMENT

Extra lightweight portable secretion jar set for bronchial aspiration. The set is made of high quality and extremely robust plastic and can be autoclaved at up to 134 °C. The two 700 ml jars, which are used as secretion and rinsing jars, are identical, making hospital logistics considerably easier. The jars are made of high quality polysulfone, are reusable, extremely robust and implosion proof. The long service lives makes the jars both environmentally friendly and cost effective.

An automatic overflow safeguard is fitted in the secretion jar cap to prevent secretion from entering the drive unit and the piped medical gas supply. The ergonomically shaped handle is positioned exactly at the units centre of gravity, making it easy to transport the secretion jar set quickly.



- |  |                       |
|--|-----------------------|
| <p><b>A</b> Secretion jar set, with 700 ml secretion jars (2 pcs.) and 1.5 m suction hose, maximum capacity up to the overflow safeguard 2 × 1000 ml, scale in steps of 10 ml up to max. 700 ml</p>                                    | <p><b>2M85056</b></p> |
| <p><b>B</b> Secretion jar set, with protection jar and 700 ml secretion jars (2 pcs.), maximum capacity up to the overflow safeguard 2 × 1000 ml, scale in steps of 10 ml up to max. 700 ml, with additional protection jar 300 ml</p> | <p><b>2M85607</b></p> |

## WARD EQUIPMENT

### VacuSmart disposable cartridge for bronchial suction

VacuSmart is a disposable cartridge for 700 ml secretion jars. This product has been specifically designed and thoroughly tested to work with Dräger suction units. Therefore there is absolutely no need to modify the installed base. An integrated hydrophobic filter acts as an overflow safeguard by stopping suction of secretion once maximum capacity has been reached. The closed and leakproof system, optional with an integrated gelling agent, reduces the risk of cross contamination to a minimum. The optional gelling agent prevent leakages e.g. during the waste disposal in a waste press. The gelling agent is secured in a water soluble bag.


#### Technical data:

Maximum capacity:	700 ml
Maximum capacity up to the overflow safeguard:	1,000 ml
Overflow safeguard:	Integrated, hydrophobic filter
Recommended duration of use:	24 h
Gelling agent:	Sodium polyacrylate

<b>A</b>	<b>Secretion jar VacuSmart®, PE (Polyethylene), disposable, 700 ml, 25 pcs.</b>	<b>MX23023</b>
<b>B</b>	<b>Secretion jar VacuSmart® Gel, PE (Polyethylene), disposable, 700 ml, 25 pcs.</b>	<b>MX23025</b>
<b>C</b>	<b>Suction tube VacuSmart® Tube, PE (Polyethylene), disposable, 2 m, w/ finger tip, 25 pcs.</b>	<b>MX23026</b>

You can also enjoy some smart savings by choosing any of the following packing unit 25 pieces sets:

<b>D</b>	<b>Suction set, disposable, VacuSmart®, 700 ml and VacuSmart® Tube, 25 pcs. each</b>	<b>MP00061</b>
<b>D</b>	<b>Set VacuSmart® Gel and Tube, 25 pcs.</b>	<b>MP03211</b>



**WARD EQUIPMENT**

<b>A</b>	<b>Bacterial filter 767, 5 pcs.</b>	<b>6723976</b>
<b>B</b>	<b>Bacterial and viral filter system VarioSafe, for VarioAir®, VarioVac®, VarioO2, disposable, 10 pcs.</b>	<b>MP00555</b>
	The new VarioSafe® disposable filter system reliably protects the VarioAir®, VarioVac® and VarioO2 series and the patient environment against contamination.	
	Technical data:	
	Material:	PS (polystyrol)
	Recommended duration of use:	7 days
	Maximum capacity:	90 ml
	<u>Additional Information for Filter:</u>	
	Aerosole and Fluid retention:	100% (with VarioSafe)*
	Bacterial retention:	99.99997% (with VarioSafe)**
	Viral retention:	99.99922% (with VarioSafe)**
	NaCl retention:	99.8900% (with VarioSafe)***
	* Test has been performed by Drägerwerk AG & Co. KGaA, Dec 2020, Lübeck, Germany	
	** Test has been performed by Nelson Laboratories Inc., Dec 2020, Salt Lake City, USA	
	*** Test has been performed by Dräger Safety AG & Co. KGaA, March 2021, Lübeck, Germany, according to EN ISO 23328-1	
<b>C</b>	<b>Suction hose, silicone, reusable, 1.5 m, for medical suction</b>	<b>M25780</b>
<b>D</b>	<b>Connection hose, silicone, reusable, ID 5 mm, wall thickness 2 mm, by meter</b>	<b>1203606</b>
<b>E</b>	<b>Secretion jar, PSU (Polysulfone), reusable, 300 ml, autoclavable up to 134°C</b>	<b>2M86207</b>
<b>F</b>	<b>Secretion jar, PSU (Polysulfone), reusable, 700 ml, autoclavable up to 134°C</b>	<b>2M85594</b>
<b>G</b>	<b>Elbow, angled hose connection for secretion jar caps</b>	<b>2M19063</b>



Not all articles are available worldwide.

## WARD EQUIPMENT

Holders for attaching a compact bronchial aspirator or a secretion jar set to the wall/ rail or to a rail on a ceiling supply unit. The devices are only latched and can be detached and moved easily if this is required.

**A Wall holder, with fixing screws, for compact suction unit and secretion jar set** **M26859**

**B Rail clamp lever type, for attachment of devices to 25 × 10 mm standard rail, for compact suction unit and secretion jar set** **M26842**

**C Ceiling holder, rail holder for compact suction systems and secretion jar sets** **2M85119**

Holders for holding a central supply connecting hose or an aspiration hose. For attachment to an intensive care rail or compact rail.

**D CS connection hose holder** **2M85446**

**E Suction hose holder, suitable for various diameters** **2M85239**



## RAIL ACCESSORIES AND EXAMINATION LIGHT

### 6. RAIL ACCESSORIES AND EXAMINATION LIGHT

#### RAIL ACCESSORIES

##### Wire baskets\*

The wire baskets are used for storage of disposable catheters or disposable gloves. The catheters can be simply stored in bundles and are then easy to take out one by one. The baskets are chromeplated and are thus easy to clean and can be autoclaved at up to 134 °C. The amount of space for a basket on the rails is around 150 mm (5.9 in).

A	<b>Basket 150, 15 × 20 × 10 cm, e.g., for disposable gloves</b>	<b>M26146</b>
A	<b>Basket 300, 15 × 28 × 10 cm, e.g., for 300 mm catheters</b>	<b>M26145</b>
A	<b>Basket 600, 15 × 48 × 10 cm, e.g., for 600 mm catheters</b>	<b>M25121</b>
B	<b>Litter bag holder, stainless steel, with base plate and litter bags (100 pcs.)</b>	<b>M24695</b>
	<b>Litter bags, disposable, for litter bag holder, 100 pcs.</b>	<b>M26240</b>

\*Tradeware



## RAIL ACCESSORIES AND EXAMINATION LIGHT

### EXAMINATION LIGHT

The Dräger **VarioLux®** offers cool, highly efficient, and variable intensity examination light and was specially designed for use in neonatology and pediatric settings. Made for single-handed operation, it features adjustable color temperature settings as well as a dimmer function.

Operating mode:	Continuous operation
Weight:	1.5 kg (3.3 lbs)
Electrical values:	100 – 240 V, 50/60 Hz
Max. illumination intensity E <sub>c</sub> at 0.5 m:	30,000 lx
Dimming levels:	30,000 lx, 24,000 lx, 18,000 lx, 12,000 lx, 7,000 lx
Light field diameter d <sub>10</sub> at 0.5 m:	20 cm (7.9 in)
Light field diameter d <sub>50</sub> at 0.5 m:	9 cm (3.5 in)
Color temperature adjustable:	Cool white (blue) 4,700 K, Neutral white (white) 4,100 K, Warm white (red) 3,500 K
Min. service life of bulb (LEDs):	> 50,000 h
Color reproduction index:	R <sub>a</sub> ≥ 96 (at 3,500 K) R <sub>9</sub> = 89 (at 3,500 K)
Max. radiant power at 0.5 m:	105 W/m <sup>2</sup>


<b>A</b>	<b>Medical examination light VarioLux® with LED technology, EU</b>	<b>MP00601</b>
	<b>Medical examination light VarioLux® with LED technology, US</b>	<b>MP00602</b>
	<b>Medical examination light VarioLux® with LED technology, GB</b>	<b>MP00603</b>
	<b>Medical examination light VarioLux® with LED technology, AUS</b>	<b>MP00606</b>
	<b>Medical examination light VarioLux® with LED technology, JPN</b>	<b>MP00608</b>
	<b>Power cable EU, 1.8 m, 2 pin</b>	<b>MP00591</b>
	<b>Power cable US/JPN, 1.8 m, 2 pin</b>	<b>MP00592</b>
	<b>Power cable GB, 1.8 m, 2 pin</b>	<b>MP00593</b>
	<b>Power cable AUS, 1.8 m, 2 pin</b>	<b>MP00626</b>





## RAIL ACCESSORIES AND EXAMINATION LIGHT

<b>A</b>	<b>Rail claw for lamp</b>	<b>MP00615</b>
<b>B</b>	<b>Turn knob, compl.</b>	<b>MP00587</b>
<b>C</b>	<b>Control panel</b>	<b>MP00589</b>
<b>D</b>	<b>Rail clamp, for attachment to poles of different diameters, rotable by 90° to left and right, length of standard rail (profile 25 × 10 mm): 20 cm</b>	<b>2M85274</b>
<b>E</b>	<b>Compact rail, for 38 mm tube, standard rail profile 25 × 10 mm, each side 10 cm, weight: 0.9 kg, max. load: 30 kg</b>	<b>2M85337</b>



## RAIL ACCESSORIES AND EXAMINATION LIGHT

### HINGED ARMS

Keeping everything close at hand. To leave your hands free to care for the patient, all the joints can be fixed into place and released with just one quick hand movement. All cables, lines and hose systems can be arranged in such a way as to more or less completely prevent accidental disconnection.

- |          |  |                |
|----------|--|----------------|
| <b>A</b> | <b>Hinged arm Quickstop 2,<br/>w/ universal ball holder system for optional accessories<br/>length 858 mm, max. load 0.4 kg,<br/>includes hose clamps: MP00493 (1x),<br/>8404761 (2x), 8409841 (1x)</b>    | <b>2M85706</b> |
| <b>B</b> | <b>Hinged arm Quickstop short,<br/>with mounted universal tube holder plate,<br/>for various tube dimensions/coaxial hoses,<br/>specifically designed for OR tables,<br/>length 323 mm, max. load 1 kg</b> | <b>2M86463</b> |







## NOTICE

---

Size classification to adults (A), pediatrics (P) and neonats (N)

Not made with natural rubber latex: product is produced without latex

## INDEX BY ORDER NUMBER

1	1203606	311, 445	2601229	157, 209	2607560	247	
			2601230	157, 209	2607561	247	
2	2111764	99	2601231	157, 209	2612000	231	
	2112760	39, 40	2601232	156, 208	2612001	231	
	2120461	99	2601233	156, 208	2612002	231	
	2120488	99	2601234	156, 208	2612003	231	
	2120496	99	2601235	156, 208	2612020	230	
	2165619	34, 41	2601236	159, 211	2612021	230	
	2165627	34, 37, 41	2605124	244	2612024	230	
	2165651	43, 407	2606151	237, 258	2612025	230	
	2165678	38, 42, 405	2606152	237, 258	2612026	230	
	2165821	33, 43, 404, 407	2606153	237, 258	2612027	230	
	2165848	33, 42, 404, 406	2606154	237, 258	2612028	230	
	2165856	33, 43, 404, 407	2606155	237, 258	2612029	230	
	2165961	38, 43, 405, 407	2606156	237, 258	2870173	151, 205, 430	
	2166038	36, 37, 41	2606208	235, 248	2870181	151, 205, 430	
	2166046	35, 36, 39, 40, 41	2606209	235, 248	2870199	151, 205, 430	
	2166054	38, 46, 405, 409	2606210	235, 248	2870207	151, 205, 430	
	2166062	36, 37, 46	2606211	235, 248	2870215	151, 205, 430	
	2166070	46	2606225	242	2870298	148, 202, 430	
	2166127	46, 409	2606226	246			
	2170221	141	2606227	173, 246	3	3368383	162
	2600930	259	2606228	173, 246, 431		3368391	115
	2600932	259	2606229	247		3368425	116, 153, 206
	2600933	259	2606231	247		3368433	127, 130, 140, 424
	2600934	259	2606247	234		3368458	165, 212
	2600935	259	2606248	234		3375834	127, 130, 140, 424
	2600936	259	2606249	234		3375933	164
	2600937	259	2606483	235, 248		3375941	160
	2600938	259	2606484	235, 248		3375958	160, 167
	2600939	261	2606485	235, 248			
	2600940	261	2606486	235, 248	4	4118453	362
	2600941	261	2606487	235, 248		4118555	362
	2600942	261	2606488	242		4119065	346
	2600943	261	2606489	242		4119066	346
	2600944	261	2606490	242		4119067	346
	2600945	261	2606491	242		4119068	346
	2600946	260	2606492	234		4119069	346
	2600948	260	2606493	234		4119070	346
	2600949	260	2606494	234		4119071	346
	2601190	243	2606495	234		4119072	346
	2601191	243	2606496	234		4119073	346
	2601192	243	2606497	234		4119074	346
	2601195	237, 258	2606498	234		4119075	346
	2601197	239	2607032	245		4119076	346
	2601198	239	2607034	238		4119077	346
	2601199	239	2607035	238		4119078	346
	2601200	239	2607036	238		4119079	346
	2601201	243	2607037	238		4119080	346
	2601220	159, 211	2607038	238		4119081	346
	2601221	159, 211	2607550	244		4119082	346
	2601222	159, 211	2607551	244		4119083	346
	2601223	159, 211	2607552	244		4185140	342
	2601224	158, 210	2607553	244		4185141	342
	2601225	158, 210	2607554	244		4185142	343
	2601226	158, 210	2607555	244		4185143	343
	2601227	158, 210	2607558	242		4199589	342
	2601228	157, 209	2607559	242		4199590	342

## INDEX BY ORDER NUMBER

4199591	342	5741975	165, 212	8404985	34, 37, 45
4199592	342	5790124	99	8405435	34, 44
4199593	342	5790148	388	8407475	39
4199594	342	5947226	126	8408950	85
4199595	343	5947804	171	8409609	356
4199596	343	5950196	115	8409626	110, 422
4199600	342	5954859	171	8409627	33, 45, 404
4199601	342			8409897	45
4199602	342	6	6723976 310, 328, 445	8410049	33, 34, 404
4199604	342		6850250 111, 422	8410179	109, 422
4199605	342		6850435 175, 213	8410547	99
4199712	342		6850645 111, 422	8410580	85
4199713	343		6870279 60, 174, 213, 245	8410929	40
4199714	342		6870280 60, 174, 213, 245, 411	8411024	97
4321563	163		6870281 175, 213	8411030	96
4329822	146, 200, 241, 429		6871500 60, 411	8411044	45
4329848	146, 200, 241		6871950 60, 174, 213, 245, 411	8411045	93
4329889	146, 200, 241		6871980 109	8411047	92, 418
4528741	164		6872020 178	8411050	95, 419
4711201	179, 431		6872130 178	8411074	93, 389, 418
4721416	161		6873065 111, 361, 422	8411075	362, 364
4721424	161			8411130	109, 422
4721614	161	7	7014616 146, 200, 239, 241	8411154	418
4721788	173, 431		7257988 116, 206	8412001	40
4721796	173		7262764 141, 198, 228, 236, 249	8412015	85
			7265155 212	8412034	40, 109
5	5000833 330		7265163 212	8412068	40
	5001330 311		7270460 161	8412217	92
	5191221 115		7485621 116, 153, 154	8412235	40, 45
	5192112 161		7486140 126	8412344	33, 404
	5194779 125, 423		7489417 163	8412710	175, 213
	5195024 125, 186, 234, 423		7489433 163	8412860	35
	5195180 163		7496875 138, 195, 227	8412888	44
	5195198 116, 206		7496891 138, 195, 227, 428	8412913	40
	5196980 160		7496909 138, 195, 227, 428	8412935	96
	5196998 160		7496917 138, 195, 227, 428	8412985	96
	5198333 145		7496925 428	8413125	85
	5202747 116		7496933 428	8413146	34
	5204644 146, 200, 241		7498947 163	8413293	40
	5204651 146, 200, 241		7864155 163	8413660	86
	5204669 146, 200, 241, 429		7864908 163	8414776	85
	5206581 164		7872174 172	8414966	94, 419
	5206607 162			8414968	94, 419
	5588095 162	7	8201012 141, 425	8414969	93
	5588822 154		8290274 34	8414989	94, 419
	5589663 115		8290286 178	8414992	94
	5590539 115, 423		8306370 110	8414993	93, 418
	5591925 154		8401645 33, 45, 404	8415270	85
	5591933 154		8402868 178	8415296	85
	5592147 162		8402953 38, 405	8416352	175, 213
	5592154 145, 199		8403056 33, 45, 404	8416600	110
	5592162 125, 423		8403075 33, 38, 44, 404, 405, 408	8416750	86
	5598128 116		8403076 45	8417050	86
	5703041 26		8403201 47	8418077	409
	5704962 28		8403333 33, 404	8418282	92, 418
	5704964 27		8403566 34	8418289	45
	5731281 162		8403735 109	8418415	390, 395
	5736744 171		8404760 33, 404	8418416	390, 395

## INDEX BY ORDER NUMBER

8418417	390, 395	2M85381	307	M30146	36
8418490	390, 396	2M85441	317	M32493	347
8418491	390, 396	2M85446	308, 318, 351, 446	M32494	347
8418531	390, 395	2M85575	293	M32495	347
8418533	391, 398	2M85594	312, 445	M32496	347
8418534	391, 398	2M85607	306, 443	M32497	347
8418535	391, 398	2M85706	356, 450	M32692	178
8418536	391, 398	2M85834	293, 436	M33278	36, 37, 44
8418537	391, 398	2M85835	293	M34568	38, 45, 405, 408
8418538	391, 398	2M85853	293	M34875	347
8418539	391, 398	2M86185	292	M34876	347
8418603	390, 395	2M86205	289	M34877	347
8418605	390, 395	2M86207	312, 445	M34878	347
8418607	390, 395	2M86291	99	M35056	292, 347
8418609	390, 395	2M86292	99	M35057	347
8418611	390, 395	2M86293	99	M35058	292, 347
8418617	390, 395	2M86463	356, 450	M35330	333
8418619	390, 396	2M86680	294, 436	M35331	333
8419160	165, 212	2M86757	314, 318	M35332	333
8420077	165, 212	2M86800	39	M35333	335
8422215	22, 98, 421	2M86832	39	M35334	335
8539983	165, 212	2M86837	26	M35335	335
86016973	331	2M86913	99	M35336	347
				M35337	347
				M35338	347
				M35339	336
				M35340	336
				M35341	336
				M35342	334
				M35343	334
				M35344	334
				M35345	338
				M35346	338
				M35347	338
				M35357	339
				M35358	339
				M35359	339
				M35375	337
				M35376	337
				M35377	337
				M35378	337
				M35379	337
				M35382	337
				M35383	337
				M35384	337
				M35385	337
				M35386	337
				M35387	337
				M35388	337
				M35389	335
				M35390	335
				M35391	335
				M35392	335
				M35393	335
				M35394	335
				M35395	335
				M35396	335
				M35397	335
2M	2M16520	371	C	CH00102	310, 328
	2M19063	312, 445			
	2M20434	370	G	G01166	346
	2M20827	369		G01168	346
	2M21009	383		G01169	346
	2M21010	383		G13040	353
	2M21012	369		G13171	353
	2M21158	370		G15225	353
	2M21161	370		G35324	357
	2M21186	364, 371		G35325	357
	2M21191	370		G35332	357
	2M21342	370		G35333	357
	2M21514	364, 371		G35614	357
	2M30462	384	M	M06258	293, 436
	2M50040	364		M07152	99
	2M50385	363		M07582	312
	2M50412	363		M11015	97
	2M60180	362		M12394	97
	2M60390	361		M16395	329
	2M60401	362		M20668	329
	2M85011	311		M24695	352, 447
	2M85012	311		M25121	352, 447
	2M85013	311		M25647	34, 36, 37, 38, 45, 405
	2M85056	291, 306, 443		M25649	45
	2M85119	308, 352, 446		M25650	35, 44
	2M85139	329		M25780	311, 445
	2M85151	326		M26145	352, 447
	2M85153	326		M26146	352, 447
	2M85163	327		M26240	352, 447
	2M85180	327		M26842	291, 308, 351, 446
	2M85239	308, 318, 351, 446		M26859	308, 446
	2M85274	351, 355, 389, 449		M27077	44, 408
	2M85337	291, 353, 355, 389, 449		M27542	38, 405
	2M85380	307			



## INDEX BY ORDER NUMBER

M35398	336	M35490	331	M36294	344
M35399	336	M35491	331	M36295	344
M35400	336	M35492	331	M36296	344
M35401	336	M35493	331	M36297	344
M35402	336	M35494	331	M36298	344
M35403	336	M35495	331	M36299	344
M35404	336	M35496	331	M36300	344
M35405	336	M35497	331	M36301	344
M35406	336	M35498	331	M36723	334
M35407	339	M35499	331	M36724	334
M35408	339	M35801	341	M36725	334
M35409	339	M35802	341	M36726	335
M35410	339	M35803	341	M36727	335
M35411	339	M35804	341	M36728	335
M35412	339	M35805	341	M36729	331
M35413	339	M35806	341	M36730	331
M35414	339	M35807	341	M36731	331
M35415	339	M35808	341	M36732	345
M35416	333	M35809	341	M36733	345
M35417	333	M35820	341	M36734	345
M35418	333	M35865	341	M36735	345
M35419	333	M35866	341	M36736	345
M35420	333	M35867	341	M36737	345
M35421	333	M36000	331	M36738	345
M35422	333	M36001	331	M36739	345
M35423	333	M36002	331	M36740	345
M35424	333	M36003	331	M36741	345
M35425	334	M36004	332	M36784	345
M35426	334	M36005	332	M36785	345
M35427	334	M36006	332	M36786	345
M35428	334	M36007	332	M36788	345
M35429	334	M36008	332	M36789	345
M35430	334	M36009	332	M36826	340
M35431	334	M36010	332, 345	M36827	340
M35432	334	M36011	332, 345	M36828	340
M35433	334	M36012	332, 345		
M35434	333	M36013	332	MK MK00514	310, 328
M35435	333	M36014	332	MK01418	303
M35436	333	M36015	332	MK01420	303
M35437	334	M36016	332	MK01422	299
M35438	334	M36017	332	MK01900	109
M35439	334	M36018	332	MK02588	105
M35452	333	M36042	347	MK03140	299
M35453	333	M36053	290	MK03320	299
M35454	333	M36056	347	MK04248	37
M35455	333	M36148	340		
M35456	333	M36149	340	MP MP00038	290, 292
M35457	333	M36150	340	MP00061	309, 344
M35469	338	M36151	340	MP00100	285
M35472	338	M36152	340	MP00100	289
M35473	338	M36153	340	MP00100	290
M35474	338	M36154	340	MP00220	86
M35475	338	M36155	340	MP00222	14
M35476	338	M36156	340	MP00224	86
M35477	338	M36290	344	MP00234	22, 403
M35478	338	M36291	344	MP00300	9
M35479	338	M36292	344	MP00301	16
M35489	331	M36293	344	MP00303	16

## INDEX BY ORDER NUMBER

---

MP00305	13	MP00514	296	MP00660	298, 438
MP00308	22, 402	MP00515	320	MP00661	304, 439
MP00309	22, 402	MP00516	297, 316	MP00663	321
MP00310	373, 400	MP00518	327	MP00664	321
MP00311	373, 400	MP00530	300	MP00686	299
MP00312	28	MP00531	300	MP00687	299
MP00313	28	MP00532	300	MP00688	303
MP00330	16	MP00533	300	MP00689	299
MP00331	17	MP00534	300	MP00690	356
MP00333	17, 400	MP00535	301, 316	MP00721	116, 147, 201
MP00334	11	MP00536	305	MP00748	198, 236, 249
MP00335	26	MP00537	323	MP00788	131, 188, 225, 251
MP00337	11	MP00538	323	MP00789	131, 188, 225, 251, 427
MP00338	10	MP00539	323	MP00790	132, 189, 225, 252
MP00340	29	MP00540	323	MP00791	132, 189, 225, 252
MP00341	32	MP00541	323	MP00792	132, 189, 252, 377, 427
MP00343	25, 402	MP00542	323, 440	MP00793	132, 189, 225, 252
MP00349	9	MP00543	324	MP00794	132, 189, 252, 377, 427
MP00350	9	MP00544	325	MP00795	131, 188, 225, 251
MP00351	10	MP00545	302, 441	MP00796	131, 188, 225, 251
MP00352	10	MP00547	305, 442	MP00797	187, 250
MP00353	10, 400	MP00548	300	MP00799	131, 188, 225, 251
MP00355	13	MP00549	323	MP00800	187, 250
MP00357	30	MP00550	301	MP00875	122, 185, 222, 232
MP00358	21	MP00551	301	MP00877	122, 185, 222, 232
MP00359	21	MP00552	290, 301, 316	MP00879	122, 185, 222, 232
MP00361	11	MP00553	324	MP00881	122, 185, 222, 232
MP00362	11	MP00555	310, 328, 445	MP00911	149, 203
MP00363	11, 400	MP00565	330	MP00912	149, 203
MP00365	18	MP00566	330	MP00913	149, 203
MP00366	18	MP00569	330	MP00915	149, 203
MP00367	30	MP00570	312	MP00916	149, 203
MP00368	30	MP00578	313	MP00917	149, 203
MP00370	30	MP00579	329	MP00918	149, 203
MP00371	18	MP00580	313	MP00919	149, 203
MP00372	19	MP00587	355, 449	MP00921	149, 203
MP00373	12	MP00589	355, 449	MP00924	150, 204
MP00374	20	MP00591	354, 448	MP00925	150, 204
MP00375	20	MP00592	354, 448	MP00926	150, 204
MP00378	30	MP00593	354, 448	MP00928	150, 204
MP00379	12	MP00595	330	MP00929	150, 204
MP00380	14	MP00596	330	MP00930	150, 204
MP00381	14	MP00601	354, 448	MP00931	150, 204
MP00383	15, 400	MP00602	354, 448	MP00932	150, 204
MP00384	15	MP00603	354, 448	MP00934	150, 204
MP00416	84, 284, 294, 389, 393, 436	MP00606	354, 448	MP00943	266
MP00501	296	MP00608	354, 448	MP00944	266
MP00502	296	MP00615	355, 449	MP00953	148, 202
MP00503	296	MP00626	354, 448	MP00989	147, 201
MP00504	296	MP00631	297	MP00990	229
MP00505	297, 316	MP00632	298	MP00991	145, 199, 240
MP00506	304	MP00634	314, 318, 389	MP00992	145, 199, 240
MP00507	320	MP00635	314	MP00993	145, 199, 240
MP00508	320	MP00636	314	MP00994	145, 199, 240
MP00509	320	MP00637	314	MP00995	145, 199, 240
MP00510	320	MP00638	301	MP00996	145, 199, 240
MP00511	320, 437	MP00639	302	MP00997	145, 199, 240, 429
MP00512	322, 327	MP00646	307	MP00998	145, 199, 240, 429

## INDEX BY ORDER NUMBER

MP00999	147, 201	MP01424	365, 367, 385	MP01677	89
MP01000	25	MP01440	387	MP01682	90
MP01002	93, 418	MP01442	387	MP01701	71, 412
MP01006	95	MP01443	387	MP01702	71, 412
MP01007	44, 95	MP01444	387	MP01703	71
MP01008	93	MP01445	387	MP01704	71
MP01010	97, 420	MP01494	390, 396	MP01705	71
MP01030	97, 420	MP01495	390, 396	MP01706	71
MP01031	97	MP01496	390, 396	MP01707	71
MP01032	97, 420	MP01510	73, 413	MP01708	71
MP01035	97	MP01511	73, 413	MP01730	56
MP01036	97	MP01512	73, 413	MP01735	56
MP01037	97, 420	MP01513	73	MP01740	410
MP01060	86	MP01514	73	MP01755	52
MP01061	86	MP01515	73	MP01765	52
MP01062	60, 174, 213, 245	MP01516	73	MP01770	52
MP01063	60, 174, 213, 245, 411	MP01521	74, 413	MP01780	87
MP01071	98, 421	MP01522	74, 413	MP01781	87
MP01072	98, 421	MP01523	74	MP01785	54
MP01073	98, 421	MP01524	74	MP01790	54
MP01074	98, 421	MP01531	74, 413	MP01795	54
MP01075	98, 421	MP01532	74, 413	MP01800	50
MP01076	98, 421	MP01533	74	MP01801	50
MP01078	98, 421	MP01534	74	MP01805	50
MP01079	98, 421	MP01543	74	MP01810	50
MP01085	98	MP01544	74	MP01815	50
MP01086	98, 421	MP01545	74	MP01820	50, 410
MP01087	98, 421	MP01546	74	MP01825	50
MP01089	98, 421	MP01553	69, 399	MP01840	61
MP01095	98, 421	MP01554	69, 399	MP01845	61
MP01101	288, 289	MP01555	69, 399	MP01850	61
MP01102	288, 289	MP01556	69, 399	MP01855	61
MP01103	288, 290	MP01559	76, 415	MP01860	61
MP01104	288	MP01560	76	MP01880	373, 387
MP01105	288	MP01561	76, 415	MP01890	61
MP01325	29	MP01562	76	MP01895	61
MP01326	29	MP01570	63	MP01910	75, 373, 414
MP01327	31, 401	MP01571	63	MP01911	75, 373, 414
MP01328	31, 401	MP01572	63	MP01912	75
MP01329	32, 401	MP01573	63	MP01913	75
MP01330	32	MP01574	63	MP01914	75
MP01340	31	MP01575	63	MP01915	75
MP01341	31	MP01590	70, 76, 415	MP01916	75, 414
MP01343	32	MP01620	64	MP01917	75
MP01347	29	MP01621	64	MP01920	77
MP01348	29	MP01622	64	MP01921	77
MP01350	29	MP01623	64	MP01922	79
MP01370	27	MP01624	64	MP01923	79
MP01371	27	MP01625	64	MP01924	78
MP01372	40	MP01656	89	MP01925	78
MP01390	40	MP01657	89	MP01926	77
MP01391	40	MP01663	90	MP01927	81
MP01401	365, 367	MP01664	90	MP01930	77
MP01402	372	MP01665	90	MP01931	77
MP01404	372	MP01671	62	MP01932	78
MP01414	386	MP01673	90	MP01933	78
MP01419	375, 378, 381	MP01674	90	MP01934	77
MP01423	363, 385	MP01676	89	MP01935	79

## INDEX BY ORDER NUMBER

---

MP01936	79	MP02972	193	MP03423	220
MP01940	81	MP02974	193	MP03424	220
MP01941	81	MP02975	193	MP03425	220
MP01942	81	MP02991	187	MP03426	220
MP01943	81	MP02992	187	MP03587	313
MP01944	81	MP02993	131, 188, 225, 251	MP03589	313
MP01945	81	MP03120	185	MP03597	329
MP02201	147, 201	MP03121	185	MP03700	390, 394
MP02260	388	MP03122	122, 185, 222	MP03701	390, 394
MP02400	47	MP03123	122, 185, 222	MP03702	390, 394
MP02401	47	MP03191	133, 190, 253	MP03703	390, 394
MP02405	47	MP03192	133, 190, 253, 427	MP03704	390, 394
MP02590	22, 403	MP03193	133, 190, 253	MP03705	394
MP02600	85	MP03194	187, 250	MP03730	361, 385
MP02605	23	MP03196	187	MP03737	361, 384
MP02606	23	MP03197	139, 196	MP03738	384
MP02607	23	MP03198	139, 196	MP03760	383
MP02608	22, 402	MP03203	196	MP03770	383
MP02650	22, 402	MP03211	309, 444	MP03771	383
MP02655	22, 403	MP03220	302	MP03772	383
MP02689	98, 421	MP03221	302, 441	MP03826	390, 394
MP02710	15, 400	MP03222	298	MP03880	391, 397
MP02711	15	MP03223	298, 438	MP03881	391, 397
MP02712	15	MP03230	317	MP03882	391, 397
MP02713	15	MP03231	317	MP03883	391, 397
MP02720	19	MP03232	317	MP03884	391, 397
MP02721	19	MP03233	317	MP03885	391, 397
MP02900	75, 373, 414	MP03325	293, 436	MP04110	289
MP02910	65	MP03366	294, 436	MP04200	83, 283, 392
MP02911	65	MP03373	12	MP04201	83, 283
MP02912	65	MP03374	12	MP04202	83, 283
MP02913	65	MP03375	30	MP04203	392
MP02914	65	MP03376	12	MP04204	283, 392
MP02915	65	MP03377	30	MP04218	84, 284, 393
MP02916	65	MP03378	12	MP04219	84, 284, 393
MP02917	65	MP03379	12	MP04221	84, 284, 393
MP02918	65	MP03381	21	MP04229	283, 392
MP02920	80, 416	MP03383	21	MP04240	62
MP02921	80, 416	MP03384	21	MP04242	62
MP02922	80	MP03388	30	MP04246	62
MP02923	80	MP03401	123, 184, 221, 232	MP04300	264
MP02924	80, 416	MP03402	123, 184, 221, 232	MP04301	264
MP02925	80, 416	MP03403	123, 184, 221, 232	MP04305	264
MP02926	80	MP03404	123, 184, 221, 232	MP04306	264
MP02927	80	MP03405	123, 184, 221	MP04310	264
MP02928	80, 416	MP03406	123, 184, 221	MP04312	264
MP02929	80, 416	MP03407	184	MP04315	264
MP02930	80	MP03408	184	MP04316	264
MP02931	80	MP03411	124	MP04320	264
MP02932	80, 416	MP03412	124	MP04322	264
MP02933	80, 416	MP03413	124	MP04325	264
MP02934	80	MP03414	124	MP04326	264
MP02935	80	MP03415	124	MP04327	264
MP02959	193	MP03416	124	MP04350	266
MP02960	193	MP03417	124	MP04351	266
MP02961	193	MP03418	124	MP04352	266
MP02962	193	MP03421	220	MP04353	266
MP02971	193	MP03422	220	MP04355	266

## INDEX BY ORDER NUMBER

MP04356	266	MP05051	68	MP07107	25
MP04357	266	MP05052	68	MP07108	25
MP04358	266	MP05053	68	MP07109	25
MP04359	266	MP05054	68	MP07130	25
MP04365	266	MP05061	68	MP07131	25
MP04366	266	MP05062	68	MP07150	25, 402
MP04551	271, 432	MP05063	68	MP07151	25, 402
MP04552	274, 343	MP05064	68	MP11001	72, 412
MP04553	275, 343	MP05071	68	MP11002	72, 412
MP04554	272	MP05072	68	MP11003	72
MP04555	273	MP05073	68	MP11004	72
MP04556	277	MP05074	68	MP11005	72
MP04557	273	MP05080	70	MP11006	72
MP04558	271	MP05114	186	MP11007	72
MP04559	278	MP05115	126, 186	MP11008	72
MP04560	273, 433	MP05120	120, 182, 219, 233	MP13000	280, 435
MP04561	271	MP05121	120, 182, 219, 233	MP13011	281, 435
MP04562	278	MP05122	120, 182, 219, 233	MP13012	281, 435
MP04563	272	MP05123	120, 182, 219, 233	MP13013	282
MP04564	278	MP05124	120, 182, 219	MP13014	282
MP04565	272	MP05125	120, 182, 219	MP13015	282
MP04566	272	MP05126	183	MP13016	282
MP04567	277, 434	MP05127	183	MP13017	282
MP04568	279	MP05128	183	MP13019	282
MP04569	273, 433	MP05129	183	MP13020	83, 283, 388
MP04570	275	MP05130	121, 182, 233	MP13021	83, 283, 388
MP04571	272	MP05131	121, 182, 233	MP13040	272
MP04572	278	MP05132	121, 182, 233	MP13041	278
MP04573	274	MP05133	121, 182, 233	MP15001	176, 214, 262
MP04575	274	MP05134	121, 182	MP15002	176, 214, 262
MP04576	276	MP05135	121, 182	MP15003	176, 214, 262, 431
MP04577	276	MP05305	84, 284	MP15004	176, 214, 262
MP04578	276	MP05507	82	MP15005	176, 214, 262
MP04579	276	MP05508	82	MP15006	176, 214, 262
MP04580	275	MP05511	82	MP15007	176, 214, 262, 431
MP04581	279	MP05512	82	MP15008	176, 214, 262
MP04711	66	MP05513	82	MP15009	176, 214, 262
MP04712	66	MP05601	82	MP15010	177, 215, 263
MP04713	66	MP05700	357	MP15011	177, 215, 263
MP04714	66	MP05701	357	MP15012	177, 215, 263
MP04721	66	MP05730	55	MP15013	177, 215, 263
MP04722	66	MP05735	55	MP16017	14
MP04723	66	MP05750	55	MP16018	14
MP04724	66	MP05755	51	MP16019	14
MP04731	66	MP05770	51	MP16020	15
MP04732	66	MP05785	53	MP16021	15, 400
MP04733	66	MP05790	53	MP16028	16
MP04734	66	MP05795	53	MP16029	16
MP04741	67	MP05800	49	MP16030	16
MP04742	67	MP05801	49	MP16031	17
MP04743	67	MP05805	49	MP16032	17, 400
MP04744	67	MP05810	49	MP16033	18
MP04751	67	MP05815	49	MP16034	18
MP04752	67	MP05820	49, 410	MP16035	18
MP04753	67	MP05845	55, 410	MP16036	19
MP04754	67	MP07101	25	MP16037	20
MP04800	13	MP07102	25	MP16038	20
MP04802	13, 400	MP07106	25	MP16039	19

## INDEX BY ORDER NUMBER

MP16040	19	MS16447	129, 425	MS33728	136, 191, 255
MP16041	21	MS16448	128, 224	MS33729	136, 191, 255, 427
MP16042	21	MS16449	128, 224	MS33730	136, 191, 255, 427
MP16044	21	MS16492	126	MS33731	134, 226, 426
MP16045	30	MS16916	167	MS33732	134, 226, 426
MP16049	21	MS16918	167	MS33733	134, 426
MP16050	21	MS16919	167	MS33736	191, 254
MP16051	30	MS16920	167	MS33737	191, 254
MP16052	30	MS17075	152	MS33738	191, 194
MP17008	11	MS17185	118, 181	MS33739	191, 194
MP17009	9	MS17330	127, 130, 140, 223, 228, 424	MS33740	135, 192, 226, 256
MP17010	9	MS17522	130, 225, 426	MS33741	135, 192, 226, 256
MP17011	10	MS18683	127, 130, 140, 223, 228, 424	MS34209	216
MP17012	11	MS20093	115	MS34436	130, 226
MP17012	10	MS20094	115	MS34437	130, 226
MP20022	343	MS20475	181	MS34677	143, 198
MP20023	343	MS20476	181	MS34678	143, 198
MP20024	343	MS20725	154, 206	MS40021	217
MP20029	343, 344	MS20783	206	MS40067	135, 192, 256
MP20030	343, 344	MS20979	198, 236, 249	MS40070	135, 192, 256
MP20050	47, 409	MS22147	155, 207	MS40073	135, 192, 256
MP20108	86	MS22148	155, 207	MS40076	194
MP20109	86	MS22259	174, 213	MS40079	194
MP20110	88	MS22532	155, 167, 207	MS40082	194
		MS22533	155, 207	MS40085	194
<b>MS</b> MS13218	172	MS22534	155, 207	MS40088	137, 192, 257
MS13235	128, 224	MS22535	155, 207	MS40091	137, 192, 257
MS14555	117, 180, 218, 233	MS22832	186	MS40094	137, 192, 257
MS14556	117, 180, 218, 233	MS22905	229	MS40243	146, 200, 239, 241
MS14559	117, 180, 218, 233	MS23133	167	MS40317	216
MS14560	117, 180, 218, 233	MS23598	160	MS40318	216
MS14679	126, 186	MS23897	206	MS40319	216
MS14680	126, 186	MS23898	206	MS40320	216
MS14682	117, 180, 218	MS24303	130, 225, 426	MS40321	216
MS14683	117, 180, 218	MS25951	186	MS40322	216
MS14693	181	MS26122	152	MS40323	217
MS14694	181	MS26123	152		
MS14796	170	MS26125	152	<b>MU</b> MU03876	366, 368, 375, 379, 381
MS15007	172	MS28557	118, 181, 233	MU04366	375, 378, 381
MS15053	172	MS28558	118, 181, 233	MU04472	376, 379, 381
MS15084	172	MS28559	118, 181, 233	MU04771	378
MS15085	172	MS28560	118, 181	MU04804	378
MS15086	172	MS28561	118, 181, 233	MU06008	376, 380, 382
MS15087	172	MS29468	171	MU06011	375, 380, 382
MS15893	152	MS31435	186	MU06570	368, 375, 379, 381
MS15894	153	MS32150	217	MU06933	375, 378, 381
MS15895	153	MS32151	217	MU06943	386
MS15896	153	MS32153	217	MU06944	386
MS16160	119	MS32154	216	MU06951	375, 378, 381
MS16161	119	MS32156	217	MU10841	373
MS16229	119	MS32282	167	MU10900	373
MS16230	119	MS32289	216	MU10902	374
MS16232	119	MS32290	216	MU10915	374
MS16233	119	MS32291	216	MU10916	374
MS16256	126, 186	MS32318	216	MU10917	374
MS16444	128, 224	MS33239	201	MU10918	366, 368, 374
MS16445	128, 224	MS33726	136, 191, 226, 255	MU11225	372
MS16446	129, 425	MS33727	136, 191, 226, 255	MU11228	372

## INDEX BY ORDER NUMBER

---

MU12504	366, 368
MU12533	367
MU12551	367
MU12609	366, 368
MU17191	368
MU21120	366, 368
MU24401	376
MU24402	376
MU24409	376
MU24903	366, 368
MU26041	365
MU26042	365
<b>MX</b> MX00001	103
MX00004	103, 141, 236, 249
MX01005	141, 236, 249
MX01049	111
MX01050	111, 364
MX10209	103
MX11000	361, 363, 369
MX11001	361, 363, 369
MX17012	363
MX17015	362, 364
MX17018	362, 364
MX23023	309, 444
MX23025	309, 444
MX23026	309, 44
MX37021	318
MX50004	103
MX50050	103
MX50065	142, 198, 228
MX50066	142, 198, 228
MX50067	142, 198, 425
MX50068	142, 198, 228, 425
MX50069	143
MX50070	143, 236, 249
MX50071	142, 198, 228
MX50090	105
MX50100	103
MX50115	105
MX50120	103





## INDEX BY PRODUCT NAME

1	1.5 m spiral hose and M12×1 screw connector	2M86291	99
	1.5 m spiral hose and probe for central supply system	2M86292	99
3	3.0 m spiral hose and probe for central supply system	2M86293	99
A	Absorber adapter CLIC, for Dräger anesthesia workstations	MX50090	105
	Adapter 9/16" to 15/22 mm	MP05305	84, 284
	Adapter 9/16" to M34×1.5 for Dräger reusable humidifier	MP03325	293, 436
	Adapter AIR NF/NIST	M35338	347
	Adapter AIR NIST/DIN	M32495	347
	Adapter AIR-O <sub>2</sub> /O <sub>2</sub> NIST/DIN	M36042	347
	Adapter AIR, DISS-NIST	M34877	347
	Adapter AIR/O <sub>2</sub> NIST/DIN	M32497	347
	Adapter cable for Infinity® PiCCO SmartPod®, for 10-pin connector	MS16920	167
	Adapter cable RD SET to LNCS	MS33732	134, 226, 426
	Adapter cable RD SET to LNOP	MS33731	134, 226, 426
	Adapter cable RD SET to MultiMed®	MS33733	134, 426
	Adapter cable, 7-pin connector for temperature probe with ¼" connector	5198333	145
	Adapter DISS M/QC-AIR-Chemetron	4119066	346
	Adapter DISS M/QC-AIR-Ohmeda	4119071	346
	Adapter DISS M/QC-AIR-Pur Ben	4119076	346
	Adapter DISS M/QC-AIR-Schrader	4119081	346
	Adapter DISS M/QC-EVAC-Chemetron	4119069	346
	Adapter DISS M/QC-EVAC-Ohmeda	4119074	346
	Adapter DISS M/QC-EVAC-Pur Ben	4119079	346
	Adapter DISS M/QC-N <sub>2</sub> O-Chemetron	4119065	346
	Adapter DISS M/QC-N <sub>2</sub> O-Ohmeda	4119070	346
	Adapter DISS M/QC-N <sub>2</sub> O-Pur Ben	4119075	346
	Adapter DISS M/QC-N <sub>2</sub> O-Schrader	4119080	346
	Adapter DISS M/QC-O <sub>2</sub> -Chemetron	4119068	346
	Adapter DISS M/QC-O <sub>2</sub> -Ohmeda	4119073	346
	Adapter DISS M/QC-O <sub>2</sub> -Pur Ben	4119078	346
	Adapter DISS M/QC-O <sub>2</sub> -Schrader	4119083	346
	Adapter DISS M/QC-VAC-Chemetron	4119067	346
	Adapter DISS M/QC-VAC-Ohmeda	4119072	346
	Adapter DISS M/QC-VAC-Pur Ben	4119077	346
	Adapter DISS M/QC-VAC-Schrader	4119082	346
	Adapter for Ambu Mark III	2120488	99
	Adapter for Combibag	2M86913	99
	Adapter for Laerdal	2120496	99
	Adapter for Laerdal	5790124	99
	Adapter for Oxidem for M12×1 (for existing hose systems)	8410547	99
	Adapter for Resutator 2000/MR-100	2120461	99
	Adapter N <sub>2</sub> O NF/NIST	M35337	347
	Adapter N <sub>2</sub> O NIST/DIN	M32494	347
	Adapter N <sub>2</sub> O NIST/DIN	M35057	347
	Adapter N <sub>2</sub> O, DISS-NIST	M34876	347
	Adapter NIST to DIN CS-Coupling AIR	M35058	292, 347
	Adapter NIST to DIN CS-Coupling O <sub>2</sub>	M35056	292, 347
Adapter O <sub>2</sub> NF/NIST	M35336	347	
Adapter O <sub>2</sub> NIST/DIN	M32493	347	
Adapter O <sub>2</sub> , DISS-NIST	M34875	347	

## INDEX BY PRODUCT NAME

Adapter straight, reusable, A, 18 mm/11 mm	8403076	45
Adapter VAC NIST/DIN	M32496	347
Adapter VAC, DISS-NIST	M34878	347
Adapter, for disposable sterilized water systems to AIR flowmeter, M32×1.5 to 9/16"	MP03366	294, 436
Adapter, for disposable sterilized water systemsto O <sub>2</sub> flowmeters, M34×1.5 to 9/16"	2M86680	294, 436
Adapter, reusable, 22 mm/11 mm, metal, N/P	8409897	45
Adapter, reusable, 22 mm/15 mm, 90°	8290274	34
Adapter, reusable, 22 mm/22 mm	M25647	34, 36, 37, 38, 45, 405
Adapter, reusable, 22 mm/22 mm, 90°	M25649	45
Adapter, to connect Dräger humidifier to mixing block, M15×1 to M34×1.5	2M85853	293
Adapter, to connect e.g a tube or nasal cannula to AIR flowmeter, M32×1.5 to 6 mm nozzle	2M85575	293
Adapter, to connect e.g a tube or nasal cannula to O <sub>2</sub> flowmeter, M34×1.5 to 6 mm nozzle	M06258	293, 436
Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16" connection	MP00416	84, 284, 294, 389, 393, 436
Adhesive Pad LNCS TF-I, 20 pcs.	MP03198	139, 196
Adhesive wrap for Nellcor® Oxiband™ P/I, 100 pcs.	2170221	141
Adhesive wrap, for Nellcor® Oxiband™ A/N, 100 pcs.	8201012	141, 425
Aerogen Solo Starter Kit, ES, IT, PT, GR, TK	MP01073	98, 421
Aerogen Solo Starter Kit, FR, NL, IT, GE	MP01072	98, 421
Aerogen Solo Starter Kit, Int.	MP01071	98, 421
Aerogen Solo Starter Kit, SW, NO, FI, DK	MP01074	98, 421
Aerogen Solo Starter Kit, UK	MP01075	98, 421
Aerogen Solo Starter Kit, US	MP01076	98, 421
Aerogen Solo USB Controller Starter Kit NE	MP01089	98, 421
Aerogen USB Controller Replacement w/o AC/DC adapter	MP01095	98, 421
AIR compact flowmeter Clickflow, DIN, 0.1 – 1 l/min, 6 mm nozzle	MP13019	282
AIR compact flowmeter Clickflow, DIN, 1 – 16 l/min, 6 mm nozzle	MP13016	282
AIR compact flowmeter Clickflow, DIN, 1 – 16 l/min, 9/16"	MP13015	282
AIR compact flowmeter Clickflow, rail, 1 – 16 l/min, 9/16"	MP13017	282
AIR CS hose 0.9 m (2.95 ft) NF EN NF	M36724	334
AIR CS hose 0.9 m (2.95 ft) NIST EN BS	M36727	335
AIR CS hose 0.9 m (2.95 ft) NIST EN DIN	M36730	331
AIR CS hose 0.9 m (2.95 ft) NIST GB DIN	M36786	345
AIR CS hose 1.5 m (4.9 ft) DISS US KAWA	M35803	341
AIR CS hose 1.5 m (4.9 ft) DISSB EN HAND	M36296	344
AIR CS hose 1.5 m (4.9 ft) NF EN NF	M35429	334
AIR CS hose 1.5 m (4.9 ft) NIST BS straight	M35402	336
AIR CS hose 1.5 m (4.9 ft) NIST EN AS	M36150	340
AIR CS hose 1.5 m (4.9 ft) NIST EN BS	M35393	335
AIR CS hose 1.5 m (4.9 ft) NIST EN Carba	M35475	338
AIR CS hose 1.5 m (4.9 ft) NIST EN DIN	M35495	331
AIR CS hose 1.5 m (4.9 ft) NIST EN NF	M35420	333
AIR CS hose 1.5 m (4.9 ft) NIST EN SS	M35383	337
AIR CS hose 1.5 m (4.9 ft) NIST EN UNI	M35411	339
AIR CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36010	332, 345
AIR CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35452	333
AIR CS hose 3 m (9.8 ft) DISS US KAWA	M35802	341
AIR CS hose 3 m (9.8 ft) DISSB EN HAND	M36297	344
AIR CS hose 3 m (9.8 ft) NF EN NF	M35430	334
AIR CS hose 3 m (9.8 ft) NIST BS straight	M35403	336
AIR CS hose 3 m (9.8 ft) NIST EN AS	M36149	340
AIR CS hose 3 m (9.8 ft) NIST EN BS	M35394	335
AIR CS hose 3 m (9.8 ft) NIST EN Carba	M35476	338
AIR CS hose 3 m (9.8 ft) NIST EN DIN	M35496	331

## INDEX BY PRODUCT NAME

AIR CS hose 3 m (9.8 ft) NIST EN NF	M35421	333
AIR CS hose 3 m (9.8 ft) NIST EN SS	M35384	337
AIR CS hose 3 m (9.8 ft) NIST EN UNI	M35412	339
AIR CS hose 3 m (9.8 ft) NIST GB BS	M36736	345
AIR CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36011	332, 345
AIR CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35453	333
AIR CS hose 5 m (16.4 ft) DISS US KAWA	M35801	341
AIR CS hose 5 m (16.4 ft) DISSB EN HAND	M36298	344
AIR CS hose 5 m (16.4 ft) NF EN NF	M35343	334
AIR CS hose 5 m (16.4 ft) NIST BS straight	M35340	336
AIR CS hose 5 m (16.4 ft) NIST EN AS	M36148	340
AIR CS hose 5 m (16.4 ft) NIST EN BS	M35335	335
AIR CS hose 5 m (16.4 ft) NIST EN Carba	M35346	338
AIR CS hose 5 m (16.4 ft) NIST EN DIN	M35497	331
AIR CS hose 5 m (16.4 ft) NIST EN NF	M35332	333
AIR CS hose 5 m (16.4 ft) NIST EN SS	M35385	337
AIR CS hose 5 m (16.4 ft) NIST EN UNI	M35358	339
AIR CS hose 5 m (16.4 ft) NIST GB BS	M36737	345
AIR CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36012	332, 345
AIR CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35454	333
AIR CS hose 8 m (26,25 ft) DISS US KAWA	M35865	341
AIR CS hose DISS Hand 10L	4199594	342
AIR CS hose DISS Hand 15L	4199593	342
AIR CS hose DISS N/DISS N 10L	4199605	342
AIR CS hose DISS N/DISS N 15L	4199604	342
AIR CS hose DISS N/DISS N 20L	4199712	342
AIR flowmeter, 16 l/min, CS, AGA, M32x1.5	MP13041	278
AIR flowmeter, 16 l/min, CS, CARBA, ISO, M32x1.5	MP04564	278
AIR flowmeter, 16 l/min, CS, DIN, ISO and neutral color, M32x1.5	MP04559	278
AIR flowmeter, 16 l/min, CS, long cs plug (6 cm; 2.4 in), DIN, ISO and neutral color, M32x1.5	MP04562	278
AIR flowmeter, 16 l/min, rail, NIST, M32x1.5	MP04568	279
AIR flowmeter, 32 l/min, CS, DIN, ISO and neutral color, M32x1.5	MP04572	278
AIR flowmeter, 32 l/min, rail, NIST, M32x1.5	MP04581	279
Air intake filter for Caleo® and Babyleo® TN500, reusable, 20 pcs.	MX17015	362, 364
Air intake filter for Isolette® C2000, 8000 and 8000 plus, reusable, 4 pcs.	MU12504	366, 368
Air intake filter for TI 500 and TI 500 Globe-Trotter, disposable, 6 pcs.	MU04472	376, 379, 381
AIR/O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST EN DIN	M36001	331
AIR/O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36016	332
AIR/O <sub>2</sub> CS hose 3 m (9.8 ft) NIST EN DIN	M36002	331
AIR/O <sub>2</sub> CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36017	332
AIR/O <sub>2</sub> CS hose 5 m (16.4 ft) NIST EN DIN	M36003	331
AIR/O <sub>2</sub> CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36018	332
Airway connector ErgoStar® AC 90, disposable, double-swivel elbow w/ double cap, 100 pcs.	MP01890	61
Airway connector ErgoStar® AC 95, disposable, w/ Luer Lock sampling port, 100 pcs.	MP01895	61
Anesthesia mask ComfortStar®, disposable, hook ring, bubble gum, size 1, neonatal, 20 pcs.	MP01531	74, 413
Anesthesia mask ComfortStar®, disposable, hook ring, bubble gum, size 2, baby, 20 pcs.	MP01532	74, 413
Anesthesia mask ComfortStar®, disposable, hook ring, bubble gum, size 3, infant, 20 pcs.	MP01533	74
Anesthesia mask ComfortStar®, disposable, hook ring, bubble gum, size 4, adult S, 20 pcs.	MP01534	74
Anesthesia mask ComfortStar®, disposable, hook ring, mint, size 3, infant, 20 pcs.	MP01543	74
Anesthesia mask ComfortStar®, disposable, hook ring, mint, size 4, adult S, 20 pcs.	MP01544	74
Anesthesia mask ComfortStar®, disposable, hook ring, mint, size 5, adult M, 20 pcs.	MP01545	74
Anesthesia mask ComfortStar®, disposable, hook ring, mint, size 6, adult L, 20 pcs.	MP01546	74

## INDEX BY PRODUCT NAME

Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 0, premature baby, 20 pcs.	MP01510	73, 413
Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 1, neonatal, 20 pcs.	MP01511	73, 413
Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 2, baby, 20 pcs.	MP01512	73, 413
Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 3, infant, 20 pcs.	MP01513	73
Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 4, adult S, 20 pcs.	MP01514	73
Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 5, adult M, 20 pcs.	MP01515	73
Anesthesia mask ComfortStar®, disposable, hook ring, standard, size 6, adult L, 20 pcs.	MP01516	73
Anesthesia mask ComfortStar®, disposable, hook ring, strawberry, size 1, neonatal, 20 pcs.	MP01521	74, 413
Anesthesia mask ComfortStar®, disposable, hook ring, strawberry, size 2, baby, 20 pcs.	MP01522	74, 413
Anesthesia mask ComfortStar®, disposable, hook ring, strawberry, size 3, infant, 20 pcs.	MP01523	74
Anesthesia mask ComfortStar®, disposable, hook ring, strawberry, size 4, adult S, 20 pcs.	MP01524	74
Anesthesia mask LiteStar®, disposable, w/o hook ring, size 1, infant S, 30 pcs.	MP11001	72, 412
Anesthesia mask LiteStar®, disposable, w/o hook ring, size 2, infant L, 30 pcs.	MP11002	72, 412
Anesthesia mask LiteStar®, disposable, w/o hook ring, size 3, child, 30 pcs.	MP11003	72
Anesthesia mask LiteStar®, disposable, w/o hook ring, size 4, adult S, 30 pcs.	MP11004	72
Anesthesia mask LiteStar®, disposable, w/o hook ring, size 5, adult M, 30 pcs.	MP11005	72
Anesthesia mask LiteStar®, disposable, w/o hook ring, size 6, adult L, 30 pcs.	MP11006	72
Anesthesia mask LiteStar®, disposable, w/o hook ring, size 7, adult XL, 30 pcs.	MP11007	72
Anesthesia set Infinity ID®, disposable, coaxial, GSL, 2.3 m/1.2 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	MP16051	30
Anesthesia set Infinity ID®, disposable, coaxial, water trap, GSL, 2.1 m/1.2 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	MP16052	30
Anesthesia set Infinity® ID, disposable, coaxial, GSL, 2.3 m/1.2 m, 10 pcs., not made with natural rubber latex	MP00368	30
Anesthesia set Infinity® ID, disposable, coaxial, water trap, 2 L, 2.1/1.2 m, 10 pcs., not made with natural rubber latex	MP03388	30
Anesthesia set Infinity® ID, disposable, coaxial, water trap, 2 L, 2.1/1.2 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	MP16045	30
Anesthesia set Infinity® ID, disposable, coaxial, water trap, GSL, 2.1 m/1.2 m, 10 pcs., not made with natural rubber latex	MP00370	30
Anesthesia set VentStar, disposable, coaxial, 2 L, 1.9 m/1.2 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	MP16041	21
Anesthesia set VentStar, disposable, coaxial, 2 L, 2.3 m/1.2 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	MP16042	21
Anesthesia set VentStar®, coaxial, water trap, GSL, 2 L, 2.1 m /1.2 m, 10 pcs., not made with natural rubber latex	MP00359	21
Anesthesia set VentStar®, coaxial, water trap, GSL, 2 L, 2.1 m /1.2 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	MP16050	21
Anesthesia set VentStar®, disposable, basic, 2 L, 1.8 m/1.5 m, 25 pcs., not made with natural rubber latex	MP00365	18
Anesthesia set VentStar®, disposable, basic, 2 L, 1.8 m/1.5 m, Bag Cone 22OD, 25 pcs., not made with natural rubber latex	MP16033	18
Anesthesia set VentStar®, disposable, basic, 2 L, 2.5 m/1.5 m, 10 pcs., not made with natural rubber latex	MP00366	18
Anesthesia set VentStar®, disposable, basic, 2 L, 2.5 m/1.5 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	MP16034	18
Anesthesia set VentStar®, disposable, coaxial, 2 L, 1.9 m/1.2 m, 10 pcs., not made with natural rubber latex	MP03384	21
Anesthesia set VentStar®, disposable, coaxial, 2 L, 2.3 m/1.2 m, 10 pcs., not made with natural rubber latex	MP03383	21
Anesthesia set VentStar®, disposable, coaxial, GSL, 2 L, 2.3 m /1.2 m, 10 pcs., not made with natural rubber latex	MP00358	21
Anesthesia set VentStar®, disposable, coaxial, GSL, 2 L, 2.3 m /1.2 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	MP16049	21
Anesthesia set VentStar®, disposable, coaxial, water trap, 2 L, 2.1 m/1.2 m, 10 pcs., not made with natural rubber latex	MP03381	21

## INDEX BY PRODUCT NAME

Anesthesia set VentStar®, disposable, coaxial, water trap, 2 L, 2.1/1.2 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	MP16044	21
Anesthesia set VentStar®, disposable, N, 1.8 m/1.1 m, 25 pcs., not made with natural rubber latex	MP00333	17, 400
Anesthesia set VentStar®, disposable, N, 1.8 m/1.1 m, Bag cone 22OD, 25 pcs., not made with natural rubber latex	MP16032	17, 400
Anesthesia set VentStar®, disposable, P, w/o Luer Lock, 1.5 m/1.1 m, 25 pcs., not made with natural rubber latex	MP00331	17
Anesthesia set VentStar®, disposable, P, w/o Luer Lock, 1.5 m/1.1 m, Bag Cone 22OD, 25 pcs., not made with natural rubber latex	MP16031	17
Anesthesia set VentStar®, disposable, P, water trap, 1 L, 1.8 m/1.1 m, 10 pcs., not made with natural rubber latex	MP00374	20
Anesthesia set VentStar®, disposable, P, water trap, 1 L, 1.8 m/1.1 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	MP16037	20
Anesthesia set VentStar®, disposable, P, water trap, w/o Luer Lock, 1 L, 1.8 m/1.1 m, 10 pcs., not made with natural rubber latex	MP00375	20
Anesthesia set VentStar®, disposable, P, water trap, w/o Luer Lock, 1 L, 1.8 m/1.1 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	MP16038	20
Anesthesia set VentStar®, disposable, w/o Luer Lock, 1.8 m/0.8 m, 25 pcs., not made with natural rubber latex	MP00330	16
Anesthesia set VentStar®, disposable, w/o Luer Lock, 1.8 m/0.8 m, Bag Cone 22OD, 25 pcs., not made with natural rubber latex	MP16030	16
Anesthesia set VentStar®, disposable, water trap, 2 L, 1.8 m/1.5 m, 10 pcs., not made with natural rubber latex	MP00372	19
Anesthesia set VentStar®, disposable, water trap, 2 L, 1.8 m/1.5 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	MP16036	19
Anesthesia set VentStar®, disposable, water trap, 2 L, 2.8 m/1.5 m, 10 pcs., not made with natural rubber latex	MP02721	19
Anesthesia set VentStar®, disposable, water trap, 2 L, 2.8 m/1.5 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	MP16040	19
Anesthesia set VentStar®, disposable, water trap, w/o Luer Lock, 2 L, 1.8 m/1.5 m, 10 pcs., not made with natural rubber latex	MP00371	18
Anesthesia set VentStar®, disposable, water trap, w/o Luer Lock, 2 L, 1.8 m/1.5 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	MP16035	18
Anesthesia set VentStar®, disposable, water trap, w/o Luer Lock, 2 L, 2.8 m/1.5 m, 10 pcs., not made with natural rubber latex	MP02720	19
Anesthesia set VentStar®, disposable, water trap, w/o Luer Lock, 2 L, 2.8 m/1.5 m, Bag Cone 22OD, 10 pcs., not made with natural rubber latex	MP16039	19
Anesthesia set, disposable, basic, 1.5 m/0.8 m, 25 pcs., not made with natural rubber latex	MP00301	16
Anesthesia set, disposable, basic, 1.5 m/0.8 m, Bag Cone 22OD, 25 pcs., not made with natural rubber latex	MP16028	16
Anesthesia set, disposable, extendable, 1.8 m/0.8 m, 25 pcs., not made with natural rubber latex	MP00303	16
Anesthesia set, disposable, extendable, 1.8 m/0.8 m, Bag Cone 22OD, 25 pcs., not made with natural rubber latex	MP16029	16
APC NIBP Cuff, adult, 23 cm – 33 cm, reusable, Vista 120 SC	2600933	259
APC NIBP Cuff, child, 12 cm – 19 cm, reusable, Vista 120 SC	2600930	259
APC NIBP Cuff, large adult, 31 cm – 40 cm, reusable, Vista 120	2600934	259
APC NIBP Cuff, small adult, 17 cm – 25 cm, reusable, Vista 120 SC	2600932	259
Aquapor H300 - Configuration	MP01000	25
Aquapor H300 Basic unit 115V	MP07102	25
Aquapor H300 Basic unit 230V	MP07101	25
<b>B</b> BabyFlow® plus, disposable, size L, 20 pcs.	MP03702	390, 394
BabyFlow® plus, disposable, size M, 20 pcs.	MP03701	390, 394
BabyFlow® plus, disposable, size S, 20 pcs.	MP03700	390, 394
Bacteria filter IBF absorber, only use with Zeus®/Zeus® IE, 5 pcs.	MK02588	105

## INDEX BY PRODUCT NAME

Bacterial and viral filter system VarioSafe, for VarioAir®, VarioVac®, VarioO2, disposable, 10 pcs.	MP00555	310, 328, 445
Bacterial filter 767, 5 pcs.	6723976	310, 328, 445
Bacterial filter 767, disposable, for ejectors (model range until 2010)	CH00102	310, 328
Bacterial filter disposable, 20 pcs.	MK00514	310, 328
Bacterial filter for Dräger patient monitors, disposable	8402868	178
Bacterial filter, disposable, for Evac 40, 10 pcs.	MX37021	318
Basket 150, 15 × 20 × 10 cm, e.g., for disposable gloves	M26146	352, 447
Basket 300, 15 × 28 × 10 cm, e.g., for 300 mm catheters	M26145	352, 447
Basket 600, 15 × 48 × 10 cm, e.g., for 600 mm catheters	M25121	352, 447
Bed clip for cables	MS15087	172
BISx adapter cable Vista 120	2607560	247
BISx pod Vista 120	2607561	247
Block for EEG referential lead conversion	5954859	171
BlueSet Anesthesia (N)	M27542	38, 405
BlueSet Anesthesia (P/A)	M30146	36
BlueSet Anesthesia water trap (P/A)	MK04248	37
BlueSet Ventilation (N)	8412344	33, 404
BlueSet Ventilation (P/A)	8413146	34
BlueSet Ventilation HME (P/A)	8412860	35
Breathing bag set Infinity® ID, disposable, 2 L, 1.2 m, 25 pcs., not made with natural rubber latex	MP00341	32
Breathing bag set Infinity® ID, disposable, 2 L, 1.5 m, 25 pcs., not made with natural rubber latex	MP01330	32
Breathing bag set Infinity® ID, disposable, N, 0.5 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP01329	32, 401
Breathing bag set Infinity® ID, disposable, P, 1 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP01343	32
Breathing bag set VentStar® (Cone 22OD), disposable, 2 L, 0.8 m, 25 pcs., not made with natural rubber latex	MP16017	14
Breathing bag set VentStar® (Cone 22OD), disposable, 2 L, 1.2 m, 25 pcs., not made with natural rubber latex	MP16018	14
Breathing bag set VentStar® (Cone 22OD), disposable, 2 L, 1.5 m, 25 pcs., not made with natural rubber latex	MP16019	14
Breathing bag set VentStar® (Cone 22OD), disposable, N, 0.5 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP16021	15, 400
Breathing bag set VentStar® (Cone 22OD), disposable, P, 1 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP16020	15
Breathing bag set VentStar®, disposable, 2 L, 0.8 m, 25 pcs., not made with natural rubber latex	MP00222	14
Breathing bag set VentStar®, disposable, 2 L, 1.2 m, 25 pcs., not made with natural rubber latex	MP00380	14
Breathing bag set VentStar®, disposable, 2 L, 1.5 m, 25 pcs., not made with natural rubber latex	MP00381	14
Breathing bag set VentStar®, disposable, N, 0.5 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP00383	15, 400
Breathing bag set VentStar®, disposable, P, 1 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP00384	15
Breathing bag, silicone, reusable, 0.5 L, not made with natural rubber latex	2166054	38, 46, 405, 409
Breathing bag, silicone, reusable, 1.5 L, not made with natural rubber latex	2166127	46, 409
Breathing bag, silicone, reusable, 2.3 L, not made with natural rubber latex	2166062	36, 37, 46
Breathing bag, silicone, reusable, 3 L, not made with natural rubber latex	2166070	46
Breathing circuit for active humidification, disposable, neonate, 20 pcs., not made with natural rubber latex	MU24409	376
Breathing circuit for Resuscitaire® VentStar®, disposable, N, press. meas. line, 1 m, 25 pcs., not made with natural rubber latex	MP00311	373, 400

## INDEX BY PRODUCT NAME

Breathing circuit Infinity® ID, disposable, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP01350	29
Breathing circuit Infinity® ID, disposable, basic, 2.5 m, 25 pcs., not made with natural rubber latex	MP01348	29
Breathing circuit Infinity® ID, disposable, coaxial, 1.9 m, 20 pcs., not made with natural rubber latex	MP03375	30
Breathing circuit Infinity® ID, disposable, coaxial, 2.3 m, 20 pcs., not made with natural rubber latex	MP03377	30
Breathing circuit Infinity® ID, disposable, coaxial, GSL, 2.3 m, 20 pcs., not made with natural rubber latex	MP00357	30
Breathing circuit Infinity® ID, disposable, extendable, 2.2 m, 25 pcs., not made with natural rubber latex	MP01347	29
Breathing circuit Infinity® ID, disposable, N, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP01327	31, 401
Breathing circuit Infinity® ID, disposable, N, heated, 1.2 m, 10 pcs., not made with natural rubber latex	MP00343	25, 402
Breathing circuit Infinity® ID, disposable, N, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP01328	31, 401
Breathing circuit Infinity® ID, disposable, P, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP01340	31
Breathing circuit Infinity® ID, disposable, P, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP01341	31
Breathing circuit Infinity® ID, disposable, smoothbore, 1.6 m, 25 pcs., not made with natural rubber latex	MP00340	29
Breathing circuit Infinity® ID, disposable, smoothbore, 3 m, 10 pcs., not made with natural rubber latex	MP01325	29
Breathing circuit Infinity® ID, disposable, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP01326	29
Breathing circuit Infinity® ID, disposable, water trap, 2.1 m, 10 pcs., not made with natural rubber latex	MP00378	30
Breathing circuit Infinity® ID, disposable, water trap, GSL, 2.1 m, 10 pcs., not made with natural rubber latex	MP00367	30
Breathing circuit Vent Set, disposable, basic, 1.5 m, 25 pcs., not made with natural rubber latex	MP00300	9
Breathing circuit Vent Set, disposable, extendable, 1.8 m, 25 pcs., not made with natural rubber latex	MP00305	13
Breathing circuit VentStar® Carina® ExpV, disposable, 2 m, 10 pcs., not made with natural rubber latex	5704962	28
Breathing circuit VentStar® Carina® ExpV, disposable, 1.5 m, 10 pcs., not made with natural rubber latex	MP00313	28
Breathing circuit VentStar® Carina® LeakV, disposable, 1.5 m, 25 pcs., not made with natural rubber latex	MP00312	28
Breathing circuit VentStar® Helix, disposable, N, dual heated, 1.7 m, 10 pcs., not made with natural rubber latex	MP02650	22, 402
Breathing circuit VentStar® Helix, disposable, N, heated, 1.7 m, 10 pcs., not made with natural rubber latex	MP02608	22, 402
Breathing circuit VentStar® ICU (P) 180, disposable, P, basic, y-piece detachable, 1.8 m, 25 pcs., not made with natural rubber latex	MP17011	10
Breathing circuit VentStar® ICU (P) 250, disposable, P, basic, y-piece detachable, 2.5 m, 25 pcs., not made with natural rubber latex	MP17012	10
Breathing circuit VentStar® ICU 180, disposable, basic, y-piece detachable 1.8 m, 25 pcs., not made with natural rubber latex	MP17009	9
Breathing circuit VentStar® ICU 250, disposable, basic, y-piece detachable, 2.5 m, 10 pcs., not made with natural rubber latex	MP17010	9
Breathing circuit VentStar® Oxylog 1000, disposable, 1.8 m, 25 pcs., not made with natural rubber latex	2M86837	26
Breathing circuit VentStar® Oxylog 3000, 3000+, disposable, P, 1.9 m, 5 pcs., not made with natural rubber latex	5704964	27

## INDEX BY PRODUCT NAME

Breathing circuit VentStar® Oxylog 3000F, 2000p, VE300, disposable, 1.5 m (4.92 ft), 5 pcs., for Oxylog VE300 only with Option Plus	5703041	26
Breathing circuit VentStar® Oxylog 3000F, 2000p, VE300, disposable, 3 m (9.8 ft), 5 pcs., for Oxylog VE300 only with Option Plus	MP00335	26
Breathing circuit VentStar® Oxylog VE300, disposable, 3 m, 5 pcs., not made with natural rubber latex	MP01371	27
Breathing circuit VentStar® Oxylog VE300, disposable, 1.5 m, 5 pcs., not made with natural rubber latex	MP01370	27
Breathing circuit VentStar® WT ICU (P) 180, disposable, P, water trap, y-piece detachable, w/o Luer Lock, 1.8 m, 25 pcs., not made with natural rubber latex	MP17012	11
Breathing circuit VentStar® WT ICU 180, disposable, water trap, y-piece detachable, w/o Luer Lock, 1.8 m, 25 pcs., not made with natural rubber latex	MP17008	11
Breathing circuit VentStar®, disposable, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP00349	9
Breathing circuit VentStar®, disposable, basic, 2.5 m, 10 pcs., not made with natural rubber latex	MP00350	9
Breathing circuit VentStar®, disposable, coaxial, 1.7 m, 20 pcs., not made with natural rubber latex	MP03373	12
Breathing circuit VentStar®, disposable, coaxial, 1.9 m, 20 pcs., not made with natural rubber latex	MP03374	12
Breathing circuit VentStar®, disposable, coaxial, 2.3 m, 20 pcs., not made with natural rubber latex	MP03376	12
Breathing circuit VentStar®, disposable, coaxial, GSL, 2.3 m, 20 pcs., not made with natural rubber latex	MP03378	12
Breathing circuit VentStar®, disposable, coaxial, water trap, 2.1 m, 10 pcs., not made with natural rubber latex	MP00373	12
Breathing circuit VentStar®, disposable, coaxial, water trap, GSL, 2.1 m, 10 pcs., not made with natural rubber latex	MP03379	12
Breathing circuit VentStar®, disposable, extendable, 2.2 m, 25 pcs., not made with natural rubber latex	MP00355	13
Breathing circuit VentStar®, disposable, N, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP00353	10, 400
Breathing circuit VentStar®, disposable, N, heated, 1.2 m, 10 pcs., not made with natural rubber latex	MP00308	22, 402
Breathing circuit VentStar®, disposable, N, heated, w/o chamber, 1.2 m, 10 pcs., not made with natural rubber latex	MP00309	22, 402
Breathing circuit VentStar®, disposable, N, MRI, 3 m, 10 pcs., not made with natural rubber latex	MP04802	13, 400
Breathing circuit VentStar®, disposable, N, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP00363	11, 400
Breathing circuit VentStar®, disposable, P, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP00351	10
Breathing circuit VentStar®, disposable, P, basic, 2.5 m, 25 pcs., not made with natural rubber latex	MP00352	10
Breathing circuit VentStar®, disposable, P, basic, w/o Luer Lock, 1.5 m, 25 pcs., not made with natural rubber latex	MP00338	10
Breathing circuit VentStar®, disposable, P, coaxial, 1.5 m, 20 pcs., not made with natural rubber latex	MP00379	12
Breathing circuit VentStar®, disposable, P, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP00361	11
Breathing circuit VentStar®, disposable, P, water trap, w/o Luer Lock, 1.8 m, 25 pcs., not made with natural rubber latex	MP00362	11
Breathing circuit VentStar®, disposable, smoothbore, for MRI, 3 m, 10 pcs., not made with natural rubber latex	MP04800	13
Breathing circuit VentStar®, disposable, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP00337	11
Breathing circuit VentStar®, disposable, water trap, w/o Luer Lock, 1.8 m, 25 pcs., not made with natural rubber latex	MP00334	11
Breathing hose for breathing bag, disposable, 15 mm, 25 pcs.	MU10900	373



## INDEX BY PRODUCT NAME

Breathing hose for Oxylog® 1000, reusable, silicone, 3 m	2112760	39, 40
Breathing hose for TI 500 Globe-Trotter, disposable, 20 pcs.	MU04771	378
Breathing hose holder for Babytherm®, neonatal, for 10 mm breathing hose	2M21191	370
Breathing hose set for Oxylog® 2000/3000 family, reusable, w/ flow measurement line, 1.5 m	8412068	40
Breathing hose set for Oxylog® 2000/3000 family, reusable, w/ flow measurement line, 3 m	8412913	40
Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm, Ø 22 mm	2166038	36, 37, 41
Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm, Ø 22 mm	2166046	35, 36, 39, 40, 41
Breathing hose, silicone, reusable, A, 35 cm, connector 22 mm/22 mm, Ø 22 mm	2165619	34, 41
Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm, Ø 22 mm	2165627	34, 37, 41
Breathing hose, silicone, reusable, N/P, 1.1 m, connector 10 mm/22 mm, Ø 10 mm	2165651	43, 407
Breathing hose, silicone, reusable, N/P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm	2165678	38, 42, 405
Breathing hose, silicone, reusable, N/P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm	2165961	38, 43, 405, 407
Breathing hose, silicone, reusable, N/P, 40 cm, connector 10 mm/22 mm, Ø 10 mm	2165856	33, 43, 404, 407
Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/10 mm, Ø 10 mm	2165848	33, 42, 404, 406
Breathing hose, silicone, reusable, N/P, 60 cm, connector 10 mm/22 mm, Ø 10 mm	2165821	33, 43, 404, 407
<b>C</b> Cable holder for rail, 10 pcs.	G15225	353
Cable holder for support pole, 4 pcs.	G13171	353
Calibration set, with test connection and test gas cylinder	8412710	175, 213
Canister opener, for canisters MX00001 and MX50050, 5 pcs.	MX10209	103
Cap BabyFlow®, disposable, size L, green, 25.5 – 28 cm (10 – 11 in) head circumference, 5 pcs.	8418536	391, 398
Cap BabyFlow®, disposable, size M, red, 23 – 25.5 cm (9.1 – 10 in) head circumference, 5 pcs.	8418535	391, 398
Cap BabyFlow®, disposable, size S, yellow, 20.5 – 23 cm (8.1 – 9.1 in) head circumference, 5 pcs.	8418534	391, 398
Cap BabyFlow®, disposable, size XL, orange, 28 – 30.5 cm (11 – 12 in) head circumference, 5 pcs.	8418537	391, 398
Cap BabyFlow®, disposable, size XS, white, 18 – 20.5 cm (7.1 – 8.1 in) head circumference, 5 pcs.	8418533	391, 398
Cap BabyFlow®, disposable, size XXL, blue, 30.5 – 33 cm (12 – 13 in) head circumference, 5 pcs.	8418538	391, 398
Cap BabyFlow®, disposable, size XXL+, white/black, 33 – 36 cm (13 – 14.2 in) head circumference, 5 pcs.	8418539	391, 398
Cap for water vacuum gauge	MP00595	330
Cap secretion jar Medela	MP03231	317
Cap, for 700 ml secretion jar, with overflow safeguard	2M85011	311
Cap, for secretion jar, for fistula indicator for continuous and thoracic drainage	2M85013	311
Cap, for secretion jar, w/ overflow safeguard and pressure relief valve (≥ 0.1 kPa)	2M85012	311
Cardiac Output cable, 3 m	2601201	243
Cardiac output kit, Argon/Merit Medical	7265163	212
Cardiac output kit, Baxter	7265155	212
Carrier rack CD	2M85380	307
Carrying rack bronchial suction	2M85381	307
Catheter mount ErgoStar® CM 40, disposable, 10 cm, double swivel elbow, 50 pcs.	MP01840	61
Catheter mount ErgoStar® CM 45, disposable, 15 cm, double swivel elbow, 50 pcs.	MP01845	61
Catheter mount ErgoStar® CM 50, disposable, 10 – 16 cm, extendable, 50 pcs.	MP01850	61
Catheter mount ErgoStar® CM 55, disposable, 15 cm, straight, 50 pcs.	MP01855	61
Catheter mount ErgoStar® CM 60, disposable, 10 cm, small, double swivel elbow, 50 pcs.	MP01860	61
Ceiling holder, rail holder for compact suction systems and secretion jar sets	2M85119	308, 352, 446
Clamp for GCX rail, 5 pcs.	2M60401	362
CLIC Absorber 800+, disposable absorber, 1.2 l, 6 pcs.	MX00004	103, 141, 236, 249
CLIC Absorber Free, disposable absorber, 1.2 l, 6 pcs.	MX50100	103
CNAP™ cuff controller and cradle	MS26125	152

## INDEX BY PRODUCT NAME

CNAP™ cuff controller forearm strap	MS26122	152
CNAP™ intermediate cable for Infinity® CNAP™ SmartPod®, for CNAP™ controller	MS15893	152
CNAP™ sensor cuff, size L	MS15896	153
CNAP™ sensor cuff, size M	MS15895	153
CNAP™ sensor cuff, size S	MS15894	153
CO cable for Infinity® PiCCO Pod	MS16916	167
CO catheter cable	8419160	165, 212
CO catheter cable for Infinity® PiCCO Pod	MS16918	167
CO connection cable, 1 m	3368458	165, 212
CO Control Syringe	2601192	243
CO In-line Injection temperature probe Becton Dickinson	2601190	243
CO In-line Injection temperature probe housing	2601191	243
CO thermistor cable Argon/Merit Medical	8420077	165, 212
CO thermistor cable Baxter/Edwards	8539983	165, 212
CO thermistor cable for Infinity® PiCCO Pod	MS16919	167
CO thermistor T-piece Argon/Merit Medical	5741975	165, 212
CO <sub>2</sub> airway adapter, adult, disposable, 10 pcs.	2606227	173, 246
CO <sub>2</sub> airway adapter, neonatal (infant/pediatric), disposable, 10 pcs.	2606228	173, 246, 431
CO <sub>2</sub> cuvette disposable, adult, 10 pcs.	MP01062	60, 174, 213, 245
CO <sub>2</sub> cuvette disposable, pediatric, 10 pcs.	MP01063	60, 174, 213, 245, 411
CO <sub>2</sub> cuvette reusable, adult	6870279	60, 174, 213, 245
CO <sub>2</sub> cuvette reusable, pediatric	6870280	60, 174, 213, 245, 411
CO <sub>2</sub> mainstream sensor, for Evita® 2 dura, Evita® 4 Edition and Evita® XL	6871500	60, 411
CO <sub>2</sub> Microstr. O <sub>2</sub> Nasal Adult - Extended Duration, 25 pcs.	MP15010	177, 215, 263
CO <sub>2</sub> Microstr. O <sub>2</sub> Nasal Pediatric - Extended Duration, 25 pcs.	MP15011	177, 215, 263
CO <sub>2</sub> Microstr. O <sub>2</sub> Nasal/Oral Adult - Short-term use, 25 pcs.	MP15012	177, 215, 263
CO <sub>2</sub> Microstr. O <sub>2</sub> Nasal/Oral Pediatric - Short-term use, 25 pcs.	MP15013	177, 215, 263
CO <sub>2</sub> nasal cannula + O <sub>2</sub> , adult, disposable, for Vista 120, 50 pcs.	2607554	244
CO <sub>2</sub> nasal cannula + O <sub>2</sub> , child, disposable, for Vista 120, 50 pcs.	2607555	244
CO <sub>2</sub> nasal cannula, adult, disposable, for Vista 120, 100 pcs.	2607551	244
CO <sub>2</sub> nasal cannula, infant, disposable, for Vista 120, 100 pcs.	2607553	244
CO <sub>2</sub> nasal cannula, pediatric, disposable, for Vista 120, 100 pcs.	2607552	244
CO <sub>2</sub> sampling line, disposable, for Vista 120, 100 pcs.	2607550	244
CO <sub>2</sub> sidestream water trap, for Vista 120, 20 pcs.	2605124	244
CombiStar A Filter HME, combination of airway connector MP01845 and filter TwinStar® 55 (MP01805), 25 pcs.	MP01671	62
CombiStar F-HME HEPA flex, combination of flexible tube extension MP01850 and filter TwinStar® HEPA (MP01801), 25 pcs.	MP04242	62
CombiStar Filter HME flex, combination of flexible tube extension MP01850 and filter TwinStar® 55 (MP01805), 25 pcs.	MP04240	62
CombiStar mechanical Filter flex, combination of flexible tube extension MP01850 and filter SafeStar® 55 (MP01790), 25 pcs.	MP04246	62
Compact flowmeter Clickflow configurator	MP13000	280, 435
Compact rail, for 38 mm tube, standard rail profile 25 × 10 mm, each side 10 cm, weight 0.9 kg, max. load 30 kg	2M85337	291, 353, 355, 389, 449
Condensate management hoses for Isolette® 8000 and 8000 plus, disposable, 20 pcs.	MU21120	366, 368
Connection cable for MX 300 and MX 300-i	MP01444	387
Connection cable, connects HemoMed Pod to monitor, 3 m	5591925	154
Connection cable, connects HemoMed Pod to monitor, 5 m	5591933	154
Connection hose Medela	MP03233	317
Connection hose, silicone, reusable, ID 5 mm, wall thickness 2 mm, by meter	1203606	311, 445
Connector pressure Oxylog® VE300	MP01372	40
Continuous drainage 1	2M85151	326
Continuous drainage 3	2M85153	326

## INDEX BY PRODUCT NAME

	Control panel	MP00589	355, 449
	Controller cable for Aerogen Pro	MP01036	97
	Corrugated hose, reusable, N/P, 14 cm, connector 10 mm/10 mm, Ø 10 mm	8403333	33, 404
	Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, large, 100 pcs.	MU06943	386
	Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, small, 100 pcs.	MU06944	386
	CS connection hose holder	2M85446	308, 318, 351, 446
	CS hoses, several hoses to connect flowmeter with the central supply	86016973	331
	Cuddling toy Babyleo® TN500, lion, orange	MP03737	361, 384
	Cuddling toy Cally, reusable, light blue or pink	2M30462	384
	Cuddling toy Isi, deer green	MP03738	384
	Cuff controller cradle allows CNAP™ cuff controller to "slide" with movement of patient's arm	MS26123	152
	Cylinder support	2M85180	327
<b>D</b>	Demo lung SmartLung, max.1 L, reusable, not made with natural rubber latex	MP02405	47
	Demo lung to simulate neonatal lungs, with suitcase	8418077	409
	Demo package BabyFlow® plus, disposable, size L	MP03705	394
	Demo package BabyFlow® plus, disposable, size M	MP03704	390, 394
	Demo package BabyFlow® plus, disposable, size S	MP03703	390, 394
	Deposit plate for Babytherm® 8000	2M21158	370
	Disposable hand sensor, adult, as of Software 1.8	MS40320	216
	Disposable Handle Polaris®, Dual, for Polaris® 100/200, 600 and Multimedia, adapter required, 60 pcs.	MP05700	357
	Disposable Handle Polaris®, Single, for Polaris® 100/200, 600 and Multimedia, adapter required, 120 pcs.	MP05701	357
	Double connector 11ID/15OD, disposable, 10 pcs.	MP02655	22, 403
	Double-Plug coupling AIR	G01166	346
	Double-Plug coupling O <sub>2</sub>	G01168	346
	Double-Plug coupling VAC	G01169	346
	Draw wire for hose heater 1.5 m, for reusable breathing circuit	8411050	95, 419
	Dummy Plug	8410049	33, 34, 404
	Dust filter Perseus, 5 pcs.	MX50115	105
<b>E</b>	Ear clip for Nellcor® DURA-Y™	MX01005	141, 236, 249
	ECG "4-lead" spacer, 10 pcs.	MS22832	186
	ECG adapter for single-pin ECG cable to MultiMed® 6	MS14680	126, 186
	ECG adapter for single-pin ECG cable to MultiMed® 5	MS14679	126, 186
	ECG adapter tel, GE-AP-CH, 3 Lead	MP04350	266
	ECG adapter tel, GE-AP-CH, 5 Lead	MP04351	266
	ECG adapter tel, GE-AP-CH, 6 Lead	MP04352	266
	ECG adapter tel, GE-AP-FH, 5 Lead	MP04353	266
	ECG adapter tel, PH M, 5 Lead	MP04358	266
	ECG adapter tel, PH M, 6 Lead	MP04359	266
	ECG adapter tel, PH MX40, 3 Lead	MP04355	266
	ECG adapter tel, PH MX40, 5 Lead	MP04356	266
	ECG adapter tel, PH MX40, 6 Lead	MP04357	266
	ECG adapter tel, SL AT, 5 Lead	MP04365	266
	ECG adapter tel, SL UV, 5 Lead	MP04366	266
	ECG Adapter, 3 Lead GE	MP04322	264
	ECG Adapter, 3 Lead Mindray	MP04312	264
	ECG Adapter, 3 Lead NK	MP04316	264
	ECG Adapter, 3 Lead Philips	MP04325	264
	ECG Adapter, 3 Lead Spacelabs	MP04300	264
	ECG Adapter, 3 Lead Welch Allyn	MP04305	264

## INDEX BY PRODUCT NAME

ECG Adapter, 5 Lead GE	MP04320	264
ECG Adapter, 5 Lead Mindray	MP04310	264
ECG Adapter, 5 Lead Philips	MP04326	264
ECG Adapter, 5 Lead Spacelabs	MP04301	264
ECG Adapter, 5 Lead Welch Allyn	MP04306	264
ECG Adapter, 6 Lead NK	MP04315	264
ECG Adapter, 6 Lead Philips	MP04327	264
ECG cable for C lead MonoLead® 5, IEC1 (European color code), 1.5 m	MS16232	119
ECG cable for C lead, IEC1 (European color code), 1 m	MP03417	124
ECG cable for V lead MonoLead® 5, IEC2 (AHA/US color code), 1.5 m	MS16230	119
ECG cable for V lead, IEC2 (AHA/US color code), 1 m	MP03418	124
ECG cable, 3-lead Infinity® TruST™, IEC1 (European color code), 70 cm	MP03421	220
ECG cable, 3-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm	MP03422	220
ECG cable, 3-lead, dual-pin connector, IEC1 (European color code), 1 m	MP03411	124
ECG cable, 3-lead, dual-pin connector, IEC2 (AHA/US color code), 1 m	MP03412	124
ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (European color code), 2 m	MS14555	117, 180, 218, 233
ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (European color code), 4.1 m	MS28561	118, 181, 233
ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color code), 4.1 m	MS28557	118, 181, 233
ECG cable, 3-lead, single-pin connector, IEC1 (European color code), 1 m	MP03401	123, 184, 221, 232
ECG cable, 3-lead, single-pin connector, single-patient use, IEC1 (European color code), 1 m, 20 pcs.	MP00875	122, 185, 222, 232
ECG cable, 3-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1 m, 20 pcs.	MP00877	122, 185, 222, 232
ECG cable, 3-lead, single-pin connector, IEC2 (AHA/US color code), 1 m	MP03402	123, 184, 221, 232
ECG cable, 3-lead, dual-pin connector MonoLead® 3, IEC1 (European color code), 2 m	MS16160	119
ECG cable, 3-lead, dual-pin connector MonoLead® 3, IEC2 (AHA/US color code), 2 m	MS16233	119
ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color code), 2 m	MS14556	117, 180, 218, 233
ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC1 (European color code), 1.7 m	MS14693	181
ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC1 (European color code), 3.7 m	MS20476	181
ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC2 (AHA/US color code), 1.7 m	MS14694	181
ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC2 (AHA/US color code), 3.7 m	MS20475	181
ECG cable, 4-lead, single-pin connector, IEC1 (European color code), 1 m	MP03407	184
ECG cable, 4-lead, single-pin connector, IEC2 (AHA/US color code), 1 m	MP03408	184
ECG cable, 4-lead, single-pin connector, single-patient use, IEC1 (European color code), 1 m, 20 pcs.	MP03120	185
ECG cable, 4-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1 m, 20 pcs.	MP03121	185
ECG cable, 5-lead Infinity® TruST™, IEC1 (European color code), 70 cm	MP03423	220
ECG cable, 5-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm	MP03424	220
ECG cable, 5-lead, dual-pin connector MonoLead® 5, IEC1 (European color code), 2.5 m	MS16161	119
ECG cable, 5-lead, dual-pin connector MonoLead® 5, IEC2 (AHA/US color code), 2.5 m	MS16229	119
ECG cable, 5-lead, dual-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03414	124
ECG cable, 5-lead, dual-pin connector, IEC1 (European color code), 1/1.5 m	MP03413	124
ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (European color code), 5.3 m	MS28559	118, 181, 233
ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US color code), 5.3 m	MS28558	118, 181, 233
ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (European color code), 2.5 m	MS14559	117, 180, 218, 233
ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US color code), 2.5 m	MS14560	117, 180, 218, 233
ECG cable, 5-lead, single-pin connector, IEC1 (European color code), 1/1.5 m	MP03403	123, 184, 221, 232
ECG cable, 5-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03404	123, 184, 221, 232
ECG cable, 5-lead, single-pin connector, single-patient use, IEC1 (European color code), 1/1.5 m, 20 pcs.	MP00879	122, 185, 222, 232
ECG cable, 5-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs.	MP00881	122, 185, 222, 232
ECG cable, 6-lead Infinity® TruST™, IEC1 (European color code), 70 cm	MP03425	220

## INDEX BY PRODUCT NAME

ECG cable, 6-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm	MP03426	220
ECG cable, 6-lead, dual-pin connector, IEC1 (European color code), 1/1.5 m	MP03415	124
ECG cable, 6-lead, dual-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03416	124
ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (European color code), 3 m	MS14683	117, 180, 218
ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (European color code), 5.7 m	MS17185	118, 181
ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color code), 3 m	MS14682	117, 180, 218
ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color code), 5.7 m	MS28560	118, 181
ECG cable, 6-lead, single-pin connector, IEC1 (European color code), 1/1.5 m	MP03405	123, 184, 221
ECG cable, 6-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03406	123, 184, 221
ECG cable, 6-lead, single-pin connector, single-patient use, IEC1 (European color code), 1/1.5 m, 20 pcs.	MP03122	122, 185, 222
ECG cable, 6-lead, single-pin connector, single-patient use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs.	MP03123	122, 185, 222
ECG defib trunk cable, 3/5-lead single-pin, IEC/AHA, 1.5 m	2612020	230
ECG defib trunk cable, 3/5-lead single-pin, IEC/AHA, 2.5 m	2612021	230
ECG defib trunk cable, Neonate, single-pin, IEC/AHA, 1.5 m	2612026	230
ECG defib trunk cable, Neonate, single-pin, IEC/AHA, 2.5 m	2612027	230
ECG electrodes, adult, disposable, 300 pcs.	2606247	234
ECG electrodes, adult/child, disposable, 1,000 pcs.	2606249	234
ECG electrodes, child, disposable, 500 pcs.	2606248	234
ECG electrodes, single-patient use, neonate, 300 pcs.	5195024	125, 186, 234, 423
ECG ESU block, for OR use of 3- or 5-lead ECG cables with MultiMed® 5	5947226	126
ECG ESU block, for OR use of 3-, 5-, or 6-lead ECG cables with MultiMed® 6	7486140	126
ECG ESU trunk cable, 3/5-lead single-pin, IEC/AHA, 1.5 m	2612024	230
ECG ESU trunk cable, 3/5-lead single-pin, IEC/AHA, 2.5 m	2612025	230
ECG ESU trunk cable, Neonate, single-pin, IEC/AHA, 1.5 m	2612028	230
ECG ESU trunk cable, Neonate, single-pin, IEC/AHA, 2.5 m	2612029	230
ECG extension cable, 4-lead, 2 m	MP05114	186
ECG extension cable, 4-lead, single-pin connector, 2 m	MS31435	186
ECG extension cable, 6-lead, 2 m	MP05115	126, 186
ECG extension cable, 6-lead, single-pin connector, 2 m	MS16256	126, 186
ECG extension cable, dual-pin connector, 2 m	MS16492	126
ECG intermediate cable, 3-lead, for NeoMed Pod, 1.5 m	5592162	125, 423
ECG leadwire, 3-lead single-pin, AHA, 1 m	2612001	231
ECG leadwire, 3-lead single-pin, IEC, 1 m	2612000	231
ECG leadwire, 5-lead single-pin, AHA, 1.5 m	2612003	231
ECG leadwire, 5-lead single-pin, IEC, 1.5 m	2612002	231
ECG limb wires, 3-lead, Grabber, AHA colour code	2606497	234
ECG limb wires, 3-lead, Grabber, IEC colour code	2606493	234
ECG limb wires, 5-lead, Grabber, AHA colour code	2606498	234
ECG limb wires, 5-lead, Grabber, IEC colour code	2606494	234
ECG MonoLead®, 3-lead, AHA/US, 2 m	MP05121	120, 182, 219, 233
ECG MonoLead®, 3-lead, AHA/US, 4.1 m	MP05131	121, 182, 233
ECG MonoLead®, 3-lead, EUR, 2 m	MP05120	120, 182, 219, 233
ECG MonoLead®, 3-lead, EUR, 4.1 m	MP05130	121, 182, 233
ECG MonoLead®, 4-lead, AHA/US, 1.7 m	MP05127	183
ECG MonoLead®, 4-lead, AHA/US, 3.7 m	MP05129	183
ECG MonoLead®, 4-lead, EUR, 1.7 m	MP05126	183
ECG MonoLead®, 4-lead, EUR, 3.7 m	MP05128	183
ECG MonoLead®, 5-lead, AHA/US, 2.5 m	MP05123	120, 182, 219, 233
ECG MonoLead®, 5-lead, AHA/US, 5.3 m	MP05133	121, 182, 233
ECG MonoLead®, 5-lead, EUR, 2.5 m	MP05122	120, 182, 219, 233
ECG MonoLead®, 5-lead, EUR, 5.3 m	MP05132	121, 182, 233
ECG MonoLead®, 6-lead, AHA/US, 3 m	MP05125	120, 182, 219

## INDEX BY PRODUCT NAME

ECG MonoLead®, 6-lead, AHA/US, 5.7 m	MP05135	121, 182
ECG MonoLead®, 6-lead, EUR, 3 m	MP05124	120, 182, 219
ECG MonoLead®, 6-lead, EUR, 5.7 m	MP05134	121, 182
ECG neonatal 3-lead adapter cable, 2 m	MS25951	186
ECG trunk cable, 3-lead, for neonates, IEC & AHA	2606492	234
ECG trunk cable, 3-lead, IEC/AHA colour code	2606495	234
ECG trunk cable, 5-lead, IEC/AHA colour code	2606496	234
EEG electrode cable, color-coded, 9 pcs.	5947804	171
EEG electrodes, disposable, 25 pcs.	MS29468	171
Ejector suction NIST AIR O <sub>2</sub> for bronchial suction, gas connection AIR/O <sub>2</sub> , for connection to all standard wall rails	MK01418	303
Ejector suction NIST for bronchial suction, gas connection AIR, for connection to all standard wall rails	MK01420	303
Ejector suction NIST, for bronchial suction, gas connection AIR, version for Atlan A300/ A350 and Perseus A500	MP00688	303
Ejector VarioAir® B AGA, for bronchial suction, gas connection AIR, Swedish standard	MP00533	300
Ejector VarioAir® B BS, for bronchial suction, gas connection AIR	MP00531	300
Ejector VarioAir® B CARBA, for bronchial suction, gas connection AIR	MP00548	300
Ejector VarioAir® B compact, for bronchial suction, gas connection NIST AIR, including secretion jar set and integrated ejector	MP00536	305
Ejector VarioAir® B DIN, for bronchial suction, gas connection AIR	MP00530	300
Ejector VarioAir® B NF, for bronchial suction, gas connection AIR	MP00532	300
Ejector VarioAir® B UNI, for bronchial suction, gas connection AIR	MP00534	300
Ejector VarioAir® B/OR Rail DISS, for bronchial and OR suction, gas connection DISS AIR	MP00638	301
Ejector VarioAir® B/OR Rail, for bronchial and OR suction, gas connection NIST AIR	MP00535	301, 316
Ejector VarioAir® D AGA, for continuous and wound drainage, gas connection AIR	MP00540	323
Ejector VarioAir® D BS, for continuous and wound drainage, gas connection AIR	MP00538	323
Ejector VarioAir® D CARBA, for continuous and wound drainage, gas connection AIR	MP00549	323
Ejector VarioAir® D DIN, for continuous and wound drainage, gas connection AIR	MP00537	323
Ejector VarioAir® D NF, for continuous and wound drainage, gas connection AIR	MP00539	323
Ejector VarioAir® D Rail, for continuous and wound drainage, gas connection AIR, for connection to all standard wall rails	MP00542	323, 440
Ejector VarioAir® D UNI, for continuous and wound drainage, gas connection AIR	MP00541	323
Ejector VarioAir® MRI B/OR Rail, for bronchial suction, gas connection NIST AIR, for connection to all standard wall rails	MP03220	302
Ejector VarioAir® MRI P Rail, for bronchial suction, gas connection NIST AIR, for connection to all standard wall rails	MP03221	302, 441
Ejector VarioAir® P compact, for bronchial suction, gas connection NIST AIR, including secretion jar set and integrated ejector	MP00547	305, 442
Ejector VarioAir® P Rail DISS, for bronchial suction, gas connection DISS AIR, for connection to all standard wall rails	MP00639	302
Ejector VarioAir® P Rail, for bronchial suction, gas connection NIST AIR, for connection to all standard wall rails	MP00545	302, 441
Ejector VarioAir® T DIN, for thoracic drainage, gas connection DIN, for connecting to the central AIR supply according to DIN standard	MP00553	324
Ejector VarioAir® T Rail WV, for thoracic drainage, with water vacuum gauge, for connection to all standard wall rails	MP00544	325
Ejector VarioAir® T Rail, for thoracic drainage, gas connection NIST AIR, for connection to all standard wall rails	MP00543	324
Ejector VarioO <sub>2</sub> ® B CARBA, for bronchial suction, gas connection O <sub>2</sub>	MP00551	301
Ejector VarioO <sub>2</sub> ® B DIN, for bronchial suction, gas connection O <sub>2</sub>	MP00550	301
Ejector VarioO <sub>2</sub> ® B/OR Rail, for bronchial and OR suction, gas connection NIST O <sub>2</sub>	MP00552	290, 301, 316
Elbow for F&P, reusable	8418289	45
Elbow, angled hose connection for secretion jar caps	2M19063	312, 445

## INDEX BY PRODUCT NAME

Elbow, reusable	8412235	40, 45
Elbow, reusable, N/P, metal, Luer Lock	M34568	38, 45, 405, 408
Electrode adapter, to connect neonatal electrodes to MultiMed® pod, 10 pcs.	5194779	125, 423
Electrostatic filter and HME TwinStar® 10A, disposable, 10 ml deadspace, angled, 50 pcs.	MP01825	50
Electrostatic filter and HME TwinStar® 25, disposable, 25 ml deadspace, 50 pcs.	MP01815	50
Electrostatic filter and HME TwinStar® 55, disposable, 55 ml deadspace, 50 pcs.	MP01805	50
Electrostatic filter and HME TwinStar® 65A, disposable, 65 ml deadspace, angled, 50 pcs.	MP01810	50
Electrostatic filter and HME TwinStar® 8, disposable, 8 ml deadspace, 50 pcs.	MP01820	50, 410
Electrostatic filter and HME TwinStar® 90, disposable, 90 ml deadspace, 50 pcs.	MP01800	50
Electrostatic filter CareStar® 20 Plus, disposable, ~20 ml deadspace, 100 pcs.	MP05770	51
Electrostatic filter CareStar® 30, disposable, 30 ml deadspace, 50 pcs.	MP01770	52
Electrostatic filter CareStar® 35 Plus, disposable, ~35 ml deadspace, 100 pcs.	MP05755	51
Electrostatic filter CareStar® 40A, disposable, 40 ml deadspace, angled, 50 pcs.	MP01765	52
Electrostatic filter CareStar® 45, disposable, 45 ml deadspace, 50 pcs.	MP01755	52
etCO <sub>2</sub> adapter cable M11.1	2607032	245
etCO <sub>2</sub> airway adapter, reusable, adult	4721796	173
etCO <sub>2</sub> airway adapter, reusable, neonate	4721788	173, 431
etCO <sub>2</sub> Microstr. Intubated Adult/Pediatric - Extended Duration, 25 pcs.	MP15001	176, 214, 262
etCO <sub>2</sub> Microstr. Intubated Adult/Pediatric - Short-term use, 25 pcs.	MP15002	176, 214, 262
etCO <sub>2</sub> Microstr. Intubated Infant/Neonatal - Extended Duration, 25 pcs.	MP15003	176, 214, 262, 431
etCO <sub>2</sub> Microstr. Nasal Adult - Extended Duration, 25 pcs.	MP15004	176, 214, 262
etCO <sub>2</sub> Microstr. Nasal Adult - Short-term use, 25 pcs.	MP15005	176, 214, 262
etCO <sub>2</sub> Microstr. Nasal Infant/Neonatal - Extended Duration, 25 pcs.	MP15007	176, 214, 262, 431
etCO <sub>2</sub> Microstr. Nasal Pediatric - Short-term use, 25 pcs.	MP15006	176, 214, 262
etCO <sub>2</sub> Microstr. Nasal/Oral Adult - Short-term use, 25 pcs.	MP15008	176, 214, 262
etCO <sub>2</sub> Microstr. Nasal/Oral Pediatric - Short-term use, 25 pcs.	MP15009	176, 214, 262
etCO <sub>2</sub> sensor Capnostat 5, reusable	2606226	246
Expiratory filter, disposable, 20 pcs.	MP01781	87
Expiratory valve for Babylog® 8000	8408950	85
Expiratory valve for Babylog® VN 500, reusable (RFID)	8415270	85
Expiratory valve for Carina®, disposable, 25 pcs.	MP00220	86
Expiratory valve for Evita Infinity® V500, reusable	8416750	86
Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.	8414776	85
Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.	MP02600	85
Expiratory valve for Evita®, reusable	8410580	85
Expiratory valve for Savina®, reusable	8413660	86
Expiratory valve, disposable, 10 pcs.	MP01061	86
Expiratory valve, disposable, 10 pcs.	MP20109	86
Expiratory valve, for neonatal/pediatric patients (Non-RFID), reusable	8415296	85
Expiratory valve, reusable	8417050	86
Extension arm set, for cables and hoses, with cable/hose guide channels	G13040	353
Extension cable	MS32153	217
Eyebrow sensor, reusable	MS32291	216
Eyebrow sensor, reusable, as of Software 1.8	MS40321	216
<b>F</b> Filac 3000 Isolation Chamber, oral, Vista 120 SC	2600941	261
Filac 3000 Isolation Chamber, rectal, Vista 120 SC	2600944	261
Filac 3000 Probe Covers, 20 pcs. Vista 120 SC	2600945	261
Filac 3000 Probe, oral, reusable, 1.2 m, Vista 120 SC	2600939	261
Filac 3000 Probe, oral, reusable, 2.7 m, Vista 120 SC	2600940	261
Filac 3000 Probe, rectal, reusable, 1.2 m, Vista 120 SC	2600942	261
Filac 3000 Probe, rectal, reusable, 2.7 m, Vista 120 SC	2600943	261
Filler cap for Aerogen Pro, silicone, 5 pcs.	MP01035	97

## INDEX BY PRODUCT NAME

Filter + HME TwinStar® 25 Plus, disposable, ~25 ml deadspace, 100 pcs.	MP05815	49
Filter + HME TwinStar® 55 Plus, disposable, ~55 ml deadspace, 100 pcs.	MP05805	49
Filter + HME TwinStar® 60A Plus, disposable, ~60 ml deadspace, angled, 100 pcs.	MP05810	49
Filter + HME TwinStar® 9 Plus, disposable, ~9 ml deadspace, 100 pcs.	MP05820	49, 410
Filter + HME TwinStar® 90 Plus, disposable, ~90 ml deadspace, 100 pcs.	MP05800	49
Filter for suction bottle 40 ml for Resuscitaire®, disposable, 10 pcs.	MU10915	374
Flow measuring line for Oxylog® 2000/3000 family, 1.5 m	8410929	40
Flow measuring line for Oxylog® 2000/3000 family, 3 m	8413293	40
Flow sensor cable for V-series with Neo option and VN-series	8416600	110
Flow sensor cable, for neonatal flow sensor, e.g., Babylog	8409626	110, 422
Flow sensor for Crossvent 2i+, disposable, infant, 10 pcs.	MU24401	376
Flow sensor Infinity® ID, PC/ABS, 5 pcs.	6871980	109
Flow sensor SpiroLife®, PPSU, sterilizable	MK01900	109
Flow sensor Spirolog®, PC/ABS, 5 pcs.	8403735	109
Fluxmed TM, Pressure Probe with esophageal balloon, disposable	MP20110	88
Foot sensor, reusable	MS32290	216
Foot sensor, reusable, as of Software 1.8	MS40322	216
<b>G</b> Gastrochisis arm, complete	2M60180	362
Gel mattress for Babytherm® 8000 / 8010 and TN300, reusable	2M20827	369
General-purpose temperature probe, reusable, adult, 7-pin connector, 1.5 m	4329889	146, 200, 241
General-purpose temperature probe, reusable, adult, 7-pin connector, 3 m	5204644	146, 200, 241
General-purpose temperature probe, reusable, child, 7-pin connector, 1.5 m	4329848	146, 200, 241
General-purpose temperature probe, reusable, child, 7-pin connector, 3 m	5204651	146, 200, 241
General-purpose temperature probe, single-patient use, adult, 7-pin connector, 1.6 m	MP00991	145, 199, 240
General-purpose temperature probe, single-patient use, adult, 7-pin connector, 3 m	MP00992	145, 199, 240
General-purpose temperature probe, single-patient use, child, 7-pin connector, 1.6 m	MP00993	145, 199, 240
General-purpose temperature probe, single-patient use, child, 7-pin connector, 3 m	MP00994	145, 199, 240
<b>H</b> H300 Heater wire adapter, dual	MP07107	25
H300 Heater wire adapter, insp	MP07106	25
H300 Temp. sensor cable	MP07109	25
H300 Temp. sensor cable, 160 cm	MP07108	25
Hand port cuff, disposable, oval, 100 pcs.	MU06570	368, 375, 379, 381
Hand sensor, reusable, adult	MS32154	216
Hand sensor, reusable, adult, as of Software 1.8	MS40317	216
Hand sensor, reusable, pediatric	MS32289	216
Hand sensor, reusable, pediatric, as of Software 1.8	MS40318	216
Hand sensor, reusable, small pediatric, as of Software 1.8	MS40319	216
Handle, complete for Babytherm® 8000	2M21161	370
Headband LNCS TF-I, 5 pcs.	MP03197	139, 196
Headgear, disposable, size L, 31 – 37 cm (12.2 – 14.6 in) head circumference, 5 pcs.	MP03884	391, 397
Headgear, disposable, size M, 27 – 31 cm (10.6 – 12.2 in) head circumference, 5 pcs.	MP03883	391, 397
Headgear, disposable, size S, 23 – 27 cm (9.1 – 10.6 in) head circumference, 5 pcs.	MP03882	391, 397
Headgear, disposable, size XL, 37 – 42 cm (14.6 – 16.5 in) head circumference, 5 pcs.	MP03885	391, 397
Headgear, disposable, size XS, 20 – 23 cm (7.9 – 9.1 in) head circumference, 5 pcs.	MP03881	391, 397
Headgear, disposable, size XXS, 17 – 20 cm (6.7 – 7.9 in) head circumference, 5 pcs.	MP03880	391, 397
Headgear, disposable, soft fabric, large	MP01560	76
Headgear, disposable, soft fabric, small	MP01559	76, 415
Headgear, disposable, soft rubber, large	MP01562	76
Headgear, disposable, soft rubber, small	MP01561	76, 415
HI-Flow Star Nasal Cannula, disposable, adult L, Flow Range < 60 l/min, 25 pcs.	MP05513	82
HI-Flow Star Nasal Cannula, disposable, adult M, Flow Range < 60 l/min, 25 pcs.	MP05512	82



## INDEX BY PRODUCT NAME

HI-Flow Star Nasal Cannula, disposable, adult S, Flow Range < 60 l/min, 25 pcs.	MP05511	82
HI-Flow Star System, heated inspiratory breathing circuit, disposable, 25 pcs.	MP05601	82
HI-Flow Star Valve Kit w/ Pop-Up Valve and Connector 22 mm, disposable, 15 pcs.	MP05507	82
Hinged arm 240°	8409609	356
Hinged arm Infinity® ACS	MP00690	356
Hinged arm Quickstop 2	2M85706	356, 450
Hinged arm Quickstop short	2M86463	356, 450
HME HumidStar® 10A, disposable, 10 mL deadspace, angled, 50 pcs.	MP01740	410
HME HumidStar® 2 Plus, disposable, 2 ml deadspace, 100 pcs.	MP05845	55, 410
HME HumidStar® 25 Plus, disposable, ~25 ml deadspace, 100 pcs.	MP05735	55
HME HumidStar® 25, disposable, 25 ml deadspace, 50 pcs.	MP01735	56
HME HumidStar® 55 Plus, disposable, ~55 ml deadspace, 100 pcs.	MP05730	55
HME HumidStar® 55, disposable, 55 ml deadspace, 50 pcs.	MP01730	56
HME HumidStar® Trach Plus, disposable, 6 ml deadspace, 100 pcs.	MP05750	55
Holder for cylinder packet for GCX profile	4118453	362
Holder for F&P humidifier U-shaped, for trolley, with rail clamp	MP01002	93, 418
Holder for hinged hood for Babytherm® 8000 WB, 8004 and 8010, reusable, neonatal, mounts to hand rail	2M21342	370
Holder for Infinity® M300 bedside charger, swiveling 360°	MP00990	229
Holder for MultiMed® 12 Pod	5202747	116
Holder for MultiMed® 5/6, MultiMed® Plus/OR, and NeoMed Pods	5598128	116
Holder for MultiMed® 5/6, MultiMed® Plus/OR, NeoMed Pods and Tcore®, swiveling 360°	MP00721	116, 147, 201
Holder for MX 300 and MX 300-i	MP01443	387
Hook ring for LiteStar® anesthesia masks, disposable, 22 mm ID, for sizes 3 – 7, 30 pcs.	MP11008	72
Hook ring for SediStar® anesthesia masks, disposable, 22 mm ID, for sizes 3 – 7, 30 pcs.	MP01708	71
Hook ring for silicone masks, reusable, 15 mm OD, for sizes 00 – 1, 10 pcs.	MP01916	75, 414
Hook ring for silicone masks, reusable, 22 mm ID, for sizes 2 – 5, 10 pcs.	MP01917	75
Hose ASM-WAGD DISS N/ DISS N 10L	MP20022	343
Hose ASM-WAGD DISS N/ DISS N 15L	MP20023	343
Hose ASM-WAGD DISS N/ DISS N 20L	MP20024	343
Hose ASM-WAGD HAND DISS N 10L	MP20029	343, 344
Hose ASM-WAGD HAND DISS N 15L	MP20030	343, 344
Hose clamp, 10 pcs.	8403566	34
Hose heater adapter for F&P MR 850, for disposable breathing circuit	8414992	94
Hose heater adapter for F&P MR 850, for double-heated disposable breathing circuit	MP01006	95
Hose heater adapter for F&P MR 850, for reusable breathing circuit	8414968	94, 419
Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit, 1.1 m	8414993	93, 418
Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit, 1.5 m	8414969	93
Hose heater for F&P MR 700/730, 70 cm	8411154	418
Hose heater, A, 1.1 m	8411045	93
Hose nozzle 8 mm small, connection nozzle double sided 8 mm	5000833	330
Hose Oxylog® VE300, 150, reusable	MP01390	40
Hose Oxylog® VE300, 300, reusable	MP01391	40
Humidifier chamber for F&P MR 290, disposable, 10 pcs.	8418282	92, 418
Humidifier chamber for F&P MR 340, reusable, N/P	8411047	92, 418
Humidifier chamber for F&P MR 370, reusable, A	8412217	92
Humidifier chamber for Isolette® C2000, reusable	MU17191	368
Humidifier chamber VentStar®, disposable, 10 pcs.	MP00234	22, 403
Humidifier chamber VentStar®, disposable, N, 10 pcs.	MP02590	22, 403
Humidifier chamber, 10 pcs.	MP02605	23
Humidifier-bubbler, for oxygen humidification up to appr. 60% relative humidity and flows up to 5 l/min	2M85834	293, 436
Humidifier-nebulizer, for oxygen humidification up to 100% relative humidity and flows up to 5 l/min	2M85835	293

## INDEX BY PRODUCT NAME

Humidity pad, disposable, antibacterial, 25 pcs.	MU06008	376, 380, 382
I IBP adapter, 10-pin to 7-pin	3368383	162
IBP cable 10pin	2607559	242
IBP cable 7pin	2607558	242
IBP cable Abbott, Medex	2606490	242
IBP cable Becton Dickinson/Argon	2606488	242
IBP cable Edwards	2606489	242
IBP cable Utah	2606491	242
IBP connection cable Argon/Merit Medical, 3.7 m (12.1 ft)	3375933	164
IBP holder for pressure transducer Memscap (Capto/SensoNor) 844, 4 pcs.	7864155	163
IBP pressure transducer cable for Memscap (Capto/SensoNor), 3.7 m	4321563	163
IBP pressure transducer for Memscap (Capto/SensoNor) 844, disposable, sterile, 50 pcs.	7864908	163
IBP pressure transducer for Memscap (Capto/SensoNor) 844, reusable	7489417	163
IBP pressure transducer kit, BD/Argon, disposable, 5 kits	2606225	242
IBP pressure transducer plate, for Hemo2 Pod, for Memscap (Capto/SensoNor), 5 pcs.	4721614	161
IBP pressure transducer plate, for Hemo2/4 Pods, for Abbott Transpac IV, 5 pcs.	7270460	161
IBP pressure transducer plate, for Hemo2/4 Pods, for Abbott TranspacII/III/Braun, 5 pcs.	5192112	161
IBP pressure transducer plate, for Hemo4 Pod, for Memscap (Capto/SensoNor), 5 pcs.	4721416	161
IBP pressure transducer plate, for Hemo4 Pod, universal, 5 pcs.	4721424	161
IBP pressure transducer set Argon/Merit Medical, disposable, sterile, 5 pcs.	4528741	164
IBP pressure transducer set for Memscap (Capto/SensoNor) 844	7498947	163
IBP pressure transducer set for Memscap (Capto/SensoNor) 844, disposable, 10 pcs.	7489433	163
IBP transducer adapter Abbott/Medex/ICU Medical	MS22535	155, 207
IBP transducer adapter Argon/Merit Medical	MS22148	155, 207
IBP transducer adapter Baxter/Edwards	MS22147	155, 207
IBP transducer adapter cable, Abbott/Medex, Smiths/TranStar, 0.3 m	2601230	157, 209
IBP transducer adapter cable, Abbott/Medex, Smiths/TranStar, 2 m	2601231	157, 209
IBP transducer adapter cable, Argon/BD/Ohmeda, 0.3 m	2601222	159, 211
IBP transducer adapter cable, Argon/BD/Ohmeda, 2 m	2601223	159, 211
IBP transducer adapter cable, B.Braun, 0.3 m	2601232	156, 208
IBP transducer adapter cable, B.Braun, 2 m	2601233	156, 208
IBP transducer adapter cable, Baxter/Edwards, 0.3 m	2601220	159, 211
IBP transducer adapter cable, Baxter/Edwards, 2 m	2601221	159, 211
IBP transducer adapter cable, Codan/DPT, 0.3 m	2601234	156, 208
IBP transducer adapter cable, Codan/DPT, 2 m	2601235	156, 208
IBP transducer adapter cable, Codan/Xtrans, 0.3 m	2601236	159, 211
IBP transducer adapter cable, Dräger 10-pin	MS22532	155, 167, 207
IBP transducer adapter cable, Dräger 10-pin, 0.3 m	2601224	158, 210
IBP transducer adapter cable, Dräger 10-pin, 2 m	2601225	158, 210
IBP transducer adapter cable, Dräger 7-pin	MS22533	155, 207
IBP transducer adapter cable, Dräger 7-pin, 0.3 m	2601226	158, 210
IBP transducer adapter cable, Dräger 7-pin, 2 m	2601227	158, 210
IBP transducer adapter cable, Utah Medical, 0.3 m	2601228	157, 209
IBP transducer adapter cable, Utah Medical, 2 m	2601229	157, 209
IBP transducer adapter Utah Medical	MS22534	155, 207
IBP Y-adapter, 10-pin	5731281	162
IBP Y-adapter, 10-pin to 7-pin	5588095	162
IBP Y-adapter, 7-pin	5592147	162
IBP Y-cable, Baxter/Edwards, 3.7 m	5206607	162
IBP Y-cable, for Memscap (Capto/SensoNor), 3.7 m	5195180	163
IBP Y-cableArgon/Merit Medical 3.7 m (12.1 ft)	5206581	164
Immersion tube, for continuous drainages, not scaled	M16395	329

## INDEX BY PRODUCT NAME

	Immersion tube, for water vacuum gauge of for VarioVac® T + VarioAir® T, scaled	MP00569	330
	Incubator cover for Babyleo® TN500, reusable	MP03730	361, 385
	Incubator cover for Caleo®, reusable	MP01423	363, 385
	Incubator cover for Isolette® C2000, 8000 and 8000 plus, reusable	MP01424	365, 367, 385
	Infinity® ID CLIC Absorber 800+, disposable absorber, 1.2 l, 6 pcs.	MX50004	103
	Infinity® ID CLIC Absorber Free, disposable absorber, 1.2 l, 6 pcs.	MX50120	103
	Infinity® ID Expiratory filter, disposable, 20 pcs.	MP01780	87
	Infinity® ID, expiratory valve, disposable, 10 pcs.	MP01060	86
	Infinity® ID, expiratory valve, disposable, 10 pcs.	MP20108	86
	Infinity® MPOD-QuadHemo, cardiac output, 2 temperatures, up to 4 invasive pressures	MS20725	154, 206
	Infinity® PiCCO Gen II SmartPod®	MS23133	167
	Infinity® PiCCO Gen II SmartPod® kit	MS32282	167
	Infusion bottle holder for Babytherm®, reusable, neonatal	2M16520	371
	Infusion holder, reusable, 3 hooks, for poles with Ø 38 mm	2M21514	364, 371
	Inhalation mask for Inhalette	M11015	97
	Insert for neonatal flow sensor, PSU, sterilizable, 5 pcs.	8410179	109, 422
	Intermediate cable for disposable sensor 3 m, reusable	MS40323	217
	Iris port sleeve, disposable, 100 pcs.	MU03876	366, 368, 375, 379, 381
<b>K</b>	Kit T-Adapter, Pediatric with Neo connectors, 10 pcs.	MP01087	98, 421
<b>L</b>	Leakage valve for Carina® SyncVent, disposable, 5 pcs.	MP00224	86
	Light for Photo Therapy 4000, fluorescent bulb, blue	2M21010	383
	Light for Photo Therapy 4000, fluorescent bulb, white	2M21009	383
	Light shield curtain for BiliLux, reusable	MP03760	383
	Litter bag holder, stainless steel, with base plate and litter bags (100 pcs.)	M24695	352, 447
	Litter bags, disposable, for litter bag holder, 100 pcs.	M26240	352, 447
	Locking screw, for immersion tube, with gaskets	MP00596	330
<b>M</b>	M540 Hemo connection cable, 1.5 m	MS23897	206
	M540 Hemo connection cable, 3 m	MS23898	206
	Masimo® LNCS Trauma sensor, adult, 20 pcs.	MP03191	133, 190, 253
	Masimo® LNCS Trauma sensor, infant/pedi, 20 pcs.	MP03193	133, 190, 253
	Masimo® LNCS Trauma sensor, neonate, 20 pcs.	MP03192	133, 190, 253, 427
	Masimo® rainbow sensor cover, 10 pcs.	MP03203	196
	Masimo® RD rainbow SET sensor, disposable, adult	MS40076	194
	Masimo® RD rainbow SET sensor, disposable, infant	MS40082	194
	Masimo® RD rainbow SET sensor, disposable, neonate	MS40085	194
	Masimo® RD rainbow SET sensor, disposable, pediatric	MS40079	194
	Masimo® RD SET DC-IP sensor, pediatric, reusable	MS33741	135, 192, 226, 256
	Masimo® RD SET DCI sensor, adult, reusable	MS33740	135, 192, 226, 256
	Masimo® RD SET sensor TC-I Ear, pediatric/adult, reusable	MS40067	135, 192, 256
	Masimo® RD SET sensor TF-I, pediatric/adult, reusable	MS40073	135, 192, 256
	Masimo® RD SET sensor YI Multisite, neonate/pediatric/adult, reusable	MS40070	135, 192, 256
	Masimo® RD SET sensor, adult, disposable	MS33726	136, 191, 226, 255
	Masimo® RD SET sensor, infant, disposable	MS33728	136, 191, 255
	Masimo® RD SET sensor, neonatal preterm, disposable	MS33730	136, 191, 255, 427
	Masimo® RD SET sensor, neonatal, disposable	MS33729	136, 191, 255, 427
	Masimo® RD SET sensor, pediatric, disposable	MS33727	136, 191, 226, 255
	Masimo® Trauma sensor RD SET, adult, disposable	MS40088	137, 192, 257
	Masimo® Trauma sensor RD SET, infant/pedi, disposable	MS40091	137, 192, 257
	Masimo® Trauma sensor RD SET, neonate, disposable	MS40094	137, 192, 257

## INDEX BY PRODUCT NAME

Mattress SoftBed for TI 500 and TI 500 Globe-Trotter, reusable	MP01419	375, 378, 381
Mattress SoftBed, for Babyleo® TN500, reusable	2M60390	361
Mattress SoftBed, for Babytherm®, reusable	2M21012	369
Mattress SoftBed, for Caleo®, reusable	MX17012	363
Mattress SoftBed, for Isolette® C2000, 8000 and 8000 plus, reusable	MP01401	365, 367
Mattress SoftBed, for Resuscitaire®, reusable, with scale	MP01404	372
Mattress SoftBed, for Resuscitaire®, reusable, without scale	MP01402	372
MCable Mainstream CO <sub>2</sub>	6871950	60, 174, 213, 245, 411
Mechanical filter + HME TwinStar® HEPA Plus, disposable, ~90 ml deadspace, 100 pcs.	MP05801	49
Mechanical filter and HME TwinStar® HEPA, disposable, 55 ml deadspace, 50 pcs.	MP01801	50
Mechanical filter SafeStar® 55 Plus, disposable, ~55 ml deadspace, 100 pcs.	MP05790	53
Mechanical filter SafeStar® 55, disposable, 55 ml deadspace, 50 pcs.	MP01790	54
Mechanical filter SafeStar® 60A Plus, disposable, ~60 ml deadspace, angled, 100 pcs.	MP05795	53
Mechanical filter SafeStar® 60A, disposable, 60 ml deadspace, angled, 50 pcs.	MP01795	54
Mechanical filter SafeStar® 80, disposable, 80 ml deadspace, 50 pcs.	MP01785	54
Mechanical filter SafeStar® 90 Plus, disposable, ~90 ml deadspace, 100 pcs.	MP05785	53
Medical examination light VarioLux® with LED technology, AUS	MP00606	354, 448
Medical examination light VarioLux® with LED technology, EU	MP00601	354, 448
Medical examination light VarioLux® with LED technology, GB	MP00603	354, 448
Medical examination light VarioLux® with LED technology, JPN	MP00608	354, 448
Medical examination light VarioLux® with LED technology, US	MP00602	354, 448
Medication nebulizer Aerogen Pro	MP01010	97, 420
Membrane for Evita® 2 dura, Evita® 4, Evita® XL, for expiratory valve	8412015	85
Mount clamp 10 – 40 mm (0.4 – 1.57 in)	MS32150	217
Mount clamp 20 – 60 mm (0.79 – 2.36 in)	MS32151	217
Mouthpiece for Inhalette	M12394	97
MPod-Dual Hemo,2 invasive blood pressures for M540	MS20783	206
MRI flow sensor extension cable, for MRI patient monitor	8306370	110
Multi-P trolley	MP13021	83, 283, 388
Multi-P trolley equipped	MP13020	83, 283, 388
Multiparameter cable MultiMed® 5 Pod, for ECG, resp., SpO <sub>2</sub> , and temp., 1.5 m	5950196	115
Multiparameter cable MultiMed® 5 Pod, for ECG, resp., SpO <sub>2</sub> , and temp., 2.5 m	3368391	115
Multiparameter cable MultiMed® 6 Pod, for ECG, resp., SpO <sub>2</sub> , and temp., 2.5 m	5191221	115
Multiparameter cable MultiMed® plus OR, for ECG, SpO <sub>2</sub> , and temp., 2.5 m	MS20094	115
Multiparameter cable MultiMed® plus, for ECG, resp., SpO <sub>2</sub> , and temp., 2.5 m	MS20093	115
Multiparameter cable NeoMed Pod, for ECG, resp., SpO <sub>2</sub> , temp., and FiO <sub>2</sub> , 2.5 m	5590539	115, 423
<b>N</b> N <sub>2</sub> O CS hose 0.9 m (2.95 ft) NF EN NF	M36725	334
N <sub>2</sub> O CS hose 0.9 m (2.95 ft) NIST EN BS	M36728	335
N <sub>2</sub> O CS hose 0.9 m (2.95 ft) NIST EN DIN	M36731	331
N <sub>2</sub> O CS hose 0.9 m (2.95 ft) NIST GB DIN	M36788	345
N <sub>2</sub> O CS hose 1.5 m (4.9 ft) DISS US KAWA	M35809	341
N <sub>2</sub> O CS hose 1.5 m (4.9 ft) DISSB EN HAND	M36293	344
N <sub>2</sub> O CS hose 1.5 m (4.9 ft) NF EN NF	M35427	334
N <sub>2</sub> O CS hose 1.5 m (4.9 ft) NIST EN AS	M36156	340
N <sub>2</sub> O CS hose 1.5 m (4.9 ft) NIST EN BS	M35391	335
N <sub>2</sub> O CS hose 1.5 m (4.9 ft) NIST EN BS straight	M35400	336
N <sub>2</sub> O CS hose 1.5 m (4.9 ft) NIST EN Carba	M35473	338
N <sub>2</sub> O CS hose 1.5 m (4.9 ft) NIST EN DIN	M35492	331
N <sub>2</sub> O CS hose 1.5 m (4.9 ft) NIST EN NF	M35418	333
N <sub>2</sub> O CS hose 1.5 m (4.9 ft) NIST EN SS	M35378	337
N <sub>2</sub> O CS hose 1.5 m (4.9 ft) NIST EN UNI	M35409	339
N <sub>2</sub> O CS hose 1.5 m (4.9 ft) NIST GB DIN	M36789	345

## INDEX BY PRODUCT NAME

N <sub>2</sub> O CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36007	332
N <sub>2</sub> O CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35437	334
N <sub>2</sub> O CS hose 3 m (9.8 ft) DISS US KAWA	M35808	341
N <sub>2</sub> O CS hose 3 m (9.8 ft) DISSB EN HAND	M36294	344
N <sub>2</sub> O CS hose 3 m (9.8 ft) NF EN NF	M35428	334
N <sub>2</sub> O CS hose 3 m (9.8 ft) NIST EN AS	M36155	340
N <sub>2</sub> O CS hose 3 m (9.8 ft) NIST EN BS	M35392	335
N <sub>2</sub> O CS hose 3 m (9.8 ft) NIST EN BS straight	M35401	336
N <sub>2</sub> O CS hose 3 m (9.8 ft) NIST EN Carba	M35474	338
N <sub>2</sub> O CS hose 3 m (9.8 ft) NIST EN DIN	M35493	331
N <sub>2</sub> O CS hose 3 m (9.8 ft) NIST EN NF	M35419	333
N <sub>2</sub> O CS hose 3 m (9.8 ft) NIST EN SS	M35379	337
N <sub>2</sub> O CS hose 3 m (9.8 ft) NIST EN UNI	M35410	339
N <sub>2</sub> O CS hose 3 m (9.8 ft) NIST GB BS	M36734	345
N <sub>2</sub> O CS hose 3 m (9.8 ft) NIST GB DIN	M36740	345
N <sub>2</sub> O CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36008	332
N <sub>2</sub> O CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35438	334
N <sub>2</sub> O CS hose 5 m (16.4 ft) DISS US KAWA	M35807	341
N <sub>2</sub> O CS hose 5 m (16.4 ft) DISSB EN HAND	M36295	344
N <sub>2</sub> O CS hose 5 m (16.4 ft) NF EN NF	M35344	334
N <sub>2</sub> O CS hose 5 m (16.4 ft) NIST EN AS	M36154	340
N <sub>2</sub> O CS hose 5 m (16.4 ft) NIST EN BS	M35334	335
N <sub>2</sub> O CS hose 5 m (16.4 ft) NIST EN BS straight	M35341	336
N <sub>2</sub> O CS hose 5 m (16.4 ft) NIST EN Carba	M35347	338
N <sub>2</sub> O CS hose 5 m (16.4 ft) NIST EN DIN	M35494	331
N <sub>2</sub> O CS hose 5 m (16.4 ft) NIST EN NF	M35331	333
N <sub>2</sub> O CS hose 5 m (16.4 ft) NIST EN SS	M35382	337
N <sub>2</sub> O CS hose 5 m (16.4 ft) NIST EN UNI	M35359	339
N <sub>2</sub> O CS hose 5 m (16.4 ft) NIST GB BS	M36735	345
N <sub>2</sub> O CS hose 5 m (16.4 ft) NIST GB DIN	M36741	345
N <sub>2</sub> O CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36009	332
N <sub>2</sub> O CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35439	334
N <sub>2</sub> O CS hose 8 m (26,25 ft) DISS US KAWA	M35867	341
N <sub>2</sub> O CS hose DISS Hand 10L	4199596	343
N <sub>2</sub> O CS hose DISS Hand 15L	4199595	343
N <sub>2</sub> O CS hose DISS N/DISS N 10L	4185142	343
N <sub>2</sub> O CS hose DISS N/DISS N 15L	4185143	343
N <sub>2</sub> O CS hose DISS N/DISS N 20L	4199713	343
Nebulizer head, 10 pcs.	MP01079	98, 421
Nebulizer head, 5 pcs.	MP01078	98, 421
Nebulizer hose	8412985	96
Nebulizer unit with filler cap for Aerogen Pro	MP01030	97, 420
Nellcor® intermediate cable, 1.2 m	MP00748	198, 236, 249
Nellcor® intermediate cable, 3 m	MS20979	198, 236, 249
Neo-mask, silicone, disposable, size L, 10 pcs.	8418619	390, 396
Neo-mask, silicone, disposable, size M, 10 pcs.	8418490	390, 396
Neo-mask, silicone, disposable, size S, 10 pcs.	8418491	390, 396
Neo-mask, TPE, disposable, size 4, 10 pcs.	MP01494	390, 396
Neo-mask, TPE, disposable, size 5, 10 pcs.	MP01495	390, 396
Neo-mask, TPE, disposable, size 6, 10 pcs.	MP01496	390, 396
Neonatal flow sensor ISO 15, PSU, sterilizable	8411130	109, 422
Neonatal Test Lung, reusable, 50 ml, not made with natural rubber latex	MP20050	47, 409
NIBP connection tube, adult, 3.7 m, for Infinity® monitors	MP00953	148, 202

## INDEX BY PRODUCT NAME

NIBP cuff L, reusable, large adult, 31 – 40 cm/40 cm	MP00918	149, 203
NIBP cuff L, single-patient use, large adult, 31 – 40 cm/40 cm, 10 pcs.	MP00931	150, 204
NIBP cuff L+, reusable, large adult, long, 31 – 40 cm/55 cm	MP00919	149, 203
NIBP cuff L+, single-patient use, large adult long, 31 – 40 cm/55 cm, 10 pcs.	MP00932	150, 204
NIBP cuff M, reusable, adult, 23 – 33 cm/33 cm	MP00915	149, 203
NIBP cuff M, single-patient use, adult, 23 – 33 cm/33 cm, 10 pcs.	MP00928	150, 204
NIBP cuff M+, reusable, adult, long, 23 – 33 cm/43 cm	MP00916	149, 203
NIBP cuff M+, single-patient use, adult long, 23 – 33 cm/43 cm, 10 pcs.	MP00929	150, 204
NIBP cuff M++, reusable, adult, extra long, 23 – 33 cm/53 cm	MP00917	149, 203
NIBP cuff M++, single-patient use, adult extra long, 23 – 33 cm/53 cm, 10 pcs.	MP00930	150, 204
NIBP cuff S, reusable, small adult, 17 – 25 cm/29 cm	MP00913	149, 203
NIBP cuff S, single-patient use, small adult, 17 – 25 cm/29 cm, 10 pcs.	MP00926	150, 204
NIBP cuff XL, reusable, thigh, 38 – 50 cm/50 cm	MP00921	149, 203
NIBP cuff XL, single-patient use, thigh, 38 – 50 cm/50 cm, 10 pcs.	MP00934	150, 204
NIBP cuff XS, reusable, child, 12 – 19 cm/19 cm	MP00912	149, 203
NIBP cuff XS, single-patient use, child, 12 – 19 cm/19 cm, 10 pcs.	MP00925	150, 204
NIBP cuff XXS, reusable, infant, 8 – 13 cm/13 cm	MP00911	149, 203
NIBP cuff XXS, single-patient use, infant, 8 – 13 cm/13 cm, 10 pcs.	MP00924	150, 204
NIBP cuff, adult, 27 cm – 35 cm, reusable, Vista 120	2606155	237, 258
NIBP cuff, child, 16 cm - 21 cm, reusable, Vista 120	2606153	237, 258
NIBP cuff, disposable, neonate, size 1, 3.1 – 5.7 cm, 10 pcs.	2870181	151, 205, 430
NIBP cuff, disposable, neonate, size 2, 4.3 – 8 cm, 10 pcs.	2870199	151, 205, 430
NIBP cuff, disposable, neonate, size 3, 5.8 – 10.9 cm, 10 pcs.	2870207	151, 205, 430
NIBP cuff, disposable, neonate, size 4, 7.1 – 13.1 cm, 10 pcs.	2870215	151, 205, 430
NIBP cuff, disposable, neonate, size 5, 8.3 – 15 cm, 10 pcs.	2870173	151, 205, 430
NIBP cuff, infant, 10 cm – 15 cm, reusable, Vista 120	2606151	237, 258
NIBP cuff, larger adult, 34 cm – 43 cm, reusable, Vista 120	2606156	237, 258
NIBP cuff, neonatal #1, 3 – 6 cm, disposable, 20 pcs., Vista 120	2607034	238
NIBP cuff, neonatal #2, 4 – 8 cm, disposable, 20 pcs., Vista 120	2607035	238
NIBP cuff, neonatal #3, 6 – 11 cm, disposable, 20 pcs., Vista 120	2607036	238
NIBP cuff, neonatal #4, 7 – 13 cm, disposable, 20 pcs., Vista 120	2607037	238
NIBP cuff, neonatal #5, 8 – 15 cm, disposable, 20 pcs., Vista 120	2607038	238
NIBP cuff, small adult, 20.5 cm – 28 cm, reusable, Vista 120	2606154	237, 258
NIBP cuff, small child, 13 cm – 17 cm, reusable, Vista 120	2606152	237, 258
NIBP hose, neonate, 2.4 m	2870298	148, 202, 430
NIBP tube, 3 m	2601195	237, 258
NIST-NIST Connecting hose 1.2 m	M36053	290
NIV nasal mask ClassicStar® non-vented, disposable, size L	MP01625	64
NIV nasal mask ClassicStar® non-vented, disposable, size M	MP01624	64
NIV nasal mask ClassicStar® non-vented, disposable, size S	MP01623	64
NIV nasal mask ClassicStar® plus non vented, disposable, size L, 5 pcs.	MP04743	67
NIV nasal mask ClassicStar® plus non vented, disposable, size M, 5 pcs.	MP04742	67
NIV nasal mask ClassicStar® plus non vented, disposable, size S, 5 pcs.	MP04741	67
NIV nasal mask ClassicStar® plus non vented, disposable, size XL, 5 pcs.	MP04744	67
NIV nasal mask ClassicStar® plus vented, disposable, size L, 5 pcs.	MP04753	67
NIV nasal mask ClassicStar® plus vented, disposable, size M, 5 pcs.	MP04752	67
NIV nasal mask ClassicStar® plus vented, disposable, size S, 5 pcs.	MP04751	67
NIV nasal mask ClassicStar® plus vented, disposable, size XL, 5 pcs.	MP04754	67
NIV nasal mask ClassicStar® vented, disposable, size L	MP01622	64
NIV nasal mask ClassicStar® vented, disposable, size M	MP01621	64
NIV nasal mask ClassicStar® vented, disposable, size S	MP01620	64
NIV oronasal mask ClassicStar® AAV, disposable, size L	MP01572	63
NIV oronasal mask ClassicStar® AAV, disposable, size M	MP01571	63

## INDEX BY PRODUCT NAME

NIV oronasal mask ClassicStar® AAV, disposable, size S	MP01570	63
NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size L, 5 pcs.	MP04733	66
NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size M, 5 pcs.	MP04732	66
NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size S, 5 pcs.	MP04731	66
NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size XL, 5 pcs.	MP04734	66
NIV oronasal mask ClassicStar® plus AAV, disposable, size L, 5 pcs.	MP04723	66
NIV oronasal mask ClassicStar® plus AAV, disposable, size M, 5 pcs.	MP04722	66
NIV oronasal mask ClassicStar® plus AAV, disposable, size S, 5 pcs.	MP04721	66
NIV oronasal mask ClassicStar® plus AAV, disposable, size XL, 5 pcs.	MP04724	66
NIV oronasal mask ClassicStar® plus SE, disposable, size L, 5 pcs.	MP04713	66
NIV oronasal mask ClassicStar® plus SE, disposable, size M, 5 pcs.	MP04712	66
NIV oronasal mask ClassicStar® plus SE, disposable, size S, 5 pcs.	MP04711	66
NIV oronasal mask ClassicStar® plus SE, disposable, size XL, 5 pcs.	MP04714	66
NIV oronasal mask ClassicStar® SE, disposable, size L	MP01575	63
NIV oronasal mask ClassicStar® SE, disposable, size M	MP01574	63
NIV oronasal mask ClassicStar® SE, disposable, size S	MP01573	63
NIV oronasal mask NovaStar® plus, AAV, reusable, size L, 3 pcs.	MP05063	68
NIV oronasal mask NovaStar® plus, AAV, reusable, size M, 3 pcs.	MP05062	68
NIV oronasal mask NovaStar® plus, AAV, reusable, size S, 3 pcs.	MP05061	68
NIV oronasal mask NovaStar® plus, AAV, reusable, size XL, 3 pcs.	MP05064	68
NIV oronasal mask NovaStar® plus, AAV, without exhalation ports, reusable, size L, 3 pcs.	MP05073	68
NIV oronasal mask NovaStar® plus, AAV, without exhalation ports, reusable, size M, 3 pcs.	MP05072	68
NIV oronasal mask NovaStar® plus, AAV, without exhalation ports, reusable, size S, 3 pcs.	MP05071	68
NIV oronasal mask NovaStar® plus, AAV, without exhalation ports, reusable, size XL, 3 pcs.	MP05074	68
NIV oronasal mask NovaStar® plus, SE, reusable, size L, 3 pcs.	MP05053	68
NIV oronasal mask NovaStar® plus, SE, reusable, size M, 3 pcs.	MP05052	68
NIV oronasal mask NovaStar® plus, SE, reusable, size S, 3 pcs.	MP05051	68
NIV oronasal mask NovaStar® plus, SE, reusable, size XL, 3 pcs.	MP05054	68
NIV total-face mask ClassicStar® AAV without exhalation ports, disposable, size L	MP02918	65
NIV total-face mask ClassicStar® AAV without exhalation ports, disposable, size M	MP02917	65
NIV total-face mask ClassicStar® AAV without exhalation ports, disposable, size S	MP02916	65
NIV total-face mask ClassicStar® AAV, disposable, size L	MP02915	65
NIV total-face mask ClassicStar® AAV, disposable, size M	MP02914	65
NIV total-face mask ClassicStar® AAV, disposable, size S	MP02913	65
NIV total-face mask ClassicStar® SE, disposable, size L	MP02912	65
NIV total-face mask ClassicStar® SE, disposable, size M	MP02911	65
NIV total-face mask ClassicStar® SE, disposable, size S	MP02910	65
NMT accelerometer Trident®	MS15085	172
NMT electrode cable Trident®, 2-lead, 0.3 m	MS13218	172
NMT hand adapter Trident®	MS15086	172
NMT intermediate cable for Infinity® Trident (NMT) SmartPod®, 1.9 m	7872174	172
NMT thermistor Trident®	MS15053	172
NMT thumb adapter for Infinity® Trident (NMT) SmartPod®, disposable, 50 pcs.	MS15084	172
NovaStar® plus Headgear inclusive magnetic clips, 3 pcs.	MP05080	70
<b>O</b> O <sub>2</sub> analyzer MX 300-i	MP01440	387
O <sub>2</sub> compact flowmeter Clickflow, DIN CS, 1 – 16 l/min, 6 mm nozzle	MP13012	281, 435
O <sub>2</sub> compact flowmeter Clickflow, DIN CS, 1 – 16 l/min, 9/16"	MP13011	281, 435
O <sub>2</sub> compact flowmeter Clickflow, rail, NIST, 1 – 16 l/min, 9/16"	MP13013	282
O <sub>2</sub> CS hose 0.9 m (2.95 ft) NF EN NF	M36723	334
O <sub>2</sub> CS hose 0.9 m (2.95 ft) NIST EN BS	M36726	335
O <sub>2</sub> CS hose 0.9 m (2.95 ft) NIST EN DIN	M36729	331
O <sub>2</sub> CS hose 0.9 m (2.95 ft) NIST GB DIN	M36784	345

## INDEX BY PRODUCT NAME

O <sub>2</sub> CS hose 1.5 m (4.9 ft) DISS US KAWA	M35806	341
O <sub>2</sub> CS hose 1.5 m (4.9 ft) DISSB EN HAND	M36290	344
O <sub>2</sub> CS hose 1.5 m (4.9 ft) NF EN NF	M35425	334
O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST EN AS	M36153	340
O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST EN BS	M35389	335
O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST EN BS straight	M35398	336
O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST EN Carba	M35469	338
O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST EN DIN	M35489	331
O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST EN NF	M35416	333
O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST EN SS	M35375	337
O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST EN UNI	M35407	339
O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST GB DIN	M36785	345
O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36004	332
O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35434	333
O <sub>2</sub> CS hose 3 m (9.8 ft) DISS US KAWA	M35805	341
O <sub>2</sub> CS hose 3 m (9.8 ft) DISSB EN HAND	M36291	344
O <sub>2</sub> CS hose 3 m (9.8 ft) NF EN NF	M35426	334
O <sub>2</sub> CS hose 3 m (9.8 ft) NIST EN AS	M36152	340
O <sub>2</sub> CS hose 3 m (9.8 ft) NIST EN BS	M35390	335
O <sub>2</sub> CS hose 3 m (9.8 ft) NIST EN BS straight	M35399	336
O <sub>2</sub> CS hose 3 m (9.8 ft) NIST EN Carba	M35472	338
O <sub>2</sub> CS hose 3 m (9.8 ft) NIST EN DIN	M35490	331
O <sub>2</sub> CS hose 3 m (9.8 ft) NIST EN NF	M35417	333
O <sub>2</sub> CS hose 3 m (9.8 ft) NIST EN SS	M35376	337
O <sub>2</sub> CS hose 3 m (9.8 ft) NIST EN UNI	M35408	339
O <sub>2</sub> CS hose 3 m (9.8 ft) NIST GB BS	M36732	345
O <sub>2</sub> CS hose 3 m (9.8 ft) NIST GB DIN	M36738	345
O <sub>2</sub> CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36005	332
O <sub>2</sub> CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35435	333
O <sub>2</sub> CS hose 5 m (16.4 ft) DISS US KAWA	M35804	341
O <sub>2</sub> CS hose 5 m (16.4 ft) DISSB EN HAND	M36292	344
O <sub>2</sub> CS hose 5 m (16.4 ft) NF EN NF	M35342	334
O <sub>2</sub> CS hose 5 m (16.4 ft) NIST EN AS	M36151	340
O <sub>2</sub> CS hose 5 m (16.4 ft) NIST EN BS	M35333	335
O <sub>2</sub> CS hose 5 m (16.4 ft) NIST EN BS straight	M35339	336
O <sub>2</sub> CS hose 5 m (16.4 ft) NIST EN Carba	M35345	338
O <sub>2</sub> CS hose 5 m (16.4 ft) NIST EN DIN	M35491	331
O <sub>2</sub> CS hose 5 m (16.4 ft) NIST EN NF	M35330	333
O <sub>2</sub> CS hose 5 m (16.4 ft) NIST EN SS	M35377	337
O <sub>2</sub> CS hose 5 m (16.4 ft) NIST EN UNI	M35357	339
O <sub>2</sub> CS hose 5 m (16.4 ft) NIST GB BS	M36733	345
O <sub>2</sub> CS hose 5 m (16.4 ft) NIST GB DIN	M36739	345
O <sub>2</sub> CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36006	332
O <sub>2</sub> CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35436	333
O <sub>2</sub> CS hose 8 m (26,25 ft) DISS US KAWA	M35866	341
O <sub>2</sub> CS hose DISS Hand 10L	4199592	342
O <sub>2</sub> CS hose DISS Hand 15L	4199591	342
O <sub>2</sub> CS hose DISS N/DISS N 10L	4185140	342
O <sub>2</sub> CS hose DISS N/DISS N 15L	4185141	342
O <sub>2</sub> CS hose DISS N/DISS N 20L	4199714	342
O <sub>2</sub> flowmeter for anesthesia, 16 l/min, 90°, rail, with NIST black hose 1 m, connector 9/16-18 UNF to 6 mm	MP04579	276
O <sub>2</sub> flowmeter for anesthesia, 16 l/min, 90°, rail, with NIST ISO hose 1.2 m, connector 9/16-18 UNF to 6 mm	MP04578	276



## INDEX BY PRODUCT NAME

O <sub>2</sub> flowmeter for anesthesia, 16 l/min, rail, with NIST black hose 1 m, connector 9/16-18 UNF to 6 mm	MP04577	276
O <sub>2</sub> flowmeter for anesthesia, 16 l/min, rail, with NIST ISO hose 1.2 m, connector 9/16" UNF to 6 mm	MP04576	276
O <sub>2</sub> flowmeter, 10 l/min, CS, CARBA, including adapter to 9/16" for sterile water	MP04554	272
O <sub>2</sub> flowmeter, 10 l/min, rail fitting with NIST gas inlet, M34×1.5, adapter 9/16"	MP04556	277
O <sub>2</sub> flowmeter, 16 l/min, CS, AGA, M34x1.5 and Adapter 9/16"	MP13040	272
O <sub>2</sub> flowmeter, 16 l/min, CS, British Standard, ISO, M34×1.5, adapter 9/16"	MP04565	272
O <sub>2</sub> flowmeter, 16 l/min, CS, CARBA, including adapter to 9/16" for sterile water	MP04563	272
O <sub>2</sub> flowmeter, 16 l/min, CS, DIN, ISO and neutral color, M34×1.5 and 9/16" for accessories and sterile water systems	MP04558	271
O <sub>2</sub> flowmeter, 16 l/min, CS, French Standard, ISO, M34×1.5, adapter 9/16"	MP04566	272
O <sub>2</sub> flowmeter, 16 l/min, CS, long CS plug (6 cm; 2.4 in), DIN, ISO and neutral color, M34×1.5 and 9/16" for accessories and sterile water systems	MP04561	271
O <sub>2</sub> flowmeter, 16 l/min, rail NIST, packed with hose 1.5 m, DIN, ISO, M34×1.5 and 9/16" for accessories and sterile water systems	MP04573	274
O <sub>2</sub> flowmeter, 16 l/min, rail NIST, packed with hose 1.5 m, DIN, neutral color, M34×1.5 and 9/16" for accessories and sterile water systems	MP04575	274
O <sub>2</sub> flowmeter, 16 l/min, rail, 90°, NIST gas inlet, M34×1.5 and 9/16" for accessories and sterile water systems	MP04570	275
O <sub>2</sub> flowmeter, 16 l/min, rail, NIST gas inlet, M34×1.5, adapter 9/16"	MP04567	277, 434
O <sub>2</sub> flowmeter, 32 l/min, CS, DIN, ISO and neutral color, M34×1.5 and 9/16" for accessories and sterile water systems	MP04571	272
O <sub>2</sub> flowmeter, 32 l/min, rail, NIST, M34×1.5 and adapter 9/16"	MP04580	275
O <sub>2</sub> flowmeter, 4 l/min, CS, DIN, ISO and neutral color, M34×1.5 and 9/16" for accessories and sterile water systems	MP04551	271, 432
O <sub>2</sub> flowmeter, 4 l/min, rail with NIST gas inlet, M34×1.5 and 9/16" for accessories and sterile water systems	MP04552	274, 343
O <sub>2</sub> flowmeter, 4 l/min, rail, 90°, NIST gas inlet, M34×1.5 and 9/16" for accessories and sterile water systems	MP04553	275, 343
O <sub>2</sub> sensor capsule, for mainstream measurement	6850645	111, 422
O <sub>2</sub> sensor for Crossvent 2i+	MU24402	376
O <sub>2</sub> sensor for Isolette® C2000, 8000 and 8000 plus, reusable, 2 pcs.	MU24903	366, 368
O <sub>2</sub> sensor for MX 300 and MX 300-i, reusable	MP01442	387
O <sub>2</sub> sensor for TI 500 Globe-Trotter, reusable	MU04804	378
O <sub>2</sub> sensor housing Oxydig, for O <sub>2</sub> sensor capsule, with spiral cable	6850250	111, 422
O <sub>2</sub> sensor Oxycell, for Babyleo® TN500	6873065	111, 361, 422
O <sub>2</sub> sensor OxyTrace INCU, for Caleo®	MX01050	111, 364
O <sub>2</sub> sensor OxyTrace VE, for Savina® ventilator	MX01049	111
O <sub>2</sub> twin compact flowmeter Clickflow, DIN, 2 × 1 – 16 l/min, 9/16"	MP13014	282
O <sub>2</sub> twin flowmeter, 2 × 10 l/min, CS, CARBA, 2 × M34×1.5, including adapter to 9/16" for sterile water	MP04555	273
O <sub>2</sub> twin flowmeter, 2 × 10 l/min, rail fitting with NIST gas inlet, 2 × M34×1.5, adapter 9/16"	MP04557	273
O <sub>2</sub> twin flowmeter, 2 × 16 l/min, CS, DIN, ISO, neutral color, M34×1.5 and 9/16" for accessories and sterile water systems	MP04560	273, 433
O <sub>2</sub> twin flowmeter, 2 × 16 l/min, rail fitting with NIST gas inlet, 2 × M34×1.5, adapter 9/16"	MP04569	273, 433
O2Star™ Connector 22 mm ID / 22 mm ID, disposable, 5 pcs.	MP01942	81
O2Star™ Connector kit for breathing circuit for Aquapor, disposable, 5 pcs.	MP01941	81
O2Star™ Connector kit, 6 mm OD/22 mm OD + 6 mm OD/22 mm ID with connection tube, disposable, 5 pcs.	MP01940	81
O2Star™ Face tent, disposable, size M/L, 50 pcs.	MP01925	78
O2Star™ Face tent, disposable, size S, 50 pcs.	MP01933	78
O2Star™ Medium concentration oxygen mask with connection tube 2.1 m, disposable, size M/L, 50 pcs.	MP01921	77
O2Star™ Medium concentration oxygen mask with connection tube 2.1 m, disposable, size S, 50 pcs.	MP01931	77

## INDEX BY PRODUCT NAME

O2Star™ Non-rebreather oxygen mask with connection tube 2.1 m, disposable, size M/L, 50 pcs.	MP01920	77
O2Star™ Non-rebreather oxygen mask with connection tube 2.1 m, disposable, size S, 50 pcs.	MP01930	77
O2Star™ Oxygen and aerosol mask with 22 mm OD, disposable, size M/L, 50 pcs.	MP01926	77
O2Star™ Oxygen and aerosol mask with 22 mm OD, disposable, size S, 50 pcs.	MP01934	77
O2Star™ Oxygen connection tube, 2.1 m, disposable, 25 pcs.	MP01927	81
O2Star™ Oxygen connection tube, 2.1 m, with 9/16" connector, disposable, 25 pcs.	MP01944	81
O2Star™ Oxygen connection tube, 4 m, disposable, 25 pcs.	MP01943	81
O2Star™ Oxygen connection tube, 4 m, with 9/16" connector, disposable, 25 pcs.	MP01945	81
O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, size L, 50 pcs.	MP02926	80
O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, size M, 50 pcs.	MP02925	80, 416
O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, size S, 50 pcs.	MP02924	80, 416
O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, size XL, 50 pcs.	MP02927	80
O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, size L, 50 pcs.	MP02934	80
O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, size M, 50 pcs.	MP02933	80, 416
O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, size S, 50 pcs.	MP02932	80, 416
O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, size XL, 50 pcs.	MP02935	80
O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, size L, 50 pcs.	MP02930	80
O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, size M, 50 pcs.	MP02929	80, 416
O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, size S, 50 pcs.	MP02928	80, 416
O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, size XL, 50 pcs.	MP02931	80
O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, size L, 50 pcs.	MP02922	80
O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, size M, 50 pcs.	MP02921	80, 416
O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, size S, 50 pcs.	MP02920	80, 416
O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, size XL, 50 pcs.	MP02923	80
O2Star™ Tracheostomy mask, disposable, size M/L, 50 pcs.	MP01924	78
O2Star™ Tracheostomy mask, disposable, size S, 50 pcs.	MP01932	78
O2Star™ Venturi mask kit, adjustable venturi valve, disposable, size M/L, 25 pcs.	MP01922	79
O2Star™ Venturi mask kit, adjustable venturi valve, disposable, size S, 25 pcs.	MP01935	79
O2Star™ Venturi mask kit, fixed venturi valve, disposable, size M/L, 25 pcs.	MP01923	79
O2Star™ Venturi mask kit, fixed venturi valve, disposable, size S, 25 pcs.	MP01936	79
OPC NIBP Cuff, adult, 23 cm – 33 cm, reusable, 5 pcs., Vista 120 SC	2600937	259
OPC NIBP Cuff, child, 12 cm – 19 cm, reusable, 5 pcs., Vista 120 SC	2600935	259
OPC NIBP Cuff, large adult, 31 cm – 40 cm, reusable, 5 pcs., Vista 120 SC	2600938	259
OPC NIBP Cuff, small adult, 17 cm – 25 cm, reusable, 5 pcs., Vista 120 SC	2600936	259
Optic serial RS 232 cable (1 meter) to connect the device to a Dräger monitorAC	MS32156	217
Optic serial RS 232 cable (2.5 meter) to connect the device to a Dräger monitorAC	MS40021	217
Oxator head OxyLine, pressure reducer G <sup>3</sup> / <sub>4</sub> ", 200 bar, NIST, 2 × DIN-CS, ejector VarioO <sub>2</sub>	MP01103	288, 290
Oxator head, configurable via OxyLine®	MP00100	290
Oxett adapter plate, to mount Oxett on bed in higher position	2M86205	289
Oxett carrying frame, for Oxett head+O <sub>2</sub> cylinder up to 2.5 l, with secretion jar and rail for suction ejector	MP04110	289
Oxett head OxyLine, pressure reducer G <sup>3</sup> / <sub>4</sub> ", 200 bar, NIST, flow regulator, DIN-CS, ejector VarioO <sub>2</sub>	MP01102	288, 289
Oxett head OxyLine, pressure reducer G <sup>3</sup> / <sub>4</sub> ", 200 bar, NIST, flowmeter, DIN-CS, ejector VarioO <sub>2</sub>	MP01101	288, 289
Oxett head, configurable via OxyLine®	MP00100	289
Oxidem 3000 demand valve incl. adapter (2120496, 2120488)	2111764	99
Oxymixer configuration	MP04200	83, 283, 392
Oxymixer High Flow	MP04201	83, 283

## INDEX BY PRODUCT NAME

Oxymixer High Flow with monitor	MP04202	83, 283
Oxymixer Low Flow	MP04203	392
Oxymixer Low Flow with 1 – 15 l flowmeter right	MP04229	283, 392
Oxymixer Low Flow with monitor	MP04204	283, 392
Oxymixer oxygen sensor (spare part)	MP04221	84, 284, 393
Oxymixer sound damper 22 and 15 mm	MP04219	84, 284, 393
Oxymixer sound damper 9/16"	MP04218	84, 284, 393
<b>P</b> Pack2Go® anesthesia pack, A, with anesthesia set + watertrap, 10 pcs.	MP01682	90
Pack2Go® Carina NIV ventilation pack with oronasal mask ClassicStar® SE, size L, 10 pcs.	MP01665	90
Pack2Go® Carina NIV ventilation pack with oronasal mask ClassicStar® SE, size M, 10 pcs.	MP01664	90
Pack2Go® Carina NIV ventilation pack with oronasal mask ClassicStar® SE, size S, 10 pcs.	MP01663	90
Pack2Go® Evita invasive ventilation pack with breathing circuit VentStar®, basic, + cuvette, 10 pcs.	MP01656	89
Pack2Go® Evita invasive ventilation pack with breathing circuit VentStar®, basic, 1.8 m, 10 pcs.	MP01657	89
Pack2Go® Evita invasive ventilation pack with breathing circuit VentStar®, coaxial, + cuvette, 10 pcs.	MP01676	89
Pack2Go® Evita invasive ventilation pack with breathing circuit VentStar®, coaxial, 1.8 m, 10 pcs.	MP01677	89
Pack2Go® Savina invasive ventilation pack with breathing circuit VentStar®, basic, 1.8 m, 10 pcs.	MP01674	90
Pack2Go® Savina invasive ventilation pack with breathing circuit VentStar®, coaxial, 1.8 m, 10 pcs.	MP01673	90
Parking holder for CO <sub>2</sub> sensor	8416352	175, 213
Patient parameter unit Infinity® BISx SmartPod®	MS14796	170
Patient parameter unit Infinity® EEG Pod	5736744	171
Patient parameter unit Infinity® HemoMed Pod	5588822	154
Patient parameter unit MultiMed® 12 Pod	5589663	115
Patient parameter unit set Infinity® Trident® NMT SmartPod®	MS15007	172
Pediatric nasal mask MiniMe2 non vented, disposable, size L	MP01556	69, 399
Pediatric nasal mask MiniMe2 non vented, disposable, size S	MP01555	69, 399
Pediatric nasal mask MiniMe2 vented, disposable, size L	MP01554	69, 399
Pediatric nasal mask MiniMe2 vented, disposable, size S	MP01553	69, 399
PEEP valve for Oxylog® 1000, disposable, adjustable from 5 – 20 mbar	2M86832	39
PEEP valve for Oxylog® 1000, reusable, adjustable from 0 – 10 mbar	8407475	39
Phototherapy mask Eyemax 2, disposable, micro, head circumference 20-25 cm, 20 pcs.	MP03770	383
Phototherapy mask Eyemax 2, disposable, preemie, head circumference 26-32 cm, 20 pcs.	MP03771	383
Phototherapy mask Eyemax 2, disposable, regular, head circumference 33-38 cm, 20 pcs.	MP03772	383
Plug nozzle water vacuum gauge	MP00566	330
Pneum. Medication Nebulizer	8412935	96
Pneum. Medication Nebulizer N	8411030	96
Pod adapter SensoNor, for connecting pressure transducer cables, 7-pin	MS23598	160
Pod adapter, 10-pin, for pressure transducer	3375958	160, 167
Pod adapter, for Edwards pressure transducer	5196980	160
Pod adapter, for pressure transducer Argon/Merit Medical (former Becton Dickinson/Ohmeda)	3375941	160
Pod adapter, for pressure transducer Abbott/Medex/ICU Medical	5196998	160
Pod connection cable, 3 m	3368425	116, 153, 206
Pod connection cable, 30 cm	7257988	116, 206
Pod connection cable, 5 m	5195198	116, 206
Polaris® 100 with sterilizable handle (G92099), 1 pc.	G35332	357
Polaris® 100/200 with sterilizable handle E (G36993), 1 pc.	G35325	357
Polaris® 200 with sterilizable handle (G92099), 1 pc.	G35614	357

## INDEX BY PRODUCT NAME

Polaris® 600 with sterilizable handles (G92099 or G36993), 1 pc.	G35324	357
Polaris® Multimedia (display adapter) with sterilizable handles (G92099 or G36993), 1 pc.	G35333	357
Power cable AUS, 1.8 m, 2 pin	MP00626	354, 448
Power cable EU, 1.8 m, 2 pin	MP00591	354, 448
Power cable GB, 1.8 m, 2 pin	MP00593	354, 448
Power cable US/JPN, 1.8 m, 2 pin	MP00592	354, 448
Pressure difference flow sensor, PPSU, sterilizable	8412034	40, 109
Pressure gauge -100 kPa MRI, double scale kPa/mmHg, -100 kPa (-1000 mbar)	MP03589	313
Pressure gauge -60 kPa MRI, double scale kPa/mmHg, -60 kPa (-600 mbar)	MP03587	313
Pressure gauge for VarioVac® + VarioAir®, double scale kPa/mmHg, -100 kPa (-1000 mbar)	MP00578	313
Pressure gauge for VarioVac® + VarioAir®, double scale kPa/mmHg, -16 kPa (-160 mbar)	MP00579	329
Pressure gauge for VarioVac® + VarioAir®, double scale kPa/mmHg, -60 kPa (-600 mbar)	MP00580	313
Pressure gauge for VarioVac® + VarioAir®, double scale kPa/mmHg, -8 kPa (-80 mbar)	MP03597	329
Pressure reducer OxyLine, customized configuration of pressure reducers	MP00100	285
Pressure reducer w/ flowmeter OxyLine, G $\frac{3}{4}$ ", 200 bar, 16 l/min, M34×1.5, 9/16", nozzle	MP01104	288
Pressure reducer with NIST OxyLine, G $\frac{3}{4}$ ", for 200 bar, NIST	MP01105	288
Prong BabyFlow®, standard, disposable, size L, 10 pcs.	8418531	390, 395
Prong BabyFlow®, standard, disposable, size M, 10 pcs.	8418416	390, 395
Prong BabyFlow®, standard, disposable, size S, 10 pcs.	8418605	390, 395
Prong BabyFlow®, standard, disposable, size XL, 10 pcs.	8418417	390, 395
Prong BabyFlow®, standard, disposable, size XS, 10 pcs.	8418415	390, 395
Prong BabyFlow®, standard, disposable, size XXL, 10 pcs.	8418617	390, 395
Prong BabyFlow®, wide, disposable, size 3, 10 pcs.	8418603	390, 395
Prong BabyFlow®, wide, disposable, size 4, 10 pcs.	8418607	390, 395
Prong BabyFlow®, wide, disposable, size 5, 10 pcs.	8418609	390, 395
Prong BabyFlow®, wide, disposable, size 6, 10 pcs.	8418611	390, 395
Protective cover for general-purpose temperature probe, contains latex, 10 pcs.	7014616	146, 200, 239, 241
Protective cover for general-purposetemperature probe, latexfree, 100 pcs.	MS40243	146, 200, 239, 241
<b>R</b> Rail clamp for F&P humidifier and Seattle PAP bubble box	8411074	93, 389, 418
Rail clamp lever type, for attachment of devices to 25 × 10 mm standard rail, for compact suction unit and secretion jar set	M26842	291, 308, 351, 446
Rail clamp, for attachment to poles of different diameters, rotatable by 90° to left and right, length of standard rail (profile 25 × 10 mm), 20 cm	2M85274	351, 355, 389, 449
Rail claw for lamp	MP00615	355, 449
Rail holder, for 38 mm tube, standard rail profile 25 × 10 mm, 40 cm	2M86185	292
Rail, 100 mm for GCX profile	4118555	362
Rainbow sensor DCI, Adt	MP02971	193
Rainbow sensor DCIP, pedi	MP02972	193
Rainbow sensor R20-L, infant, 10 pcs.	MP02962	193
Rainbow sensor R20, adult, 10 pcs.	MP02960	193
Rainbow sensor R25-L, neonate, 10 pcs.	MP02961	193
Rainbow sensor R25, pedi, 10 pcs.	MP02959	193
RD SET intermediate cable for Masimo® rainbow SET Mcable, 1.5 m	MS33738	191, 194
RD SET intermediate cable for Masimo® rainbow SET Mcable, 3.6 m	MS33739	191, 194
RD SET intermediate cable for Masimo® SET Mcable, 1.5 m	MS33736	191, 254
RD SET intermediate cable for Masimo® SET Mcable, 3.6 m	MS33737	191, 254
Recording paper for Infinity® R 50, 50 mm, approx. 30 m, 10 rolls	4711201	179, 431
Red cap, 7 mm	8401645	33, 45, 404
Restraining strap, disposable, 10 pcs.	MU06011	375, 380, 382
Rubber plug, for immersion tube of water vacuum gauge	2M85139	329
<b>S</b> Sample gas return line for Fabius®, with filter	M32692	178

## INDEX BY PRODUCT NAME

Sample line, disposable, 10 pcs.	8290286	178
Sealing plug for Y-piece, 5 pcs.	8411024	97
Sealing rings for spiral hoses, 20 pcs.	M07152	99
Seattle PAP plus	MP02260	388
Secretion control glass	M07582	312
Secretion jar 3 L Medela	MP03230	317
Secretion jar set with clamp	MP00646	307
Secretion jar set, with 700 ml secretion jars (2 pcs.) and 1.5 m suction hose	2M85056	291, 306, 443
Secretion jar set, with protection jar and 700 ml secretion jars (2 pcs.)	2M85607	306, 443
Secretion jar set, with rail holder and secretion jar 700 ml, for continuous drainage units	2M85163	327
Secretion jar VacuSmart® Gel, PE (Polyethylene), disposable, 700 ml, 25 pcs.	MX23025	309, 444
Secretion jar VacuSmart®, PE (Polyethylene), disposable, 700 ml, 25 pcs.	MX23023	309, 444
Secretion jar, PSU (Polysulfone), reusable, 300 ml, autoclavable up to 134°C	2M86207	312, 445
Secretion jar, PSU (Polysulfone), reusable, 700 ml, autoclavable up to 134°C	2M85594	312, 445
SediStar® anesthesia face mask, disposable, w/o hook ring, size 1, small infant, 30 pcs.	MP01701	71, 412
SediStar® anesthesia face mask, disposable, w/o hook ring, size 2, large infant, 30 pcs.	MP01702	71, 412
SediStar® anesthesia face mask, disposable, w/o hook ring, size 3, child, 30 pcs.	MP01703	71
SediStar® anesthesia face mask, disposable, w/o hook ring, size 4, small adult, 30 pcs.	MP01704	71
SediStar® anesthesia face mask, disposable, w/o hook ring, size 5, medium adult, 30 pcs.	MP01705	71
SediStar® anesthesia face mask, disposable, w/o hook ring, size 6, large adult, 30 pcs.	MP01706	71
SediStar® anesthesia face mask, disposable, w/o hook ring, size 7, extra large adult, 30 pcs.	MP01707	71
Set of 5 red caps, 7 mm	8402953	38, 405
Set VacuSmart® Gel and Tube, 25 pcs.	MP03211	309, 444
Shut-off valve for VarioVac®, for temporary opening and closing of suction flow	MP00570	312
Silicone hose 6 × 2.5, 2 m	5001330	311
Silicone mask, reusable, size 0, small neonate	MP01910	75, 373, 414
Silicone mask, reusable, size 00, premature baby	MP02900	75, 373, 414
Silicone mask, reusable, size 1, large neonate	MP01911	75, 373, 414
Silicone mask, reusable, size 2, small child	MP01912	75
Silicone mask, reusable, size 3, large child	MP01913	75
Silicone mask, reusable, size 4, small adult	MP01914	75
Silicone mask, reusable, size 5, large adult	MP01915	75
Simple cylinder trolley, for one gas cylinders up to a volume of 11 L	MP00038	290, 292
Skin temperature probe Premi-Probe® 1, disposable, 10 pcs.	MU06933	375, 378, 381
Skin temperature probe Premi-Probe® 1, reusable	MU06951	375, 378, 381
Skin temperature probe Premi-Probe® 3, disposable, 10 pcs.	MU11228	372
Skin temperature probe Premi-Probe® 3, reusable	MU11225	372
Skin temperature probe Premi-Probe® 5, disposable, 10 pcs.	MU12551	367
Skin temperature probe Premi-Probe® 5, reusable	MU12533	367
Skin temperature probe Premi-Probe® for Isolette® 8000 plus, disposable, white, peripheral, 10 pcs.	MU26042	365
Skin temperature probe Premi-Probe® for Isolette® 8000 plus, disposable, yellow, central, 10 pcs.	MU26041	365
Skin temperature probe ThermoTrace, disposable, white, peripheral, 5 pcs.	MX11001	361, 363, 369
Skin temperature probe ThermoTrace, disposable, yellow, central, 5 pcs.	MX11000	361, 363, 369
Skin temperature probe, reusable, with 7-pin connector, 1.5 m	4329822	146, 200, 241, 429
Skin temperature probe, reusable, with 7-pin connector, 3 m	5204669	146, 200, 241, 429
Skin temperature probe, single-patient use, adult, 7-pin connector, 1.6 m	MP00995	145, 199, 240
Skin temperature probe, single-patient use, adult, 7-pin connector, 3 m	MP00996	145, 199, 240
Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 1.6 m	MP00997	145, 199, 240, 429
Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 3 m	MP00998	145, 199, 240, 429
Soda lime Drägerorb® 800+, for CO <sub>2</sub> absorption, canister, 5 l, 2 pcs.	MX00001	103
Soda lime Drägerorb® Free, for CO <sub>2</sub> absorption, canister, 5 l, 2 pcs.	MX50050	103
Soft connector N, disposable, 20 pcs.	MP03826	390, 394

## INDEX BY PRODUCT NAME

Spare parts set SelfTestLung, with locking brace and attachment bolt	MP02401	47
SpO <sub>2</sub> adhesive sensor Dräger, cloth, disposable, baby, 24 pcs.	MS16447	129, 425
SpO <sub>2</sub> adhesive sensor Dräger, cloth, disposable, neonate, 24 pcs.	MS16446	129, 425
SpO <sub>2</sub> adhesive sensor Dräger, foam, disposable, adult, 24 pcs.	MS16445	128, 224
SpO <sub>2</sub> adhesive sensor Dräger, foam, disposable, child, 24 pcs.	MS16444	128, 224
SpO <sub>2</sub> adhesive sensor Dräger, vinyl, disposable, adult, 24 pcs.	MS16449	128, 224
SpO <sub>2</sub> adhesive sensor Dräger, vinyl, disposable, child, 24 pcs.	MS16448	128, 224
SpO <sub>2</sub> adhesive sensor Masimo® LNCS Amtx, disposable, adult, 20 pcs.	MP00790	132, 189, 225, 252
SpO <sub>2</sub> adhesive sensor Masimo® LNCS Inf, disposable, baby, 20 pcs.	MP00791	132, 189, 225, 252
SpO <sub>2</sub> adhesive sensor Masimo® LNCS Neo, disposable, neonate, 20 pcs.	MP00792	132, 189, 252, 377, 427
SpO <sub>2</sub> adhesive sensor Masimo® LNCS NeoPt, disposable, premature baby, 20 pcs.	MP00794	132, 189, 252, 377, 427
SpO <sub>2</sub> adhesive sensor Masimo® LNCS Pmtx, disposable, child, 20 pcs.	MP00793	132, 189, 225, 252
SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-A, disposable, adult, cable 46 cm, 24 pcs.	MX50065	142, 198, 228
SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-AL, disposable, adult, cable 91 cm, 24 pcs.	MX50071	142, 198, 228
SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-Fast, disposable, application on forehead, 24 pcs.	MX50070	143, 236, 249
SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-I, disposable, child, 24 pcs.	MX50067	142, 198, 425
SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-N, disposable, neonate/adult, 24 pcs.	MX50068	142, 198, 228, 425
SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-P, disposable, child, 24 pcs.	MX50066	142, 198, 228
SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-R, disposable, application on nose, 24 pcs.	MX50069	143
SpO <sub>2</sub> adhesive square Masimo®, 12 pcs.	7496875	138, 195, 227
SpO <sub>2</sub> adhesive wrap Masimo® Multisite-Wrap, for LNOP YI SpO <sub>2</sub> sensor, 100 pcs.	7496917	138, 195, 227, 428
SpO <sub>2</sub> adhesive wrap Masimo® Petite-Wrap, for LNOP YI SpO <sub>2</sub> sensor, 100 pcs.	7496909	138, 195, 227, 428
SpO <sub>2</sub> adhesive wrap Masimo® Posey-Wrap, for NeoPt SpO <sub>2</sub> sensor, 12 pcs.	7496933	428
SpO <sub>2</sub> adhesive wrap Masimo®, for NeoPt SpO <sub>2</sub> sensor, 100 pcs.	7496925	428
SpO <sub>2</sub> extension cable, 2 m, reusable	2606487	235, 248
SpO <sub>2</sub> finger sensor Dräger, reusable	MS13235	128, 224
SpO <sub>2</sub> finger sensor Masimo® LNCS DCI, reusable, adult	MP00796	131, 188, 225, 251
SpO <sub>2</sub> finger sensor Masimo® LNCS DCIP, reusable, child	MP00795	131, 188, 225, 251
SpO <sub>2</sub> finger sensor Nellcor® DURA DS 100A	7262764	141, 198, 228, 236, 249
SpO <sub>2</sub> finger sensor, adult, 1 m, reusable	2606484	235, 248
SpO <sub>2</sub> finger sensor, adult, 2.5 m, reusable	2606483	235, 248
SpO <sub>2</sub> foam wrap Masimo® Foam-Wrap, neonate, LNOP YI SpO <sub>2</sub> sensor, 12 pcs.	7496891	138, 195, 227, 428
SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 1 m	3368433	127, 130, 140, 424
SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 2 m	3375834	127, 130, 140, 424
SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 1.2 m	MS18683	127, 130, 140, 223, 228, 424
SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 3 m	MS17330	127, 130, 140, 223, 228, 424
SpO <sub>2</sub> intermediate cable Masimo® LNCS, 1.2 m	MP00800	187, 250
SpO <sub>2</sub> intermediate cable Masimo® LNCS, 1.2 m	MS24303	130, 225, 426
SpO <sub>2</sub> intermediate cable Masimo® LNCS, 3 m	MP00797	187, 250
SpO <sub>2</sub> intermediate cable Masimo® LNCS, 3 m	MS17522	130, 225, 426
SpO <sub>2</sub> intermediate cable Masimo® LNCS, 4.3 m	MP03194	187, 250
SpO <sub>2</sub> intermediate cable Masimo® rainbow, 1.2 m	MP02974	193
SpO <sub>2</sub> intermediate cable Masimo® rainbow, 3.6 m	MP02975	193
SpO <sub>2</sub> intermediate cable Masimo® RD SET, 1.2 m (3.9 ft)	MS34436	130, 226
SpO <sub>2</sub> intermediate cable Masimo® RD SET, 3 m (9.8 ft)	MS34437	130, 226
SpO <sub>2</sub> intermediate cable Masimo® Red LNCS, 1.2 m	MP02991	187
SpO <sub>2</sub> intermediate cable Masimo® Red LNCS, 3 m	MP02992	187
SpO <sub>2</sub> intermediate cable Masimo® Red LNCS, 4.3 m	MP03196	187
SpO <sub>2</sub> Masimo® sensor LNCS-DBI, reusable, adult	MP02993	131, 188, 225, 251
SpO <sub>2</sub> Masimo® sensor LNCS-TC-I Ear, reusable, pediatric/adult	MP00788	131, 188, 225, 251
SpO <sub>2</sub> Masimo® sensor LNCS-TF-I, reusable, pediatric/adult	MP00799	131, 188, 225, 251
SpO <sub>2</sub> Masimo® sensor LNCS-YI Multisite, reusable, neonate/pediatric/adult	MP00789	131, 188, 225, 251, 427
SpO <sub>2</sub> Nellcor® FLEXMAX Adt	MS34677	143, 198

## INDEX BY PRODUCT NAME

	SpO <sub>2</sub> Nellcor® FLEXMAX Pdt	MS34678	143, 198
	SpO <sub>2</sub> sensor, adult, 0.5 m, disposable, 25 pcs.	2606208	235, 248
	SpO <sub>2</sub> sensor, infant, 0.5 m, disposable, 25 pcs.	2606210	235, 248
	SpO <sub>2</sub> sensor, neonate, 0.5 m, disposable, 25 pcs.	2606211	235, 248
	SpO <sub>2</sub> sensor, pediatric, 0.5 m, disposable, 25 pcs.	2606209	235, 248
	SpO <sub>2</sub> silicone Soft-tip sensor, adult, 1 m, reusable	2606485	235, 248
	SpO <sub>2</sub> silicone Soft-tip sensor, pediatric, 1 m, reusable	2606486	235, 248
	Starter kit for patient parameter unit Infinity® CNAP™ SmartPod®	MS17075	152
	Suction bottle with filter and tube for Isolette® 8000, disposable, 800 mL, 20 pcs.	MU10918	366, 368, 374
	Suction bottle with holder for Resuscitaire, disposable, 40 mL	MU10916	374
	Suction bottle, disposable, 40 mL, 10 pcs.	MU10917	374
	Suction hose holder, suitable for various diameters	2M85239	308, 318, 351, 446
	Suction hose, silicone, reusable, 1.5 m, for medical suction	M25780	311, 445
	Suction set, disposable, VacuSmart®, 700 ml and VacuSmart® Tube, 25 pcs. each	MP00061	309, 344
	Suction tube VacuSmart® Tube, PE (Polyethylene), disposable, 2 m, w/ finger tip, 25 pcs.	MX23026	309, 44
	Switchover valve Medela	MP03232	317
	Swivel table, reusable, for poles with Ø 38 mm	2M21186	364, 371
<b>T</b>	T-adapter neonatal for NO therapy, 10 pcs.	8422215	22, 98, 421
	T-Adapter, adult, 10 pcs.	MP01085	98
	T-Adapter, neonates, 10 pcs.	MP02689	98, 421
	T-Adapter, pediatric, 10 pcs.	MP01086	98, 421
	T-connector for Aerogen Pro, 12 mm, with plug, 5 pcs.	MP01037	97, 420
	T-connector, disposable, Ø 15 mm, 25 pcs.	MU10902	374
	T-piece adapter for MX 300 and MX 300-i, reusable	MP01445	387
	T-piece adapter for MX 300/MX 300i and Resuscitaire® breathing circuit, disposable, 20 pcs.	MP01880	373, 387
	T-piece adapter for MX300/MX300i and HI-Flow Star System, disposable, 20 pcs.	MP05508	82
	T-piece AIR NIST	M36056	347
	T-piece connector, reusable	8411044	45
	T-piece set with plug for Aerogen Pro, N, 15 mm (0.6 in), w/ adapter 10 mm (0.4 in), 5 pcs.	MP01032	97, 420
	T-piece with plug for Aerogen Pro, A, ISO 22 mm, 5 pcs.	MP01031	97
	Tape for Eyebrow Sensor, 96 pcs.	MS34209	216
	TAT-5000S Probe Caps, single-use, 1,000 pcs., Vista 120 SC	2600948	260
	TAT-5000S Sheats, single-use, latexfree, 250 pcs., Vista 120 SC	2600949	260
	TAT-5000S Temporal Scanner, Vista 120 SC	2600946	260
	Tcore® adapter, reusable	MP00999	147, 201
	Tcore® extension cable	MP02201	147, 201
	Tcore® mount for M540	MS33239	201
	Tcore® sensor, single patient use	MP00989	147, 201
	Telemetry transmitter pouch, disposable, 100 pcs.	MS22905	229
	TEMP Adapter 2-pin	MP00944	266
	TEMP Adapter Jack	MP00943	266
	Temperature probe adapter 900 MR 532, for F&P humidifiers	MP01007	44, 95
	Temperature probe skin, adult, 3 m, reusable	2601197	239
	Temperature probe skin, neonate/infant, 3 m, reusable	2601200	239
	Temperature probe, rectal/oral, adult, 3 m, reusable	2601198	239
	Temperature probe, rectal/oral, neonatal/Infant, 3 m, reusable	2601199	239
	Temperature probe/flow sensor for F&P MR 850 for all breathing circuits, 1.1 m	8414989	94, 419
	Temperature probe/flow sensor for F&P MR 850, for all breathing circuits, 1.5 m	8414966	94, 419
	Temperature sensor mount, reusable, N	8403056	33, 45, 404
	Test filter	6870281	175, 213
	Test gas cylinder 5 Vol.% CO <sub>2</sub> , 95 Vol. % N <sub>2</sub>	6850435	175, 213
	Test lung SelfTestLung, reusable, max. 1 L, not made with natural rubber latex	MP02400	47

## INDEX BY PRODUCT NAME

Test Lung, reusable, max. 1.5 L, not made with natural rubber latex	8403201	47
ToFscan® Kit configurator	MS32318	216
Trolley	5790148	388
Trolley, for OR suction unit, with protection jar, w/o 4 L secretion jars	2M85441	317
Tubing grommet for Caleo®, reusable, angle	2M50385	363
Tubing grommet for Caleo®, reusable, flap	2M50412	363
Tubing grommet for Isolette® C2000, 8000 and 8000 plus, reusable	MU12609	366, 368
Tubing grommet for TI 500 and TI 500 Globe-Trotter, reusable	MU04366	375, 378, 381
Tubing grommet, reusable	2M20434	370
Turn knob, compl.	MP00587	355, 449
Two-sided pump ball for air management	MP01590	70, 76, 415
<b>U</b> Universal holder flex 15 for wall rails 25 × 8 to 35 × 10 mm with bottle screw	MP00637	314
Universal holder for wall rails 25 × 8 to 35 × 10 mm with M5 drill hole 15 mm distance	MP00635	314
Universal holder for wall rails 25 × 8 to 35 × 10 mm with M5 drill hole 22 mm distance	MP00636	314
Universal holder profile 30 × 5 for wall rails 25 × 8 to 35 × 10 mm	MP00634	314, 318, 389
Universal holder with groove 25 × 5 for wall rails 25 × 8 to 35 × 10 mm, for compact suction system and secretion jar set	2M86757	314, 318
Universal pole mount	7485621	116, 153, 154
<b>V</b> VAC CS hose 1.5 m (4.9 ft) DISSB EN HAND	M36299	344
VAC CS hose 1.5 m (4.9 ft) NF EN NF	M35431	334
VAC CS hose 1.5 m (4.9 ft) NIST BS straight	M35404	336
VAC CS hose 1.5 m (4.9 ft) NIST EN AS	M36826	340
VAC CS hose 1.5 m (4.9 ft) NIST EN BS	M35395	335
VAC CS hose 1.5 m (4.9 ft) NIST EN Carba	M35477	338
VAC CS hose 1.5 m (4.9 ft) NIST EN DIN	M35498	331
VAC CS hose 1.5 m (4.9 ft) NIST EN NF	M35422	333
VAC CS hose 1.5 m (4.9 ft) NIST EN SS	M35386	337
VAC CS hose 1.5 m (4.9 ft) NIST EN UNI	M35413	339
VAC CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36013	332
VAC CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35455	333
VAC CS hose 3 m (9.8 ft) DISSB EN HAND	M36300	344
VAC CS hose 3 m (9.8 ft) NF EN NF	M35432	334
VAC CS hose 3 m (9.8 ft) NIST BS straight	M35405	336
VAC CS hose 3 m (9.8 ft) NIST EN AS	M36827	340
VAC CS hose 3 m (9.8 ft) NIST EN BS	M35396	335
VAC CS hose 3 m (9.8 ft) NIST EN Carba	M35478	338
VAC CS hose 3 m (9.8 ft) NIST EN DIN	M35499	331
VAC CS hose 3 m (9.8 ft) NIST EN NF	M35423	333
VAC CS hose 3 m (9.8 ft) NIST EN SS	M35387	337
VAC CS hose 3 m (9.8 ft) NIST EN UNI	M35414	339
VAC CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36014	332
VAC CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35456	333
VAC CS hose 5 m (16.4 ft) DISS JIS KAWA	M35820	341
VAC CS hose 5 m (16.4 ft) DISSB EN HAND	M36301	344
VAC CS hose 5 m (16.4 ft) NF EN NF	M35433	334
VAC CS hose 5 m (16.4 ft) NIST BS straight	M35406	336
VAC CS hose 5 m (16.4 ft) NIST EN AS	M36828	340
VAC CS hose 5 m (16.4 ft) NIST EN BS	M35397	335
VAC CS hose 5 m (16.4 ft) NIST EN Carba	M35479	338
VAC CS hose 5 m (16.4 ft) NIST EN DIN	M36000	331
VAC CS hose 5 m (16.4 ft) NIST EN NF	M35424	333



## INDEX BY PRODUCT NAME

VAC CS hose 5 m (16.4 ft) NIST EN SS	M35388	337
VAC CS hose 5 m (16.4 ft) NIST EN UNI	M35415	339
VAC CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36015	332
VAC CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35457	333
VAC CS hose DISS Hand 10L	4199590	342
VAC CS hose DISS Hand 15L	4199589	342
VAC CS hose DISS N/DISS N 10L	4199602	342
VAC CS hose DISS N/DISS N 15L	4199601	342
VAC CS hose DISS N/DISS N 20L	4199600	342
Vacuum aspirator DISS Canada, version for Atlan A300/ A350 and Perseus A500	MP00687	299
Vacuum aspirator DISS, version for Atlan A300/ A350 and Perseus A500	MP00686	299
Vacuum aspirator NIST, version for Atlan A300/ A350 and Perseus A500	MP00689	299
Vacuum regulator dual VarioVac® B/OR Rail, for bronchial and OR suction, gas connection NIST VAC	MP00516	297, 316
Vacuum regulator VarioVac® B AGA, for bronchial suction, gas connection VAC, Swedish standard	MP00504	296
Vacuum regulator VarioVac® B BS, for bronchial suction, gas connection VAC	MP00502	296
Vacuum regulator VarioVac® B CARBA, for bronchial suction, gas connection VAC	MP00514	296
Vacuum regulator VarioVac® B compact, for bronchial suction, gas connection NIST VAC, including secretion jar set and integrated vacuum regulator	MP00506	304
Vacuum regulator VarioVac® B DIN, for bronchial suction, gas connection VAC	MP00501	296
Vacuum regulator VarioVac® B NF, for bronchial suction, gas connection VAC	MP00503	296
Vacuum regulator VarioVac® B/OR Rail DISS, for bronchial and OR suction, gas connection DISS VAC	MP00631	297
Vacuum regulator VarioVac® B/OR Rail, for bronchial and OR suction, gas connection NIST VAC	MP00505	297, 316
Vacuum regulator VarioVac® D AGA, for continuous and wound drainage, gas connection VAC	MP00510	320
Vacuum regulator VarioVac® D BS, for continuous and wound drainage, gas connection VAC	MP00508	320
Vacuum regulator VarioVac® D CARBA, for continuous and wound drainage, gas connection VAC	MP00515	320
Vacuum regulator VarioVac® D DIN, for continuous and wound drainage, gas connection VAC	MP00507	320
Vacuum regulator VarioVac® D NF, for continuous and wound drainage, gas connection VAC	MP00509	320
Vacuum regulator VarioVac® D Rail, for continuous and wound drainage, gas connection VAC	MP00511	320, 437
Vacuum regulator VarioVac® MRI B/OR Rail, for bronchial and OR suction, gas connection NIST VAC, for connection to all standard wall rails	MP03222	298
Vacuum regulator VarioVac® MRI P Rail, for bronchial suction, gas connection NIST VAC, for connection to all standard wall rails	MP03223	298, 438
Vacuum regulator VarioVac® P compact, for bronchial suction, gas connection NIST VAC, including secretion jar set and integrated vacuum regulator	MP00661	304, 439
Vacuum regulator VarioVac® P Rail DISS, for bronchial suction, gas connection DISS VAC, for connection to all standard wall rails	MP00632	298
Vacuum regulator VarioVac® P Rail, for bronchial suction, gas connection NIST VAC, for connection to all standard wall rails	MP00660	298, 438
Vacuum regulator VarioVac® T DIN, or thoracic drainage, gas connection VAC, for connecting to the central vacuum supply	MP00664	321
Vacuum regulator VarioVac® T Rail WV, for thoracic drainage, gas connection VAC, water vacuum gauge included, for connection to all standard wall rails, double-scaled immersion pipe (kPa and cmH2O)	MP00512	322, 327
Vacuum regulator VarioVac® T Rail, for thoracic drainage, gas connection VAC, for connection to all standard wall rails	MP00663	321
Vacuum suction DISS Canada, for bronchial suction, gas connection VAC	MK03320	299
Vacuum suction DISS, for bronchial suction, gas connection VAC	MK03140	299

## INDEX BY PRODUCT NAME

Vacuum suction NIST, for bronchial suction, gas connection VAC	MK01422	299
Ventilation hose holder, reusable, 40 cm	8411075	362, 364
Ventilation valve for Oxylog® 1000, reusable	2M86800	39
Ventilation valve for Oxylog® 2000/3000, reusable	8412001	40
VentStar® Aquapor dual heated, Adult and Paediatric, 10 pcs.	MP07130	25
VentStar® Aquapor, dual heated, N plus, 10 pcs.	MP07150	25, 402
VentStar® Aquapor, heated, Adult and Paediatric, 10 pcs.	MP07131	25
VentStar® Aquapor, heated, N plus, 10 pcs.	MP07151	25, 402
VentStar® Autobreath N Breathing circuit for Resuscitaire® and TN300, disposable, 25 pcs.	MU10841	373
VentStar® Breathing Bag 0.5 L, 25 pcs.	MP02710	15, 400
VentStar® Breathing Bag 1 L, 25 pcs.	MP02711	15
VentStar® Breathing Bag 2 L, 25 pcs.	MP02712	15
VentStar® Breathing Bag 3 L, 25 pcs.	MP02713	15
VentStar® Helix, dual heated, 10 pcs.	MP02606	23
VentStar® Helix, heated, 10 pcs.	MP02607	23
VentStar® Resus Neo, disposable, N, 1 m, 25 pcs., not made with natural rubber latex	MP00310	373, 400
Vista 120 printing paper, 4 rolls	2606231	247
Vista 120 rechargeable Lithium-Ion battery	2606229	247
<b>W</b> Wall holder, with fixing screws, for compact suction unit and secretion jar set	M26859	308, 446
Warming mattress TransWarmer®, disposable, self warming for approx. 2 h, 6 pcs.	MP01414	386
Water bag holder 900 MR 290	MP01008	93
Water container with screw thread + gaskets	MP00565	330
Water container, for continuous drainage system 2 – 4, w/o screw thread	M20668	329
Water tank and water transfer hose, for Caleo®, reusable	2M50040	364
Water transfer hose for Caleo® and Babyleo® TN500, disposable, 20 pcs.	MX17018	362, 364
Water trap for Evita® 2 dura, Evita® 4, Evita® XL, reusable	8413125	85
Water trap Infinity® ID WaterLock® 2, 12 pcs.	6872020	178
Water trap with outlet, reusable N/P	8404760	33, 404
Water trap, reusable, A	8404985	34, 37, 45
Water trap, reusable, N/P	8409627	33, 45, 404
Water vacuum gauge, for thoracic drainage, combination w/ VarioVac® D and VarioAir® D	MP00518	327
Watertrap WaterLock® 2, 12 pcs.	6872130	178
<b>Y</b> Y-cable CO <sub>2</sub> and analog/sync	MS22259	174, 213
Y-cable, reusable, 7-pin connector, for 2 temperature probes	5592154	145, 199
Y-piece 90° with Luer Lock, reusable, A	M33278	36, 37, 44
Y-piece for F&P, reusable, A	8412888	44
Y-piece straight, reusable, N/P	M27077	44, 408
Y-piece with sensor mount, reusable, A	8405435	34, 44
Y-piece, polyamide, reusable, straight, A	M25650	35, 44
Y-piece, reusable, N, 90°, with suction opening	8403075	33, 38, 44, 404, 405, 408



Not all products, features, or services are for sale in all countries.  
Mentioned Trademarks are only registered in certain countries and not necessarily in the country in which this material is released. Go to [www.draeger.com/trademarks](http://www.draeger.com/trademarks) to find the current status.

#### CORPORATE HEADQUARTERS

Drägerwerk AG & Co. KGaA  
Moislinger Allee 53–55  
23558 Lübeck, Germany

[www.draeger.com](http://www.draeger.com)

#### Manufacturer:

Drägerwerk AG & Co. KGaA  
Moislinger Allee 53–55  
23558 Lübeck, Germany

Locate your Regional Sales  
Representative at:  
[www.draeger.com/contact](http://www.draeger.com/contact)



#### REGION EUROPE

Drägerwerk AG & Co. KGaA  
Moislinger Allee 53–55  
23558 Lübeck, Germany  
Tel +49 451 882 0  
Fax +49 451 882 2080  
[info@draeger.com](mailto:info@draeger.com)

#### REGION MIDDLE EAST, AFRICA

Drägerwerk AG & Co. KGaA  
Branch Office  
P.O. Box 505108  
Dubai, United Arab Emirates  
Tel +971 4 4294 600  
Fax +971 4 4294 699  
[contactuae@draeger.com](mailto:contactuae@draeger.com)

#### REGION ASIA / PACIFIC

Draeger Singapore Pte. Ltd.  
61 Science Park Road  
The Galen #04-01  
Singapore 117525  
Tel +65 6872 9288  
Fax +65 6259 0398  
[asia.pacific@draeger.com](mailto:asia.pacific@draeger.com)

#### REGION NORTH AMERICA

Draeger, Inc.  
3135 Quarry Road  
Telford, PA 18969, USA  
Tel +1 800 4DRAGER  
(+1 800 437 2437)  
Fax +1 215 723 5935  
[info.usa@draeger.com](mailto:info.usa@draeger.com)

#### REGION CENTRAL

#### AND SOUTH AMERICA

Dräger Indústria e Comércio Ltda.  
Al. Pucurui - 51 - Tamboré  
06460-100 - Barueri - São Paulo  
Tel. +55 (11) 4689-4900  
[relacionamento@draeger.com](mailto:relacionamento@draeger.com)